February 1984 Volume 2 $2.50

softalk

for the IBM Personal Computer

TALE OF THE PORTS

HOW EXPANDABLE IS YOUR PC?

EXEC LOTUS

THE PC DELIVERS PATIENT CARE

MANUFACTURING SOFTWARE ON THE PC

softalk for the IBM Personal Computer

February 1984

It Reads, Writes and It Paints in 3-D, Keeps and Talks to

It's called "OPEN ACCESS," and it's the result of 60 man-years of effort to create a truly do-it-all, super-program—one that can perform virtually every task you're ever likely to encounter.

The beauty of it is, all that capability resides on a single program. You don't have to re-enter data. Or spend time trying to get unmatched programs to work together.

OPEN ACCESS takes its name from the source of its power—a relational data-base manager that gives you access to more data in more ways than any comparable software.

OPEN ACCESS includes an electronic spreadsheet, 3-D graphics, word processor, appointment scheduler and telecommunications module—all revolving around the powerful information manager.

See us at COMDEX, Booth W648

1

INFORMATION MANAGEMENT—THE MASTERMIND. This advanced data-base manager stores and retrieves multiple files quickly, easily and reliably. What's more, it shares all information with the other programs, so you never have to re-enter the same data twice.

2

ELECTRONIC SPREADSHEET—NUMBER CRUNCHING AND GOAL SEEKING. It helps you produce forecasts, cost estimates and "break-even" points—in seconds, instead of hours or days. Best of all, it allows "goal seeking." Ask, for example, "What sales must I have the rest of the year to net $1 million?," and OPEN ACCESS will figure it out!

3



3-D GRAPHICS—NOT JUST PRETTY PICTURES. These graphics distill raw data into trends that can be instantly visualized, helping you discern the important facts from a wealth of information.

does Arithmetic. Your Appointments the World.

Because they do not have a dedicated relational data-base manager that can quickly direct massive amounts of data, other programs simply can't do what OPEN ACCESS can. Some don't have a communications program, others no dedicated word processor. None have a time management program.

There's just one conclusion: At $595*, OPEN ACCESS can do more for you than any other comparable business program on the market. Bar none. But the only way for you to be convinced is for you to see OPEN ACCESS work its magic on your work load. So call your local software dealer today, or call us at SPI, at 619-450-1526.

*Introductory price

SPI

SOFTWARE PRODUCTS INTERNATIONAL

10240 Sorrento Valley Road
San Diego, CA 92121

4

WORD PROCESSING—EDITOR EXTRAORDINAIRE! Superior word processors make it easy to correct typos, change words, shuffle paragraphs and format documents. This is one of that breed. Use it to write efficient memos, letters, proposals and reports.

5

TELECOMMUNICATIONS—YOUR LINK WITH THE WORLD. This program gives you access to virtually any other computer system in the world. Not only can you transmit and receive reports from your colleagues, you can also subscribe to special data banks that know everything from GM's stock price to the relative humidity in Genoa. Now that's power!

6

TIME MANAGEMENT—CONSERVING YOUR MOST PRECIOUS RESOURCE. This module helps you keep track of all your appointments, hour by hour, day in and day out. It alerts you to standing obligations, automatically coordinates meeting times with other busy professionals, and lists all your associates on a Rolodex™-like file.

softalk

for the IBM Personal Computer

Features

Columns

Departments

Cover painting by Kevin McKeon

Index to Advertisers

Softalk for the IBM Personal Computer

Editor	Craig Stinson
Managing Editor	Michael Tighe
Art Director	Kevin McKeon
Assistant Art Director	Tim Durr
Associate Editors	James Bradbury, Kevin Goldstein, Kathy Talley-Jones
Newspeak Editor	David Hunter
Editor-at-Large	Jean Varven
Copy Editor	Cordell Cooper
Editorial Coordinator	Betsy Barnes
Editorial Assistant	Marlene Lunnon
Proofreaders	Harry McNeil, Judith Pfeffer, Steve Thomsen
Guest Reviewers	Dian Crayne
Contributing Editors	
Assembly Language	Ray Duncan
Basic	Joe Juhasz
C	Rex Jaeschke
Financial Modeling	Jack Grushcow
Investing	Ken Landis
Pascal	Bruce Webster, Deirdre Wendt
Printers	John Dickinson
Questions and Answers	Nancy Andrews
Special Assignments	John Socha
Systems Software	Alan Boyd
Word Processing	Terry Tinsley Datz and F. Lloyd Datz
Art Production	Don Robertson,
Ad Production	Michael G. Pender
Art Assistants	Lucas McClure, Nancy Baldwin, Dan Winkler, Weldon O. Lewin, Malcolm Rodgers, Ruth Seid, Ken Goehner

Softalk Publishing Inc.

Chairman	John Haller
Publisher	Al Tommervik
Editor-in-Chief	Margot Comstock Tommervik
Senior Art Director	Kurt Wahlner
Associate Publisher	Mary Sue Rennells
Operations	Marjorie Kaufman
Accounting	Evelyn Burke
Accounting Assistants	Mary Jo Milam, Carla Swanson, Lois Mencsik, Donna Flushman
Circulation	
Customer Service	Marsha Stewart
Trial Subscriptions	Deirdre Galen, Cliff Martinez, Anna Gusland, Ramona Gordon, Joe Bellinger, Terez Carroll
Paid Subscriptions	Michelle Vigneault-Kirschenbaum, Leticia Garcia, Janeth Godoy-Aguiar, Barbara Naimoli, Richelle Kaufman, Josie Walley
Dealer Sales	Pattie Lesser, Dan Yoder
Back Issues	Michael Jones
Systems	John Heitmann
Advertising Coordinator	Linda McGuire Carter
Assistant	Cathy Stewart
Regional Editors	Hartley G. Lesser, Roe Adams III
West Coast Sales	Mike Antich Softalk 7250 Laurel Canyon Boulevard Box 7040 North Hollywood CA 91605 (818) 980-5074
East Coast Sales	Ian Ross Paul McGinnis Advertising Sales 690 Broadway Massapequa, NY 11758 (212) 490-1021
Midwest and Rocky Mountain Sales	Ted Rickard Kevin Sullivan Christopher Kaspar Market/Media Associates 435 Locust Road Wilmette, IL 60091 (312) 251-2541

Composition by Type Works, Pasadena, California. Printing by Volkmuth Printers, Saint Cloud, Minnesota.

IBM and Personal Computer are trademarks of International Business Machines, Armonk, New York. Compaq is a trademark of Compaq Computer Corporation, Houston, Texas. Softalk is a trademark of Softalk Publishing Inc.

Softalk for the IBM Personal Computer, Volume 2, Number 9.

ISSN: 0733-2173. *Softalk for the IBM Personal Computer* is published monthly by Softalk Publishing Inc., 7250 Laurel Canyon Boulevard, North Hollywood, CA 91605; telephone (818) 980-5074. Second-class postage paid at North Hollywood, California, and additional mailing offices.

Postmaster: Send address changes to Softalk/IBM, Box 7040, North Hollywood, CA 91605.

Subscriptions: Complimentary trial subscription to all owners of IBM Personal Computers or Compaq computers in the USA and Canada. If you own a PC or a Compaq but you aren't receiving *Softalk for the IBM Personal Computer*, send your serial number and mailing address to Softalk/IBM Circulation, Box 7040, North Hollywood, CA 91605. Non-PC-owner subscriptions: $24 per year. Please allow six to eight weeks for processing. *Softalk for the IBM Personal Computer* is totally independent of International Business Machines.

Back issues (from June 1982): $3.

Problems? If you haven't received your *Softalk* by the fifteenth of the month, or if you have other problems with your subscription, Marsha Stewart can help out. Call (818) 980-5074 or (800) 821-6231.

Moving? Send new address and a recent mailing label from your old address to Softalk/IBM Circulation, Box 7040, North Hollywood, CA 91605; telephone (818) 980-5074. Please allow six to eight weeks for processing.



In our continuing quest to prove that computers are not necessarily smarter than most humans, we are giving you the opportunity to fool our spelling checker. We all know that even the Cray 100 can't distinguish between homonyms (pairs of words that have the same sound but different meanings).

Sew, inn won hun dread udder aunts says ore phew err, sea watt ewe Cannes right witch hour spelling checker cant marc as ink erect. Bee humerus may bee. Bee Sirius. Bee awl ewe Cannes bee.

P.S. Send your entry by the first of March—along with your name, address, phone, name of nearest dealer, and what you want if you win (chosen from the products of this issue's advertisers)—to Pea Sea Con Test, Softalk IBM, Box 7040, North Hollywood, CA 91605. ▲

WINNERS

The outpouring of response to Crypto Kitchen nearly did in our random number generator; however, it rose to the challenge and panted out *11*, the entry of Birmingham, Alabama's own Delicia Dozier.

The random number generator (RND for short) wants to thank everyone who entered, nearly all of whom got the crypto alphabet correct. RND would like to admonish those who stuffed the ballot box but notes that it did not disqualify those who did so—just their other eighteen entries. Honorable mention for stuffing efforts go to the cities of Binghamton, New York, and Philadelphia, Pennsylvania. RND is grateful to those who sent *it* puzzles but regrets that the only numbers it can produce will not solve the ciphers. ▲

NOW AVAILABLE

Writing and Organizing Business and Personal Letters Has Never Been So Easy.

A Powerful and Flexible Total Correspondence Package

LAYOUTS:

- User-defined letter format.
- Adjustable L/R and T/B margins, lines per inch, and characters per inch.
- Justification on/off.
- Single or double line spacing.
- Supports 5"x7", 8½"x11", and 8½"x14" paper size.

PRINTING:

- Supports over 35 popular printers.
- Automatically initializes most parallel printers.
- Accommodates special printer functions.
- Allows up to 3 parallel printers and 2 serial printers.
- Print/Pause and Print/Test options.

COPY OR DELETE:

- Global Search of Letter Files.
- Copy one letter, all letters, or a group of letters to a new location.
- Delete one letter, all letters, or a group of letters.

WRITING AND EDITING:

- Single keystroke operation and control.
- Complete cursor control.
- What-you-see-is-what-you-get screens.
- Auto. Word wrap and right justification.
- Move, insert, delete or copy characters, words, sentences, and blocks.
- On-screen underlining (most monitors).
- Automatic letter re-format.



SPELL CHECKING:

- 50,000 word Master dictionary.
- User-created Auxiliary dictionary.
- Misspelled words displayed in context.
- Automatic dictionary, search for alternate spellings.
- Automatic justification after correction.
- Spell checks outside files.

RECALLING:

- Global Search of Letter Files. (for user-designated 1-25 character string)
- Recall one specific letter, all letters, or a related group of letters.

NAMING AND FILING:

- 1 to 25 character Letter Name
- User-designated Letter I.D. Phrase (40 character "key" phrase from letter).

IN GENERAL:

- Designed specifically for 1 to 6 page business and personal letters.
- Smooth and fast single keystroke operation.
- An abundance of user-defined options, settings, formats, and functions.
- On-line help screens (Specific for current option or general tutorial).
- Backed by FriendlyWare "No Fine Print" Lifetime Guarantee.

FRIENDLYWRITER™ with FRIENDLYSPELLER™

Suggested Retail Price $69.95

TWO DISKETTE PACKAGE, REQUIRES PC-DOS (1.0, 1.1, 2.0), 64K MEMORY with DOS 1.0 and 1.1, OR 96K MEMORY with DOS 2.0, ONE DISK DRIVE, ANY 80 WIDE MONITOR, ANY IBM-COMPATIBLE PRINTER.

FRIENDLYSOFT, INC.

ARLINGTON, TEXAS

"FriendlySoft products are available at leading hardware and software dealers worldwide"

Number One Add-On Products for IBM PC

Getting the most out of your personal computer.

AST Research Number One Add-On Products let you realize the full potential of your IBM PC or PC-XT without wasting valuable slot space. You can take advantage of more of the capabilities IBM designed into the PC while leaving space for future enhancements as they are introduced, by combining your memory and input/ouput requirements on a single card!

SixPakPlus™:



64K-384K of parity checked memory. Added to a PC or XT with a fully populated 256K system board, the SixPakPlus can bring the system memory to 640K, the maximum addressable user memory.

I/O Plus II™:



MegaPlus II™:



64K-512K of parity checked memory. The basic card expands to 256K, and with the MegaPak extension expands to an additional 128K or 256K of parity checked memory.

ComboPlus™:



MP Expansion Memory:



AST-PCnet™:

- CSMA/CD 1 Mbps baseband Local Area Network
- Uses standard 75-ohm CATV coaxial cable capable of running up to 7,000 feet
- Interconnects multiple PC's (57,000 addressable limit)
- All PC-compatible disk drives and printers are shareable
- Networked access to mainframes via shared AST-3780
- Users can execute commands remotely on shared PC
- File lock-out
- DOS 1.1 and DOS 2.0 compatible

Ask for AST Research Number One Add-On Products, available at Computerland, Entré, Businessland and other computer stores worldwide. For the dealer nearest you, or for complete product information contact AST Research, Inc., (714) 540-1333/863-1333 TELEX 295370ASTR UR



User Memory from 64K-512K — When added to your existing system memory, brings your PC up to its maximum of 640K. You can run larger spreadsheets or create larger in-memory databases. You can also use the additional memory along with the supplied AST SuperPak™ software which includes SuperDrive™ and SuperSpool™.

Serial Ports — Using a modem your PC can communicate with other computers over telephone lines. By connecting a serial printer, you can obtain high quality print output. Other serial devices such as a plotter or mouse may also be connected to a serial port.

Parallel Ports — Used for connecting a parallel printer to your PC for high-speed, draft quality printouts.

Clock Calendar — With the on-board battery, the clock-calendar feature automatically maintains the correct date and time, even when the PC is turned off.

Game Adapter — Allows you to connect an IBM-type joystick to your PC so you can play the multitude of arcade quality games. Or you can use the joystick input for other applications by writing your own programs.

Other Communications Products — AST Research also extends the capabilities of your IBM PC with mainframe communication products including 3270 SNA and 5251 terminal emulation, 3780 RJE support, and AST-PCnet™ — the Local Area Network designed for the IBM PC.

AST *Quality*

All AST Research enhancement products come with the **AST "Plus"** — our unsurpassed reputation for quality, reliability, after-the-sale support, and overall design excellence — which give our products the best price/performance ratio in the industry!

PCnet is a registered trademark of Orchid Technology, Inc.



crosstalk

Can Scrnsave Be Saved?

I read the article "Save Your Monitor Screen!" (John Socha, December 1983) and was so enthusiastic about it that I immediately typed in the Basic program, created the com file, and incorporated it into my Autoexec.bat file.

However, I think Scrnsave could stand one improvement: Provide the user with a way to vary the time interval from the given three-minute period; for example, sometimes I'd like a longer interval, such as five minutes.

The best way would be for Scrnsave.com to ask the user for the desired time interval or have the parameter passed on the command line. The alternative would be to modify a data statement in the Basic generating program.

Michael Shunfenthal, Torrance, CA

Surely some enterprising Basic adept has already modified Scrnsave. We, and all the readers who have telephoned and written us about Scrnsave, would be very grateful if you would share your knowledge with us.

Typos in Programs

It has been my pleasure to receive the first year of my subscription to *Softalk* for free, and when the renewal notice arrived, I hesitated only momentarily before sending in my check. You have consistently provided valuable and timely information without trying to be everything to everybody.

Some of your most helpful features have been your program listings, such as the Basic cross-referencer (February 1983) and the screensave program (December 1983), which not only have been useful but also have certainly honed my touch-typing skills on the numeric and special characters!

There is, however, one practice of yours that makes little sense to me. It seems that you typeset the program listings, rather than simply reproducing listings made by the programs' authors. While this may make for more attractive copy, it also invites typographical errors that are catastrophic in computer programs. As an experienced professional programmer, I am able to catch some of them, but at other times there are ambiguities that are evident only in the context of the program's logic. In any case, life is made more difficult than necessary.

I, for one, would not be offended by seeing reproductions of actual program listings. It would give me confidence that what I see is what I get, and might save me considerable debugging time. It takes me long enough to sift out my own typing errors—I don't need yours too!

In general, thanks for a great magazine.

Tom Eagan, Eastsound, WA

We're now generating typeset copy directly from authors' disk files, so you shouldn't be finding any more typographical errors in our programs. There's still plenty of room, however, for touch-typing quirks and human error; see John Socha's apologia, "Of Bugs and Men," in the January 1984 issue.

Rounding Error

I would like to thank John van Laer for his letter ("Crosstalk," December 1983) pointing out a problem with the even rounding routine in my article "How To Get 'Round the Rounding Bug" (August 1983). This problem existed in the original pocket calculator algorithm from which I adapted the routine. I am sorry I didn't catch the problem before using the algorithm and must apologize for any inconvenience this may have caused anyone.

The main problem with the FnErnd function is that it is *not* a complete rounding function as advertised; instead, it is a clever way to drop the decimal and go to the nearest even dollar amount. However, it should only be used after the decimals have been determined to be exactly 50 by some other means. The following Basic routine is a way of using FnErnd correctly:

```
100 DEF FNDRND#(G#,K)=
    INT((G#*10^K)+.5)/10^K
110 DEF FNERND#(G#,K)=
    INT(((G#/2)*10^K)+.5)*2/10^K
***
1000 ' EVEN ROUNDING ROUTINE #1
1010 G2#=G#*10^K-INT(G#*10^K)
1020 IF G2#<>.5 THEN 1040
1030 G1#=FNERND#(G#,K) : RETURN
1040 G1#-FNDRND#(G#,K) : RETURN
```

To use even rounding, execute *gosub 1000* with G# equal to the number to be rounded and K equal to the number of digits desired to the right of the decimal. On returning from the routine, G1# holds the rounded value.

In checking the performance of the rounding routines, one soon notes apparent failures to follow the desired rounding rules that are attributable to the way Basic represents decimal fractions and to the fact that Basic computes 10^K in single precision. For example, if you ask Basic to print 10^11, it prints 1E+11

HERCULES™ is the only graphics card that can run 1-2-3™ on IBM's® monochrome display.

And that's just for starters.

You don't have a Hercules Graphics Card? Then unfortunately you won't be able to run 1-2-3, including all its graphics, on IBM's monochrome display. And you'll miss out on all the other reasons why there are more Hercules Graphics Cards producing more high resolution graphics than any other add-on card for the IBM PC.

But don't take just our word for it. If you need convincing, remember that most of the IBM PCs at Lotus™ are running Hercules Graphics Cards. And the authors of 1-2-3 know a good card when they see one. Or consider that the Hercules Graphics Card is widely used at Rockwell, Mass Mutual, and Carnegie Mellon. They couldn't all be wrong, could they?

At **$499**, we think the Hercules Graphics Card offers the best price/performance ratio of any graphics card available today. As you can tell, plenty of users agree with us.

Call or write for our free information kit. You'll see why the first graphics card for the IBM PC is still the best.
Hercules Computer Technology, 2550 Ninth St., Suite 210, Berkeley, California 94710.
Telephone: (415) 540-6000.

Hercules. We're strong on graphics.

The Hercules Graphics Card offers 720 × 348 graphics resolution on IBM's monochrome display, compatibility with text mode software, a parallel printer port, software to use BASIC's graphics and a two year warranty. A graphics subroutine library with screen dump is available separately for $50. Graphics software that is compatible with the IBM color graphics card but does not have a Hercules compatible version will not run on the Hercules Graphics Card. **Foreign Distributors:** Reflex/U.K.; Computer 2000/W Germany; Edisoft/France. Hercules Graphics Card is a trademark of Hercules Computer Technology. IBM is a registered trademark of International Business Machines. 1-2-3 and Lotus are trademarks of Lotus Development.

as expected, but if you execute the following in direct mode:

```
X#=.55555555555# : PRINT X#*10^11
```

Basic prints 55555554417.22222. The performance of the rounding routines when rounding to five or more places to the right of the decimal or on numbers with a large number of significant figures can be improved by using the new routines below:

```
100 DEF FNDRND#(G#,K1#)=
    INT((G#*K1#)+.5#)/K1#
110 DEF FNERND# (G#,K1#)=
    INT(((G#/2)*K1#)+.5#)*2/K1#
***
1000 ' EVEN ROUNDING ROUTINE #2
1010 G2#=G#*K1#-INT(G#*K1#)
1020 IF G2#<.4999# OR G2#>.5001#
     THEN 1040
1030 G1#=FNERND#(G#,K1#) : RETURN
1040 G1#=FNDRND#(G#,K1#) : RETURN
1100 ' ROUTINE TO COMPUTE K1#
1110 K1#=1 : FOR I=1 TO K :
     K1#=K1#*10# : NEXT
1120 RETURN
```

After K has been defined, and before executing either FnDrnd or *gosub 1000*, *gosub 1100* must be executed to compute K1# more accurately than just using 10^K.

The other improvement in these routines is the change in the *if* statement in line 1020 so that it uses FnErnd if G2# is in the range of .4999# to .5001# instead of requiring it to be exactly .5. This eliminates many of the cases in which the even rounding routine fails because of the way Basic represents decimal fractions. Some purists may object to this change, but even if the change in line 1020 is not adopted, using this routine still gives significant improvement in both ordinary rounding and even rounding. The change to line 1020 is justified because of the way our binary number system handles decimal fractions. Fractions that would end in exactly five followed by all zeros if they had been computed on a machine using the decimal number system often come out as four followed by a string of nines and other digits, or five followed by several zeros and other digits in our binary number system computer. Programmers have to decide if they want to allow for this or not. Another fact that must be remembered is that double-precision numbers in Basic are carried internally to at least seventeen digits of precision, but are rounded to sixteen digits for printing, so the number you see printed is often slightly different from the number being operated on in the program.

The performance of these routines is influenced by the particular digits in the number being rounded, so it is difficult to make a flat statement of the range over which they work. As a rough estimate, I would say that they will work as expected most of the time when the total number of significant figures is less than fifteen and when the number being rounded has twelve or fewer digits to the right of the decimal. They should fail gracefully when they do fail; that is, the point at which they go from truncation to rounding up shifts just slightly from the value of one-half the least retained digit rather than just going completely off on a tangent. Since the definition of correct rounding is somewhat fuzzy, I feel that this performance is as good as one can reasonably ask of rounding routines.

Bernard H. Robinson, Jr., Apopka, FL

Tutoring *Math Tutor*

I received the disk for the *Math Tutor* program some weeks ago, and my son uses it quite a bit. I feel that it is a valuable aid to his learning. However, I wish that there was just a little bit more documentation!

When using the test mode, there is an instruction at the end to enter a code. I cannot find directions for a code anywhere, and have tried entering all sorts of things, and even different commands. It seems that at this point one is stuck in the program, and that the only way to progress is to exit to system and boot the disk all over again! It doesn't seem right! Can you help?

John W. Pearson, Honolulu, HI

The code you need is alt-123, which you achieve by holding down the alt key, typing 123 on the numeric keypad, then releasing the alt key. Included on the Math Tutor *disk is a file named Read.me, which contains directions for this code and other aspects of* Math Tutor. *For those of you who want to brush up on your math, the program, featured in the July 1983* Softalk, *is still available for $8—with documentation.*

Disk Handler

Howard Glosser's article, "Disk Handler" (October 1983), demonstrates an interesting technique in using a short assembly routine called from Basic. Unfortunately, Mr. Glosser is well wide of the target in the fundamental assumption on which his whole article is based, which is that there is no way to determine or change the current default drive from inside Basic.

The default drive *can* easily be ascertained from Basic, and it can also be changed by using a *peek* or *poke* to the address shown below. I did not originate this information; rather, it has appeared in several user group newsletters.

```
10 DEF SEG = &HBF
20 PEEK (&H155C)
```

The *peek* will return a 0 if drive A is the current default, a 1 for drive B, and a 2 for drive C. To change the default, just *poke* the appropriate value into the address. I have used the *peek* in my own programs, so I know it works; but I should mention a couple of cautions for other users as well.

First, the address given above is part of

An Industry First in Word Processing Software:

WordPlus-PC™ featuring the BOSS™. Word processing so smart it can even spell 100,000* words.

Meet the BOSS. WordPlus-PC's incredible new Built-in On-line Spelling System.

WORD PROCESSING AND SPELLING COMBINED:

WordPlus-PC featuring the "BOSS" is a whole new technology in word processing software. Finally, the most powerful word processing capabilities have been combined with a built-in electronic spelling system which not only *checks your spelling* but also *corrects your spelling.*

The "BOSS", an acronym for Built-in On-line Spelling System, eliminates embarrassing spelling errors in your letters and stops time consuming trips to the dictionary.

But WordPlus-PC featuring The "BOSS" will do far more than just check and correct your spelling. It's been designed to be exceptionally easy to use and yet contain all the powerful features you expect and more. Like built-in mail merge for personalized form letters, invoice generation and the ability to merge information created by most other popular programs such as 1-2-3™ and dBASE II!™ And if you have a question, just press the HELP key to get back on track.

You can also print bar graphs and other charts,** easily move columns, scroll horizontally, execute global search and replace, boilerplate text, and even print proportionally spaced on selected printers. And WordPlus-PC is compatible with virtually all popular letter-quality and dot matrix printers.

*With 90,000 + word standard dictionary and ability for a user to add over 10,000 "custom" words.

HERE'S HOW THE BOSS WORKS FOR YOU:

IT CHECKS



At the touch of a button, virtually anytime during typing or after the creation of a document, The "BOSS" locates and *highlights misspelled words* on your screen. The "BOSS" can even check the spelling of a word directly after it's been typed in.

IT SUGGESTS



When a word is misspelled, the user can ask The "BOSS" for suggestions as to how to correctly spell the word. With only one keystroke, The "BOSS" will display, in a dynamic on-screen window, up to eight *spelling suggestions in the order of probable phonetic correctness.*

IT CORRECTS



And The "BOSS" *Auto Correct* feature enables users to "fix" these misspelled words directly in text with a single keystroke. The "BOSS" is a total spelling system that Checks, Suggests, and Corrects your Spelling. All built-in.

THE TOTAL WORD PROCESSING SOLUTION — PLUS ALL THE HELP YOU'LL NEED.

With over 70,000 word processors in use worldwide, Professional Software, Inc. has designed WordPlus-PC to contain all the powerful features you expect — and to be the easiest word processor to use anywhere. But there will always be questions. That's why Professional Software has an entire bank of Nation-wide TOLL FREE customer HELP lines to support our registered users. This service is available at No Charge during the 90 days following the receipt of your registered users card.

Demand to see the BOSS in person
Visit your local professional computer dealer or call us toll free for the dealer nearest you. Once you witness the BOSS in action, you'll see that all other word processors have become totally obsolete.

Demand to see the "BOSS" today! Call us toll free, 1-800-343-4074.

Professional Software, Inc.

51 Fremont Street, Needham, MA 02194 Telephone (617) 444-5224 Telex 951579
Now Available for IBM-PC and Compatibles, DEC Rainbow, TI Professional, and Victor 9000.
Dealer, distributor, OEM manufacturer, and international inquiries are invited.

WordPlus-PC was designed and written by Andres Escallon.
**With IBM dot matrix and Diablo 630 ECS printer.
bar graphs and other charts can be printed inside text.

SOFTALK CLASSIFIED ADVERTISING

Adventure

MAP OF COLOSSAL CAVE

For IBM PC and other versions of "ORIGINAL" ADVENTURE GAME. A detailed map of the COLOSSAL CAVE including travel instructions, treasure locations and magic words. $6 Postpaid. BLUEJACKET SOFTWARE, Dept. ST, Box 13547, St. Petersburg, FL 33733.

Business

STATISTICIAN'S MACE

Easy to use program calculates descriptive stats, multiple regression, correlations, several ANOVAs, nonparametric tests, and other statistics used by scientists, business researchers, engineers. Accepts keyboard or disk file input. Requires IBM PC, 128K, IBM PC or MS DOS, 1 disk. Price $195. Evaluation version $30. MACE Inc., 2313 Center Ave., Madison, WI 53704; (608) 241-4566.

1040PLAN TEMPLATE $45

1983 Tax planning & preparation template for 2nd generation spreadsheet Lotus 1-2-3 & SuperCalc III. Flexible, up to four different alternatives can be computed at once. Follows IRS forms, by line number, includes: form 1040, schedules A,B,C, D,E,G,W, & SE & forms 2119, 2441, 3468 & 6251. Req. 256K.

William A. Permar, CPA, 1125 Sunnyhills Rd. Dpt. ST, Oakland, CA 94610
(800) 227-1617; In CA (800) 772-3545 exten. 644.

TAX83/PC

Use with your spreadsheet program for 1983 taxes. Computes concurrently Form 1040, Schedules A,B, D and W. Also 1984 estimated taxes. Specify: Lotus *1-2-3, Multiplan, VisiCalc, Peachcalc* or *SuperCalc*. On disk by first-class mail. $14.95. Tax Assistance Associates, 3410 Lodge St., Belmont, CA 94002.

WHAT'S A "PORK BELLY?"

Good at games? Dare play for real? Trade bellies futures! Each 1¢ move worth $380! Use our price/vol/OI history to find the truly *lucrative*, hidden patterns millionaires won't reveal! Complete 1983 CME Bellies Data: Printout, $135; Diskette for IBM PC, $125. MC/Visa. *ComFax, Dept S, Box 3523, Wichita, KS 67201.*

TAX 4-5-6 (FOR LOTUS 1-2-3)

Forms: 1040,A,B,C,D,E,G,R,RP,SE,W,2106, 2441,3468,4562,4797,5695,6251 plus 1040ES & 2210 update. Entry to one form is autoposted to other forms. IRS appv'd. printouts. Calcs all taxes in 3 secs & cks for errors. Use for planning or actual '83 return. Sample return & detailed instr. Template req. 256K. $65.

FastCalc, 1259 El Camino, #260ST
Menlo Park, CA 94025.

MR. QUARTERMASTER

Inventory control s/w featuring receipts & issues updating, stock item displays, report generation, price quotes, label & invoice printing, file maint., auto. reorder point adjustments. $120. Free brochure. RJL Systems, 106 New Haven Ave., Milford, CT 06460.

Graphics

PC-TITLE/PC-PROJECTOR

Create full color, professional-quality text for slides, screen displays and flyers. Produce manual- or time-controlled "slide shows" using the IBM PC as an electronic slide projector. Add full graphics with PCcrayon. PC-Title/Projector—$49.95. PC-crayon—$44.95. Mention this ad and get all 3 programs for $79.90. VISA/MC. PC Resources, Inc., (408) 243-4169.

PC ART DISK AND BOOK

Interested in using your PC for a non-figurative geometric artistic experience? Req. Color Bd. & Mon. Try one of many by noted sculptor & educator Leroy Lamis. $50.

```
10 screen 1: CLS: KEY OFF: COLOR 3,0
20 for A = 1 TO 160 STEP 2
30 circle (270-A,150),A,RND*2+1,,,10/20
40 circle (50+A,50),A,RND*2+1,,,1/2:next
```

PC ART, 3101 Oak St., Terre Haute, IN 47803.

Home

GET CONTROL OF YOUR LIFE

Let *Fact-Finder* keep your notes, books, files, letters, clippings, phonograph record, slides and miscellaneous papers fully indexed for instant accessibility in home/office. You program nothing. Requires PC DOS 1.0, 1.1 or 2.0, 128K, one to four floppies or hard disks, monochrome or color display. $249. Satisfaction guaranteed or money back. Order *Fact-Finder*: Granite Software, Box 3024, Princeton, NJ 08540; (609) 896-2080.

Home Arcade

FLY YOUR MICROSOFT FLIGHT SIMULATOR WITH JOYSTICKS

Patch adds joystick control of elevators and ailerons. Send $12 for patch diskette to FSPATCH, 2311 10th Ave. NW, Rochester, MN 55901.

Home Education

CAN'T TYPE?

You will with TYPE-Righter, the premier typing tutor. Draws the keyboard, keeps your eyes on the screen. Teaches home keys, left & right hand in nine lessons. Exercise against the clock for speed and accuracy. May be used competitively. IBM monitor, color graphics or TV, 64K, one disk. Great in black & white, superb in color! A serious teaching aid, used by many schools. Manual, disk, lessons, guaranteed, ONLY $19, post-paid. OAKES SOFTWARE, 2100 Oriole Drive, Freeport, IL 61032.

YES! OUI! ¡SÍ!

Play your way to language success in Spanish, French or English. Our versions of the classic Hangman game are stocked with hundreds of challenging words and phrases. Foreign versions allow you to choose either English or foreign language clues. Enhanced by humor, sound effects. One language, $15. Any two, $25. All three, $35. Req. 64K, 80-col. display. NORLAND SOFTWARE, 1014A W. Badger Rd., Madison, WI 53713.

Publications

DYNAMIC DUO RETURNS!

Two new disk magazines for the IBM PC: PC FIRING LINE (for programmers) and PC UNDERGROUND (for non-tech folk) are available now. Send a self-addressed stamped disk mailer for your free copies, or $8 and we will provide the disks and pay postage. (Or obtain copies from your Users Group!) ABComputing, Box 5503, North Hollywood, CA 91616-5503; (818) 509-9002.

Services

SOFTWARE JUNKIE?

RENT today's most popular recreational and educational computer software for your IBM personal computer. LOW prices. FREE brochure. The Soft Source-R Inc., Dept. K, Box 2931, Joliet, IL 60434.

3M SCOTCH DISKETTES $20.95

Authorized 3M distributor. Buy wholesale. 5.25" SS/DD $20.95. DS/DD $29.95. Reinforced hub. Why buy generic? Complete price list available. Call (415) 778-2595 or write Argonaut Distributing, 1104 Buchanan Rd. STI, Antioch, CA 94509. Prompt delivery!

SAVE AT GOLEM COMPUTERS

Our ** SOFTWARE and HARDWARE** prices are lowest. All major brands are available. We carry business, education and entertainment software. Call for **FREE** catalog. (800) 345-8112, in Pennsylvania (800) 662-2444.

BIG SOFTWARE SAVINGS!

Call NAME-BRAND SOFTWARE for the best prices & fast delivery. Over 3,000 items carried including: Visi-Series, PFS:Series, Microsoft, etc. Call toll free: 1(800)356-7511. Wisconsin, (608) 754-7527. Visa & MC accepted at no extra charge. NAME-BRAND SOFTWARE, 3015 Bond Pl., Janesville, WI 53545.

HOME SECURITY SYSTEM

Protect your family and valuables—IBM PC, stereo, etc.—with a wireless home security system. Easy owner installation. $800-$1,000 per home. G.E. Associates, 12091 Marlowe, Garden Grove, CA 92641; (714) 537-1243.

SUPER SOFTWARE SAVINGS

For a complete catalog of personal and small business computer software and hardware at excellent prices, write: SBCC, Box 1191, Thousand Oaks, CA 91360 or phone (805) 492-9391.

Service is our Motto!

Strategy

SLEUTH

A murder has just been committed! Can you search the house, question the guests and find the murder weapon before the murderer becomes suspicious and disposes of you? Each game is different: changing floor plans, secret passageways, many possible murder weapons. Option to choose own friends as guests. $20. Requires 64K, 80-col display. NORLAND SOFTWARE, 1014A W. Badger Rd., Madison, WI 53713.

Utility

END PRINTER FRUSTRATION!

SurePrint takes the pain out of using your printer! Printer options made easy for any IBM PC package, from DOS, BASIC, and on-line. SurePrint available for IBM (NEW COLOR, TOO), all Epson, all Okidata, IDS, C.Itoh, NEC, Anadex, TI, Juki, TEC, Diablo, others. Only $35 for one printer, add'l printers $15. Specify make and model. NYS add 7 1/4% tax.

Dickinson Associates Inc.
Box 1358, Melville, NY 11747

THE PROWRITER UTILITIES

Complete control of your C. Itoh 8510/1550 and NEC 8023. DOS 1.1 & 2.0 compatible for $44.95.
PROCNTRL-On-Line Keyboard Control of printer.
PROEPSIM-Epson Graftrax Simulator (eg *1-2-3*).
PROSCR-Text/Graphics Screen Dump, 3 sizes.
PROSTALL-*WordStar* 3.2 & 3.3 Installation.
PROSET-Menu-Driven Printer Setup and more.

COURTRIN ENTERPRISES, Box 231190
San Diego, CA 92123; (619) 569-8308

SCREEN HANDLER UTILITY

Programmers' utility allows easy definition of screen formats. Save hours of coding time. No limit to the # of screens in a program. Color Screens. Menu-Driven. Uses PC-DOS BASICA. $129.95. User's Manual only $7.95. Marc-Ware, Inc., 2028 Buffalo Terrace, Houston, TX 77019; (713) 524-1295.

ACTIVE TRACE

Includes *Scope* and cross-reference utilities for Basic. Designed for both beginning and advanced programmers. While a Basic program is running, *Scope* shows what line is being executed, what variables and functions are in the line, and what their current values are. No need to single step. Output to screen, printer or disk! *Active Trace*, $79.95. *Scope* separately, $49.95. AWARECO, 38401 S. Highway 1, Guala, CA 95445. Info/order call: (US) (800) 358-9120; (CA) (800) 862-4948.

FREE FREE FREE

BASIC AIDS 2.0 FACT SHEETS and our guide "MAKE YOUR PC PROFITABLE" are sent free to persons who request them. This new release of BASIC AIDS is the most powerful program DEVELOPMENT/DOCUMENTATION tool available! Tulsa Computer Consortium, Box 707, Owasso, OK 74055; (918) 747-0151.

Wanted

APPLICATIONS PROGRAMMERS

Tronix Publishing, Inc. is looking for qualified individuals to join us in building on the success of our product Dollars and Sense. We're moving to new microcomputers and adding new home productivity products. Our applications are currently being developed using the UCSD P-System. If you have 2 years of software experience and might be interested in this kind of work, send your resume to Frank Mullin, Tronix, 8295 S. La Cienega Blvd., Inglewood, CA 90301.

Word Processing

PC-WRITE

Features: wordwrap, search/replace, justify, block move/copy/delete, headers/footers, etc. Help screen, quick ref card, 100-page manual. Split-screen edits two files. Disk w/ manual and software $10: registration with printed manual, support, source, and commissions $75. Visa/MC accepted. Shareware: please copy and share with others. Quicksoft, 219 First North #224, Seattle, WA 98109; (206) 282-0452.

Softalk/IBM's classified advertising section offers a considerably less expensive way than display advertising to reach tens of thousands of IBM Personal Computer owners.

Classified advertising space is available at the rate of $10 per line for the first ten lines, with a five-line minimum. Each line over ten lines is $25 per line. Ad copy should be received no later than the 10th of the second month prior to the cover date of the issue in which you want the ad to appear. Payment must accompany ad copy.

The publisher reserves the right to reject any advertising that he feels is not in keeping with the publication's standards.

Heads will be set in 10-point boldface, all capitals only. Italics are available for body text only; please underline the portions you would like italicized.

The body text of the ad will hold roughly 45 characters per line. Spaces between words are counted as one character. Heads will hold roughly 24 characters per line, with spaces between words counted as one character. Please indicate whether you would like the head centered or run into the text.

Please write or call for additional information.

Softalk/IBM Classified Advertising
Box 7040
North Hollywood, California 91605
Attention: Linda McGuire Carter
(818) 980-5074

lbmdos.com, so proceed with care in poking around into that area of memory; peeking of course can't do any damage. Second, the address shown is for DOS 1.1; it is almost certainly different for DOS 2.0. Third, I have not had an opportunity to use the *poke* to set a default drive for a program that does a lot of field I/O, so I would encourage anyone who wants to use the *poke* to use a backup copy of their files for the experiment. Nearby addresses contain the in-memory copy of the default drive directory and file allocation table, so there is a possibility that just changing the drive with a *poke* could result in a scrambled directory and/or FAT on the disk if there is file I/O to be done.

Ralph Keuler, Seattle, WA

Thanks for your comments on Disk Handler *and the additional information you've provided. While the* peek *and* poke *to find/change the default drive will indeed work, there are some things to consider when using this particular approach.*

First, as you stated, this will only work with DOS 1.1. With each new DOS release the corresponding address will have to be researched and inserted into the Basic program along with logic to determine the version of DOS being used. This, as you may have guessed, gets rather cumbersome, as multiple versions of DOS are in use. On the other hand, Disk Handler *uses recognized IBM function calls; thus, the program should work with any subsequent release of DOS.*

Second, consider what will happen if an invalid drive value is accidentally poked into address &H155C (something other than the value 0, 1, 2, or what have you). In this case the system will default to the A drive for all disk I/O. However, when you leave Basic, the system will display the ASCII character for the value poked into that address (whether it is a valid drive letter or not) as the drive prompt. This could result, for example, in an erroneous W) prompt. To safely use this poke *address to change the default drive, it would be necessary to know what drives are available on the system and then check to make sure the value to be poked fell within this category.*

Howard Glosser, Medford, OR

Keyboard Buffer + *Easy Writer II*

Three cheers for John Socha! He has done it again. The enhanced keyboard buffer ranks with his scroll lock utility and the color/monochrome switch as three of the five commands placed in every one of my Autoexec.bat files.

One very interesting use of the keyboard buffer is with *Easy Writer II*. There are times when I need to skim through a long document looking for a particular paragraph. *EW-2* is page-oriented, and I can go to the next page with a single keystroke while in page mode. By holding down the F10 key I could thumb

through my whole document, but until Socha's enhanced keyboard buffer came along, I was never able to halt the process when I came to the appropriate page. Now it is a simple matter to press control-alt to clear the key buffer. Thank you for putting such a clever embellishment on an already useful utility.

Bill Siebert, Spencer, NY

p-System Patch

Readers may be interested in the following error, which I discovered in Version IV of the UCSD p-System for the PC. The error occurs in *System4*, the program used for double-precision floating-point real numbers. I found that *System4* had only twenty-four bits of precision (approximately six decimal digits). The following is IBM's correction to the *System4* disk.

Boot the system; control is at the command level. Put the utility disk in the #5 drive, type *X*, and in reply to the prompt, type *#5:PATCH ⟨enter⟩*. Replace the utility disk with a copy of the *System4* disk and type *G⟨et⟩*. In reply to the prompt, type *#5:SYSTEM.INTERP ⟨enter⟩*. Type *R⟨ead⟩*, type *7 ⟨enter⟩*, type *V⟨iew⟩*, type *T⟨ype⟩*, and move the cursor down two lines. Type *H⟨ex⟩*; the cursor is now at *17*. Replace the 17 with 35 and press control-C. Type *Q⟨uit⟩*, *S⟨ave⟩*, and *Q⟨uit⟩* again. Control is now at the command level for a corrected version of *System4* with fifty-three bits of precision for floating-point reals.

G. J. Lastman, Waterloo, Ontario

Further Notes on Defense

George Hopkins, in his letter published in your November 1983 *Softalk*, takes issue with my letter objecting to articles on PCs used for "defense" purposes.

My intention in writing that letter was to voice my concern about what I have found to be a common phenomenon in technically oriented people: Namely, that we regard any piece of equipment with interest and have absolutely no regard for the use to which it is put. I do not consider nuclear weapons systems a political issue, nor am I a disciple of Neville Chamberlain or Yuri Andropov, as Mr. Hopkins insinuated. I do know, as does anyone who has taken the time to study the physics and biology of the results of the use of such systems, that a way must be found to eliminate and not glamorize them.

I did not want to use the pages of *Softalk* to discuss nuclear disarmament; I wanted to read a magazine that would help me make good use of the PC. Since you have felt it suitable to publish articles on the Department of Defense's use of the PC, I feel I have the right to voice my objections to those articles. Thank you for that opportunity.

Peter Feldmann, Santa Barbara, CA

Cursor Traces

The November 1983 "Questions and Answers" had a query from Henry Balaban concerning cursor traces when running his clock program from a batch file. My clock program had the same infuriating problem until I added ":SCREEN 1" in line 10.

```
10 CLEAR:KEY OFF:WIDTH 40 :CLS:
   SCREEN 1: BEEP :BEEP
20 LOCATE 25, 1 :
   PRINT "PRESS SPACEBAR TO STOP"
30 LOCATE 11,4
40 HOUR% = VAL(LEFT$(TIME$,2)):
   IF HOUR% < 12 THEN X$"AM" ELSE X$
   ="PM"
50 IF HOUR% > 12 THEN HOUR% =
   HOUR%-12
60 MIN$=MID$(TIME$,3,3)
70 SEC$ = MID$(TIME$,6,3)
80 MIN%=VAL(MID$(TIME$,4,2)):
   SEC%=VAL(MID$(TIME$,7,2))
90 IF MIN%=59 AND SEC%-59 THEN 10
100 IF INKEY$ =" " THEN GOTO 130
110 PRINT "THE CURRENT TIME IS ";
    HOUR%;MIN$;" ";SEC$;" ";X$
120 GOTO 30
130 SCREEN 0,0,0 :KEY ON :WIDTH 80
```

I work near a church, and the bells sound at the top of every hour. That's the reason behind line 90.

Mike McGee, New Orleans, LA

Make.bat

The programs described in "The Make File" (October 1983) are interesting, simple, and comprehensible, but they need some elaboration to become practical. The article suggests that Make.bat is only useful for programmers with weak memories. However, it also frees programmers from having to hover over multipass compilations. They can then do something else undistracted while the computer compiles the program.

To accommodate long error lists, Make.bat can redirect compiler output to a standard error file and then *type* that file back to the console. Error codes provide a clean approach but not the only one possible. Compilers that do not pass them may have other detectable side effects. For example, the Microsoft's Pascal compiler creates temporary disk files, Pasibf.sym and Pasibf.bin. When the first pass succeeds or the second pass fails, the compiler leaves these files on the default disk. Make.bat can detect errors by checking for the existence of these files. When combining assembly, Pascal, or other program files into one program, Make-.bat can check source file extensions and send them to the appropriate program.

These are only a few possible extensions. Make.bat is never done—it should steadily evolve as the programmer discovers new tasks.

Fred R. Sinal, Hampton, VA ▲



Incredible Trainers!

No matter what level IBM Personal Computer training you want, our interactive tutorial software gives you the answers. Easier, faster, smarter.

Take **The INSTRUCTOR**, for first-time users. PC Magazine called it, **"The best . . . introduction to the PC around."** It's #1 because it takes the work out of learning initial PC operations.

And **Now! Brand New!** Setting a new standard for interactive training, we give you . . .

PROFESSOR DOS.

You've got to see (and hear) it to believe it! Designed for PC users ready to learn higher level PC concepts, including DOS commands. Professor DOS will challenge you, amuse you, and amaze you.

Both programs use vivid graphic images, creative animation, sound and living color to take you from mystery to mastery of your IBM PC. Each is totally self-paced. And they're "people-literate." So you really do learn.

The most sought-after computer-assisted training anywhere. Available at IBM PC dealers and software retailers everywhere, separately or in a tutorial set. Affordable at a suggested list price of **ONLY . . .**

$44.95 — The INSTRUCTOR
$59.95 — Professor DOS
or
$94.95 — Tutorial Set

We've made **The INSTRUCTOR** and **Professor DOS** so realistic, you'll agree . . . **THEY'RE INCREDIBLE!**

individual
SOFTWARE INCORPORATED

24 Spinnaker Place
Redwood City, CA 94065
(415) 591-4166

Requires MS-DOS, any IBM Personal Computer or Compaq Personal Computer with at least one diskette drive and a monochrome or color display.

Phone and dealer inquiries welcome.

QUESTIONS & ANSWERS

by Nancy Andrews

Q: What's this I hear about low-resolution graphics capability on the PC with a color/graphics adapter card? Can the PC really display 160 x 100 with all sixteen colors? If so, where can I find the support routines for this? I understand they were not put into the BIOS.

Tim Watson

A: Yes, the PC can really display 160 x 100 with all sixteen colors. What you do is change the parameters the CRT controller chip uses (that is, one hundred rather than twenty-five lines) and produce a trick graphics mode with the hardware in text mode. There are two catches: You can't have text on the screen at the same time (only the top quarter of the character is displayed); and certain Basic statements, such as *pset*, will not work. You can find more information on this subject in *Dr. Dobb's Journal*, December 1982 and March 1983.

Q: There are two problems I haven't been able to get an answer for:

1. When using *bsave* for an array (single- or double-precision), how many bytes of memory do you need to save, and how is the number determined? I tried using *varptr (0,0)* and *varptr (3,15)* to determine the start and end, but this doesn't seem to work because the last column of data on a *bload* is not complete. The only thing that seems to work is (row + 1) * (column + 1) * precision bytes. This ensures that all data is saved and loaded correctly but wipes out anything following the area where it is loaded. I would like to make a fast assembler sort routine to sort tables, but without knowing the start and end of data, this is impossible.

2. When the Epson printer is used with the IBM PC, are there any *chr$()* characters that give problems? I have a lot of symbols that I am able to print with no problem. After looking at the screen dump program (July *Softalk*) and noticing that it prints a whole screen in one minute, I wondered why my printing symbols and data take so long. In order to print all the data on an eighty-column line, I only need numbers, blank, the letter *R*, and a colon as well as symbols I am already able to create. I coded up the data words for 0 to 9, space, and R, and then tried to output a 480-column set through a data loop using *lprint chr$(data)*, just as your print screen routine does. The symbols I regularly use printed correctly, but 0 through 9 printed out funny characters and started causing a line feed down the page.

Thomas M. LeGrande

A: Your formula for computing the size of an array is correct and should not wipe out data following the array. You could have this problem, however, if you have not calculated the number of bytes for single- or double-precision correctly. Multiply ((row + 1) * (column + 1) * 4) for single-precision and (* 8) for double-precision.

Your printer problem can be solved if you substitute the ASCII values 48 through 57 for the values 0 through 9. ASCII 48 corresponds to the numeral 0, ASCII 49 to the numeral 1, and so on. The only printable characters on the Epson/IBM printer are in the ASCII range 32 through 126.

Q: I am interested in creating a RAM disk for use with various software applications. In the DOS 2.0 manual I read about installable device drivers, and there is even some program code on page 14-27 for an in-storage virtual disk. My problem is that I don't know what IBM is telling me to do. Do I have the tools at hand to create a RAM disk in the DOS 2.0 environment?

Alan Miller

A: The simplest way to use the RAM disk installable device drive published in the DOS 2.0 manual is to assemble the program, using the *Macro Assembler*. However, the way your question is phrased suggests that you don't have the *Macro Assembler*. All is not lost. You can create a RAM drive using Debug; it's tedious and a bit tricky, but it can be done. Here's how.

Put Debug in drive A and a blank formatted disk in drive B. Log on to drive A and type:

DEBUG B:RAM.COM

When you see the Debug hyphen prompt, type:

E0 ⟨carriage return⟩

and you're ready to begin. What you're going to type in is the *object code*, which occupies the third column of the RAM drive listing. The first column contains the *source code* line numbers, the second column contains memory locations, and the third column contains the code you will enter.

Begin with line 73 on page 14-28. Type one byte (two hex digits), then hit the space bar, then type two more digits, and continue in this manner. The space bar, not the carriage return, is what you use to move from byte to byte. The two digits you see to the left of the period on your screen are the values currently in memory at the location specified. The two digits you type are replacements for the current values.

To begin, type :

FF (sp) FF (sp) FF (sp) FF (sp)

The next two bytes, line 74 in the object code listing, contain the value

Teach yourself software in minutes. Not hours.



Insert an ATI training disk, and presto! Three minutes later, you're practicing usable skills. Within an hour, you're proficient.

Even if you're never touched a computer before.

ATI's self-prompting disk simulates the actual software on the screen of your personal computer. If you have a question later, the helpful handbook is set up to give you the answer in 15 seconds.

ATI Training Power is faster because it's Performance Based. Instead of taking time teaching you how a program works, ATI shows you how to put it to work. Right away.

ATI's unique Performance-Based Training is widely used by many Fortune 500 companies, such as IBM, DEC, Xerox, NEC, and Toshiba. Not to mention thousands of small businesses.

ATI's training programs operate in virtually every business oriented microcomputer.

Match ATI's selections with your software library, and order today.

Integrated Software

ATI Training Power makes it easy to learn and use the powerful new integrated software packages currently entering the market.

Word Processing

ATI's Word Processing Series teaches you how to create, edit, move, and print text with popular programs, fast! A must for executives and secretaries alike.

Database Management

To get the most out of your data base, learn to use these programs fast, with ATI's Database Management Series.

Financial Planning

What if you could learn to do a complete "what if" spreadsheet analysis in less than an hour? ATI's Financial Planning Series teaches you this and more. Turn software packages into powerful management tools, quickly.

Operating Systems

Learn to prepare, monitor, maintain, and troubleshoot your own system like a pro, with ATI's Operating Systems Series.

Programming

ATI's Basic Programming Series teaches you how to write, enter, debug, and use programs that analyse business expenses, organize mailing lists, and more.

Accounting

Now it's easy to put your accounting on computer, with an outstanding software package and ATI Training Power to get you (and your bookkeeper) up to speed, rapidly and cost-effectively.

Please rush me ATI Training Power programs, at $75 each for this software:

Integrated Software
☐ Lotus 1-2-3

Database Management
☐ dBASE II-vol. 1 & 2
☐ EasyFiler

Word Processing
☐ WordStar-vol. 1 & 2
☐ EasyWriter II
☐ Perfect Writer
☐ Spellbinder
☐ Benchmark

Financial Planning
☐ Multiplan
☐ SuperCalc
☐ VisiCalc
☐ Perfect Calc
☐ EasyPlanner
☐ Microplan

My computer brand is:

Operating Systems
☐ PC DOS
☐ MS DOS
☐ CP/M

Programming
☐ BASIC
☐ APPLESOFT BASIC

Accounting
☐ BPI Gen. Acct.
☐ Peachtree General Ledger*
☐ Peachtree Accounts Receivable*
☐ Peachtree Accounts Payable*
*PC(MS) DOS formats only.

My disk size is:
☐ 5-1/4"
☐ 8"

Enclosed is $75 each plus $2.50 shipping. (CA add 6.5% tax)

Name Phone ( )

Street

City State Zip

Mail order form to:
Software Training Company,
A Division of ATI
3770 Highland Avenue, Suite 202B
Manhattan Beach, CA 90266
Telex: 364412 INTR

Dealers:
call for sales kit
(213) 546-4725

For rush order call:
(213) 546-5579

VISA MasterCard

ATI Money Back Guarantee
If you're not completely satisfied with how fast you learn with ATI Interactive Training Programs, simply return it within 3 days for full purchase refund.

My computer uses:
☐ PC DOS
☐ MS DOS
☐ CP/M
☐ CP/M-86
☐ XENIX
☐ APPLE II CP/M
☐ APPLE IIe 80 col.

ATI TRAINING POWER™

2000. Whenever two pairs of digits are written without a space between, the pairs need to be entered in reverse order. So instead of typing 20 (sp) 00 (sp), type:

00 (sp) 20 (sp)

Then to enter line 75, type:

E1 (sp) 00 (sp)

Ignore the *R* whenever you see it following a line of code.

Continue entering the hex code and reversing the order of the bytes when there is no space between two bytes.

When you get to line 78 (location 000B) you'll see 07 [??]. What this means is that you should enter seven bytes of zeros. Type 00 (sp) 00 (sp) and continue with five more bytes of zeros.

You should now be at location 12, line 83. The object code for locations 12 and 14, ????, should be replaced with zeros. At line 86, you'll see a value that starts with an equal sign. Ignore this line altogether—and all other lines that start with equal signs. Continue entering the object code, replacing question marks with zeros and rearranging the order of the bytes when there is no space between them.

Your first entries should look like this:

```
3635:0000   XX.FF  XX.FF  XX.FF  XX.FF  XX.00  XX.20  XX.E1  XX.00
3635:0008   XX.EC  XX.00  XX.01  XX.00  XX.00  XX.00  XX.00  XX.00
3635:0010   XX.00  XX.00  XX.00  XX.00  XX.00  XX.00  XX.00  XX.02
3635:0018   XX.01  XX.01  XX.00  XX.02  XX.40  XX.00  XX.68  XX.01
3635:0020   XX.FC  XX.02  XX.00  XX.16  XX.00  XX.00  XX.00  XX.00
```

Instead of Xs you will see the value previously stored in each location. When you come to the end of a line, do not press the carriage return. Continue to use the space bar, and Debug will automatically give you new lines as needed.

When you get to line 139, you'll see a semicolon in the object code listing. Ignore this semicolon and all subsequent ones. Also ignore the slash in line 182 (and any subsequent slashes).

If, as you are typing, you press the carriage return instead of the space bar, you'll need to type *E* and the location where you wish to resume entering code. For example, if you pressed the carriage return after entering the 01 in line 111, you would need to type E003D in order to continue entering code.

If you want to stop and check out what you've just entered, press the carriage return to leave Debug's Enter mode. Then type *E* and the address of the code you want to check. If, for example, you want to check your work from the beginning, type *E0000*. Your screen should display the first byte of code you typed in, FF. If you find the correct value there, press the space bar to display the value stored in the next byte. You can check each byte in turn, just by continuing to press the space bar. If you find a value that needs correction, enter the correct value; then hit the space bar to move to the next byte.

Line 397 is the last line you need to enter. When you finish typing in the code, type in sixteen additional bytes of zeros and then press the carriage return to leave the Enter mode.

Since you're entering the code manually, you must also *link* by hand. At certain places in the code there are subroutine calls and jumps for which addresses need to be computed. The first of these is at locations A4 and A5 (line 169). 007D needs to be replaced with the difference between its value and the location of the next instruction; in this case you need to subtract 00A6 from 007D. What you get is FFD7, and this is what you need to put at locations A4 and A5. Begin by typing *EA4* (carriage return). Now type *D7 (sp) FF* (carriage return); note that the FFD7 is entered in reverse order, because there's no space between the bytes. Other locations that need to be changed are listed below. Enter the changes the same way as in the example above.

LOCATION	OLD VALUE	NEW VALUE
C1 and C2	007D	FFBA
156 and 157	007D	FF25
17C and 17D	007D	FEFF
195 and 196	007D	FEE6
1B6 and 1B7	0288	00D0
1CA and 1CB	0288	00BC
1DD and 1DE	007D	FE9E
213 and 214	0062	FE4D
226 and 227	00A3	FE7B
242 and 243	0062	FE1E
255 and 256	00C0	FE69

Before you can write this program to disk you must store the length of the file in the CX register. To do this, type *R CX* and a carriage return. Then type *02A0* and a carriage return (do *not* reverse 02A0). Finally, type *W* to write RAM.COM to disk. You should see the message:

writing 02A0 bytes

To get out of Debug, type *Q*.

Congratulations! You've completed the program, and if all is correct you should have a properly functioning RAM disk.

Now, to use the RAM disk, you need to add it to your Config.sys file. If you don't already have a Config.sys file, create one on your DOS disk. All it needs is the line:

device = RAM.COM

Copy Ram.com and Config.sys onto your DOS disk, and when you boot, your virtual disk will automatically be created.

Your RAM disk will automatically be assigned the next available drive letter; if you have two drives, DOS will make your RAM drive drive C. If you have followed all of these steps and your system hangs or you get some other peculiar behavior when you boot, chances are you have an error in your RAM disk code. Use Debug and go back and check your listing byte by byte; when you load a .com file into Debug, it's automatically loaded at location 100. So to check your listing, add 100 to each location shown in the DOS manual.

This undoubtedly seems like a lot of work, but you can create a RAM disk in Debug. We did it, and ours works. ▲

WordPerfect

"Congratulations on such an outstanding word processing software package! We, at Texaco, are really enjoying using your remarkable software system."
Richard W. Horchler, Computer Center Manager, Texaco

"Your system is light years ahead of any other word processor that we have tested."
Douglas L. Mayor, DL Mayor Corp.

"If you're a new PC owner who's scouting around for a top-of-the-line program, check this one out."
Lindsy Van Gelder, PC Magazine

"My favorite word processor."
Will Fastie, Creative Computing

SSI SATELLITE SOFTWARE INTERNATIONAL

TOLL FREE (800) 321-5906 TELEX 453-168 (801) 224-8554
AVAILABLE ON IBM PC, AND MANY OTHER MS-DOS COMPUTERS.

COMM LINES

by Kevin Goldstein

Communications Software

In previous installments, we examined modems in painful detail: why they're needed, how they work, what features and options they offer, what they cost, and so on. But as important as this electronic gateway between computer and phone line is, a modem is only half of what you need to set up your electronic cottage. The communications software that drives your modem is equally important—perhaps more so.

So, in this installment, we'll take a look at the role of communications software: what it does, features, options . . . you get the idea. Fortunately, most of the concepts we'll deal with here we've already taken up in connection with hardware; all we'll be doing now is looking at familiar ideas from a new perspective.

If you think back to an earlier column (October 1983), you'll recall that when you plug a modem into an asynchronous communications board, what you're doing is connecting the modem, via some buffers and amplifiers, to an integrated circuit called a UART, or universal asynchronous receiver transmitter. The UART's primary job is to assemble the stream of bits coming from the modem into eight-bit bytes, which it then hands over to the processor as single units (the UART, of course, does just the opposite with data headed in the other direction). While it would be possible to omit the UART entirely—indeed, some low-end computers do—the UART's ability to relieve the main processor of drudge work makes it a welcome component of almost all communications channels.

Readers of this column are by now well aware of the vast range of performance options offered by different modems, or even by the same modem. True to their name (the U stands for *universal*, after all), UARTs can be programmed to handle that vast range of options. And programming the UART to meet the user's specifications is the first task of communications software. In more impressive (?) terms, this process is sometimes called "configuring the channel."

All the popular communications programs now on the market offer some way for you to specify the channel parameters, or options. If they didn't, you'd have to use the infamous DOS *mode* command; if you absolutely must try that command, bear in mind that although you configure the channel in DOS, it's likely that your software, when you boot it, will reinitialize the channel to its own defaults. The better programs have default configurations that are automatically invoked if you fail to specify a setup; in general, such software allows you to specify just what your default configuration should be.

Well, what should it be?

Glad you asked. No one set of parameters will satisfy all situations you'll encounter, but the following setup is likely to handle most. Fine tuning might give you more efficient performance in some situations, but this setup will serve you well most of the time. The envelope, please.

Baud rate:	300
Parity:	even
Number of data bits:	7
Number of stop bits:	2
Echo:	Off
Comm Port:	Com1

Recognize all those? Baud rate you're of course familiar with, but it's worth saying a few more words about it here. First, just because 300 baud works, don't assume that the modem you're talking to is limited to 300 baud. Many lines now are capable of automatic speed selection, which means that if you start spitting out bits at 1200 baud, the modem on the other end will automatically configure itself for 1200 baud and thereby save you money on connect charges—not to mention valuable time.

There are various ways to configure your line for high-speed operation; this is one subject on which you'll have to consult your manual. In general, a modem's default speed is set by switches on the modem itself (on the Hayes and Novation, these switches are behind the front panel; pry the panel off with a small screwdriver). Although in theory the transmission speed is immaterial as far as the modem is concerned, in practice many of today's intelligent modems must know the baud rate, since they continually monitor the line for commands directed at them (the modem). Thus automatic speed selection has become a cooperative effort between the modem and the software. The Hayes Smartmodem, for example, co-opts RS-232 line 12 and turns it into a speed-selection line; the modem uses this line to inform the computer of the baud rate at which data is being received (good to know, of course, during auto-answer operation, when any damned fool doing who knows what could be at the other end). That information lets the communications software configure the UART for transmission and reception at 1200 baud.

(Incidentally, don't try to change the transmission speed once a connection has been established; even automatic speed-select circuitry will choke on that trick.)

Any game that requires cooperation is prone to misunderstandings; this one's no exception. As an example of how things can go wrong, consider what might happen if you set the default switches in your modem for 1200 baud without changing your software's defaults. Everything would work fine on incoming calls (assuming auto-speed selection). But try to auto-dial a call, and whamo! Because the software would have set the UART for the old speed of 300 baud but the modem would still expect to see dialing commands sent at 1200 baud (the default speed you set on the switches), you'd have a problem. Beware.

Back to our configuration list. The second option is parity, which in this business has nothing to do with missiles. In telecommunications, parity refers to a simple error-detection scheme.

It works like this. Suppose we wish to send the letter A, which in ASCII has the seven-bit binary pattern:

```
0110101
```

We've specified the character in seven bits instead of eight, because ASCII is officially a seven-bit code. The PC's version, which IBM

"I GOT WHAT I WANTED"

Who can blame him? With PC Tutor, he can get rid of all the confusing instruction manuals and learn about MS-DOS easily. Including an introduction to DOS, all about diskettes, disks, directories and files, DOS commands for directories and files, and DOS commands that control the sytem. Also how to use special keys and all about the line editor EDLIN and the BATCH utility.

PC Tutor makes learning easier, faster, cheaper.

Requires 64KB, 1 double-sided diskette drive, an 80-character display and MS-DOS.

Suggested retail $59.95. See your PC dealer. Dealer inquiries welcome.

Comprehensive Software Support
2316 Artesia Blvd., Suite B
Redondo Beach, Ca. 90278
213/318-2561

calls "extended ASCII," adds an eighth bit, which enables it to include 128 more characters. IBM left the code for the first 128 characters alone, however; in IBM ASCII, the character *A* looks like this:

```
00110101
```

In other words, the eighth (most significant) bit is simply 0. Since most *text* transmission is done in standard ASCII, we'll stick with the seven-bit code for now (we'll get to *non*text transmissions shortly).

Meanwhile, back to parity. Let's calculate an *even parity bit* for the character A. First, count the number of 1 bits in the character. That's right, there are four—the first, third, fifth, and sixth bits, counting from the right. Let's see, now; four is an even number, so if we slap on a parity bit of 0, we'll still have an even number of 1 bits. Here's our character with the parity bit added:

```
00110101
```

That's it, folks. Parity is simply an extra bit appended to the character in such a way as to make the number of 1 bits even.

Well, that's almost true. We've just defined *even parity;* there's also such a thing as odd parity. In odd parity, the extra bit is added in such a way as to make the number of 1 bits odd. Here's the character A in odd parity:

```
10110101
```

Since the character A has four 1 bits, the parity bit—under odd parity—has to be a 1.

Adding a single parity bit to each character to be transmitted is a decent way to detect certain kinds of errors.

Not overwhelming, but decent. If, during the transmission of an A using even parity, a single bit gets dropped, what was

```
0110101     becomes:     0110001
```

In other words, an A turns into an =. The equal sign is a perfectly valid ASCII character, but if we calculate its parity (that is, if we count the number of 1 bits received) we find it's odd. In even parity we're always supposed to have an even number of 1 bits, so we know there's been an error in the transmission.

Single-bit parity is not a perfect scheme. For one thing, it can only detect single-bit errors. If two bits are dropped, our A might go from 0110101 to 0110000, retaining even parity; the error might escape detection.

Fancier schemes exist that can detect multiple-bit errors; some can even *correct* single-bit errors and detect multiple-bit errors. Those schemes, which have such names as fire code and cyclic redundancy check (CRC), have their place; disk drives, for example, make use of these fancier schemes.

Generally, when a more certain guarantee of data integrity is needed in telecommunications, an entirely different error-detection method is used. One such scheme, the Christiansen protocol, is used by some of the soft-

ware bulletin boards (when software is sent over a comm line it must be sent without undetected transmission errors). Rather than calculating a parity bit for each character, the Christiansen protocol groups sequences of adjacent bytes, calculates some *check characters*, and adds the check characters to the end of each group. Errors in transmission are caught when the receiver calculates the check characters. The Christiansen protocol includes a scheme by which the receiver requests retransmission when it finds errors.

Many of the bulletin boards and services you'll use implement parity; it's a cheap and by now almost universal way to keep the error rate under control. Even parity is the more common choice, which is why our default list specifies it. But it's not universal. When you use a new system, check that you and it are using the same parity (odd or even); some systems don't use parity at all; these systems simply ignore the parity bit. If you run across a service that uses the Christiansen protocol, you'll need communications software that understands it.

Back once more to the default list. The next item is the number of data bits. We already covered this one in part, when we noted that seven-bit ASCII is by far the most popular way to encode text. That means you can use it to send text files to a friend, or when communicating with a bulletin board, your bank, The Source, or other such entities.

A seven-bit code has certain disadvantages. You can probably come up with one right off the bat: It makes it awkward (although not impossible) to send the complete eight-bit IBM extended character set. As a matter of fact, programs, as distinguished from data, are manipulated by bytes, eight bits at a time. To facilitate the transmission of programs, most comm channels also can handle eight-bit data words; this is the option to specify when you're downloading a program.

Using the seven-bit ASCII code is frequently referred to as being in text mode, since this mode is appropriate for sending text data. Using an eight-bit data word puts you in binary mode. It's somewhat silly terminology, for a couple of reasons: Both encoding schemes are obviously binary, and it's quite easy to send standard seven-bit ASCII text characters in binary mode.

The next item on the list is a quickie: number of stop bits. Recall that the UART surrounds each character it sends with two bits, a start bit at the beginning and a stop bit at the end. Or maybe two stop bits. Old communications gear with looser timing needed that second stop bit. For the most part, the extra stop bit is a relic of times past. It won't hurt, but it will slow things down a bit (literally). A comm channel that expects to see two stop bits will complain if it gets only one; a channel expecting one and seeing two simply interprets the extra bit as a delay of exactly one bit between characters. For speed, it's preferable to go with a single stop bit, but if you have no idea what the far end is doing, go with two and make the change later.

And finally we come to echo. In the early (earlier? We're really just getting started.) days of telecommunications, when you typed a character, the character wouldn't immediately appear on your end. Instead, the far end, which back then was most likely a mainframe, would *echo* the character back to your terminal so you could see what you'd typed. While this appears to have been a grand waste of a full-duplex line, it did provide a visual check ensuring that what you thought you sent was what the mainframe got.

In practical terms, echo means this: If, when you type, you get double characters, you need to turn echo off. Your communications software, not expecting characters to be echoed, is itself printing them to the screen; when the character *is* then echoed, you get doubles. On the other hand, if you're typing into a blank screen, turn echo on. Most comm programs give you a convenient way to toggle echo from the keyboard at any time. ▲

FIRST CLASS SOFTWARE

THAT TAKES YOU SOMEWHERE AND GIVES YOU SOMETHING SPECIAL

AGENT 2.0

AGENT 2.0 *A crisis, real or imagined? A spy, ours or theirs? A file, fact or fiction? You must decide.*

THOTH

Action List Data Base Manager

THOTH *Once advisor to the gods of Ancient Egypt. Now yours. The action list data base manager.*

易動 EDO

EDO *Think straight but think fast. The game of many strategies where no strategy is sacred.*

BLU CHIP

Portfolio Manager

BLU CHIP PORTFOLIO MANAGER *Your broker on a disk. Tracks your portfolio. A data base for investors--with spread-sheet capabilities.*

C TOOLS

C TOOLS *A collection of our most useful C routines. Add flavor to your C programming and save time too.*

ST. HIPPO-LYTE'S WALL

ST. HIPPOLYTE'S WALL *The challenge of the wall. Colorful. Ever-changing. Complex. Will you survive?*

XOR CORPORATION

See us at Softcon Booth #A1200

5421 OPPORTUNITY COURT MINNETONKA, MN 55343 (612) 938-0005

EXEC LOTUS

1-2-3 STEPS AHEAD

by Kevin Goldstein

Two years ago, very few people in the personal computer community had heard of Lotus Development Corporation's Mitch Kapor. Today, very few haven't heard of him.

Kapor's high profile has come on the coattails of the success of *1-2-3*, a software bestseller whose sales are so unbelievably strong that they dwarf the sales of the number 2 program by a factor of more than three to one. And while at first blush a success that large would seem to be impossible without a great amount of plain luck, the facts point more to clever thinking, hard work—and to a nonconformist who was willing to follow *his instincts*.

From an outsider's perspective, Kapor's—and Lotus's—rise to the top sounds almost too easy to be believed. It goes something like this: Write a pair of business programs and sell them to VisiCorp for well over a million dollars; take the money and start a new company; interest some well-heeled venture capitalists in the new concern (to the tune of several million more dollars); use that money to develop a new software package and bring it to market with a big—no, huge—splash. Then settle back and enjoy.

That's from an outsider's point of view, of course. Things don't look quite the same from the other side of the table.

The idea for *1-2-3* did not form in a vacuum, nor, like Athena from Zeus, did it spring full-blown from Kapor's head. *1-2-3* actually had a pretty long gestation period.

Kapor's initial exposure to computers and programming happened in high school, waaaay back in 1965, when he took a couple of programming courses. "I was a nerd *manqué* in high school," Kapor recalls with a grin. "I mean, I was considered a real math whiz."

A math whiz who wasn't very committed to math, he might have added. It seems that upon getting to Yale, the whiz "got turned around," and went off to become a transcendental meditation teacher and a disc jockey (now there's a synergistic combination!) before finally settling down to get a master's degree in psychology.

By now the year was 1977, meaning it had been an even ten years since Kapor had abandoned math for pursuits more humane. Yet however repressed and neglected Kapor's earlier persona—what he laughingly called the nerd *manqué*—may have become during all those years, it clearly wasn't dead: When Radio Shack introduced the TRS-80 Model One in 1977, "I just got hooked," Kapor says. "I was simply fascinated by the idea of personal computers, and I kinda just dropped all this other stuff I was doing, got a Model One, and got into it." Six months later, firmly addicted, Kapor bought an Apple.

Kapor quickly realized that there was a world out there that wanted to use these new beasties but knew nothing about them; this realization led him quite naturally into consulting work.

You get the feeling from talking to Kapor that he's a good guy. Easygoing—he wore a tan suit, tie, and sneakers to Comdex—and easy to talk to, he's the kind of person that you know would make a good friend. Which probably explains why he decided to do some *free* work for a graduate student who was trying to write his doctoral thesis and wanted to do the computer work on a micro rather than a mainframe. As Kapor tells it:

"It turned out he wanted some statistics routines, multiple regressions. I said, 'Well, you tell me what multiple regressions are, this sounds interesting.' And I wrote it up—it took about seven days—and it worked. Then one day I was sitting around with a friend and partner on that project, Eric Rosenfeld, and I looked at him and said, 'You know, I bet people would pay money for this.' "

They certainly would. With Dr. Rosenfeld doing much of the design work, Kapor proceeded to write *Tiny Troll*, a subset of an MIT statistics language that did line charts, multiple regressions, and statistics, and that counted a data editor among its features. So it turns out that the work Kapor did for free for that graduate student led to *Tiny Troll*, and the importance of that becomes obvious when you realize *Tiny Troll* can be described as an integrated software package.

At about this time, some of Kapor's other activities started to dovetail nicely with his work on *Tiny Troll*. Kapor estimates that by this time the number of people in the Boston area who had popped for Apples must have reached the astoundingly high figure of twenty, or maybe even thirty, so he and a few of the others got together and started an Apple user group, which turned out to be the *first* on the East Coast. One of the earliest members of that pioneering assembly was Bob Frankston, one of the two codevelopers of *VisiCalc*. Frankston met Kapor at a user group meeting and mentioned that his software publisher (VisiCorp, at that time called Personal Software) was looking for new products to publish.

Why, what a coincidence! It so happened that Kapor had a nice statistics package, complete with graphics and a text editor, that needed a publisher.

Thus it was that Frankston introduced Kapor to Dan Fylstra of Personal Software. Out of that meeting a contract eventually developed that called for Kapor to produce a graphics and statistics package for the Visi series. The program would be based on *Tiny Troll* but would incorporate additions and changes.

Mitch Kapor of Lotus explains the evolution of 1-2-3. *Kapor, a self-described Basic "hacker," began with a program called* Tiny Troll. *Later, he sold* VisiPlot *and* VisiTrend *to VisiCorp for $1.2 million—money which he later used to underwrite* 1-2-3.

Kapor delivered *VisiPlot* and *VisiTrend* in 1980, and the products were introduced in April of 1981. They proved to be Kapor's first big break: In a period of only six months, he raked in almost half a million in royalties.

"I had a very attractive contract from my point of view," he explains, "because when that contract was signed in '79, people didn't really understand the economics of this business. Today, software publishers offer ten or fifteen percent royalty contracts; I had a *thirty-three* percent contract." That, combined with the healthy sales of *'Plot* and *'Trend*, explains why VisiCorp, in 1982, was more than willing to buy out Kapor's contract for the somewhat princely sum of $1.2 million.

Kapor did not take the money and retire to the Cayman Islands, however; as a matter of fact, he barely took a vacation. His plan was to "do more products," or, more correctly, to design more products. "I wanted to hire *real* programmers this time around," he says.

Real programmers? What does Kapor consider himself?

"One of the world's great Basic hackers," he says matter-of-factly. "*Tiny Troll*, *'Plot*, *'Trend*, and everything else I wrote was all done in Basic, and I knew that I had hit my limit as a programmer."

So the plan was to do the design work, hire some programmers, and let VisiCorp or another company publish the results. "But it turned out that it just wasn't going to happen like that in a satisfactory way," Kapor recalls. "This author-publisher model had lots of problems about control, fights about marketing, and just too many other problems, so I was backed into the idea of a company that would do development and marketing. I simply didn't see any alternative."

Kapor's decision to do the design work and let others—most notably Jonathan Sachs—do the writing proved propitious. *1-2-3* owes its success in large measure to its user interface: intuitive, easy to use, and helpful. Kapor attributes the success of that interface to his way of looking at programs, which he describes as a user's perspective, rather than a programmer's.

"I work on products by asking a set of questions," he explains. "Questions like: What do people need? How can we insulate the user from the peculiarities of the computer? And how can the total experience of the session be made most natural and most intuitive?"

Today, it's pretty conventional to ask those questions before starting a new programming project, but in 1979 it was a fairly radical way of thinking. "But that is just naturally the way I look at these issues, partly because, when I was doing mainframe stuff in college, I was incredibly frustrated by the machine.

"I can't program in assembly language," he continues, almost wistfully, "and it seems so arbitrary—the priesthood of the systems programmer. It's an incredibly emotional thing, out of which came the very strong feeling that I ought to be able to sit down and use a personal computer without first being ordained by the priesthood."

With that background, it's not surprising that Kapor was "simply blown away by *VisiCalc*." So impressed was he with *VisiCalc*'s method of pointing to data that when he sat down to write *VisiPlot*, "rather than extending *Tiny Troll*, I said, 'We've got to throw the whole interface out—this pointing stuff is just great.' "

According to Kapor, "Pointing is an analog to real life; everybody knows how to point to things." So he took the idea and ran with it, extending *VisiCalc*'s notion to include pointing to commands as well as data. The result, in *VisiPlot*, was a moving-cursor menu, an idea that has since become more or less a standard in sophisticated programs.

Makes you think that there's no way of stopping an idea whose time has come. Pointing, in particular with a mouse, had also appeared about this time three thousand miles away, at Xerox PARC (Palo Alto Research Center) in Palo Alto, California. Kapor swears he had not heard of Alan Kay's work there at the time he wrote *VisiPlot*. In any case, the first popular program to use pointing menus came from Kapor, not from PARC.

But back to our story—and to the products that Kapor planned to develop and publish after he got his $1.2 million from VisiCorp. By now it's quite clear where the concepts behind the user interface came from; and the idea of an integrated program had appeared a long time ago in *Tiny Troll*, *VisiPlot*'s precursor.

"The idea for *1-2-3* really came before *'Plot* was even on the market," Kapor says, "but it was very vague—the notion that a spreadsheet ought to have graphics commands. Again, the key is convenience."

QuadDisk™ by Quadram™

Quadram™ presents QuadDisk.™ The new hard-disk system.

QuadDisk gives you maximum storage capacity in the limited space you've got. Turning your IBM™ Personal Computer, PC XT, Compaq,™ Chameleon,* or Eagle* computer into a micro powerhouse.

Choose from 6 to 72MB Fully Integral

QuadDisk comes in 6, 12, 20, 27, or 72 megabyte capacities. All integral to the computer for fast, convenient data access. And for added flexibility, there's QuadDisk with removable cartridges. For up to 6MB on-line storage plus added data security. (Not to mention virtually unlimited off-line storage.)

QuadDisk comes complete with disk controller board for total system integration.

Keep your personal computer personal

QuadDisk delivers all this power without turning your computer into a main frame. QuadDisk is compact. It installs in the same space as your floppy unit to become part of your system. Ready to work with your system.

By showing off its power, not its size, it keeps your personal computer personal.

Winchester technology made easy

But for all its power, this is one memory system that doesn't forget you're human. So QuadDisk comes with a virtual memory (RAM Drive) and a print spooler. Plus, QuadDisk's File Utility. To copy, rename, erase, and execute programs straight from a menu. Without using complex DOS commands.

Quadram Quality

Every QuadDisk comes stamped with the Quadram Quality seal. The mark of dependability and performance from the leader in microcomputer enhancements. So visit your local computer retailer today. Ask to see QuadDisk in action. When a little space is all you have, QuadDisk by Quadram is all you need.

QuadDisk features removable cartridges which give you unlimited off-line storage. It's Winchester technology made easy.

QUADRAM™ CORPORATION
An Intelligent Systems Company

4355 International Blvd./Norcross, Ga. 30093
(404)923-6666/TWX 810-766-4915(QUADRAM NCRS)

*IBM Personal Computer and PC XT are registered trademarks of the International Business Machine Corporation. Compaq is a trademark of the Compaq Computer Corporation. Chameleon is a product of the Seequa Computer Corporation. Eagle is a product of Eagle Computer, Inc.

As much storage capacity as you need, in as little space as you've got.

WE UNLEASH TH
POWERFUL GRAP

E WORLD'S MOST HICS TECHNOLOGY.



You'll never see Infocom's graphics on any computer screen. Because there's never been a computer built by man that could handle the images we produce. And, there never will be.

We draw our graphics from the limitless imagery of your imagination—a technology so powerful, it makes any picture that's ever come out of a screen look like graffiti by comparison. And nobody knows how to unleash your imagination like Infocom.

Through our prose, your imagination makes you part of our stories, in control of what you do and where you go—yet unable to predict or control the course of events. You're confronted with situations and logical puzzles the like of which you won't find elsewhere. And you're immersed in rich environments alive with personalities as real as any you'll meet in the flesh—yet all the more vivid because they're perceived directly by your mind's eye, not through your external senses. The method to this magic? We've found the way to plug our prose right into your psyche, and catapult you into a whole new dimension.

Take some tough critics' words about our words. SOFTALK, for example, called ZORK® III's prose "far more graphic than any depiction yet achieved by an adventure with graphics." And the NEW YORK TIMES saw fit to print that our DEADLINE™ is "an amazing feat of programming." Even a journal as video-oriented as ELECTRONIC GAMES found Infocom prose to be such an eye-opener, they named one of our games their Best Adventure of 1983.

Better still, bring an Infocom game home with you. Discover firsthand why thousands upon thousands of discriminating game players keep turning everything we write into instantaneous bestsellers.

Step up to Infocom. All words. No graffiti. The secret reaches of your mind are beckoning. A whole new dimension is in there waiting for you.

(For more information on Infocom games contact: Infocom, Inc., P.O. Box 855, Garden City, NY 11530.)

INFOCOM™

The next dimension.

For your: Apple II, Atari, Commodore 64, CP/M 8," DEC Rainbow, DEC RT-11, IBM, MS-DOS 2.0, NEC APC, NEC PC-8000, Osborne, TI Professional, TI 99/4A, TRS-80 Model I, TRS-80 Model III.

Thus it was that when Jonathan Sachs, an assembler guru who conveniently happened to possess the rights to a spreadsheet package, got *together* with Kapor in 1980, all the ingredients were in place for mixing up a new program, *1-2-3*. Well, almost all.

"IBM announced its PC in August of '81. We looked at it for a few days and said, 'Aha! This is the machine to go with.' " Kapor was seduced first by the fact that the PC used a sixteen-bit processor, which meant it could properly support more than the 64K that the standard Apple II was then limited to. Second, Kapor believed that IBM made a lot of the Right Moves: retail distribution, third-party support, a completely open system.

"We decided both to write for the PC and to optimize for it," he recalls. "Everybody else had eight-bit software, and it was going to take a long time to redo it." And even then, it would still only be eight-bit software pasted onto a sixteen-bit machine, certainly *not* the best way to use resources.

Kapor and Sachs were quite serious about optimizing their new baby. It's a little-known fact that what was later to become *1-2-3*'s spreadsheet was first written in C; that version was both too slow and too large, so Sachs rewrote it in assembler. (Versions of *1-2-3* for other machines, such as those based on Motorola's high-performance 68000, are written in C.)

As originally envisioned, *1-2-3* was to be a single package with a number of functions. It was known from the start that the first two of these functions would be graphics and a spreadsheet, and it was assumed that a third function would be a word processor. "But the guy we hired to do the word processor quit," says Kapor, "and anyway, it was easier to see how to integrate a database into a spreadsheet than it was a word processor." Which is why the original *1-2-3* doesn't have a word processor.

With work on *1-2-3* now well under way, Kapor turned some of his attention to finding the money to deliver his precocious baby.

"I knew Ben Rosen [of Sevin-Rosen Associates, a venture capital firm] because Ben had been a *Tiny Troll* user." Kapor smiles. "I used to answer his support calls."

So Kapor approached Rosen with his idea, and Rosen in turn asked for a simple precis—not even a complete business plan. "I put that together, he looked at it, and L.J. [L.J. Sevin, the second principal of Sevin-Rosen] looked at it, and six weeks later we went to dinner, and during the salad L.J. said, 'Ben and I would like to invest in your company. How much do you think it's worth?' I dropped my fork, said 'Uh oh,' and we did a deal." Rosen and Sevin put in $600,000 in the first round of financing, and other venture capitalists added an additional $400,000, for which the investors received 30 percent. Kapor retained 30 percent, Sachs and other principals had "a bunch," and 27 percent was reserved for future employees. Sevin-Rosen kicked in another $2.5 million before *1-2-3* was announced.

The rest is legend: *1-2-3* was first shown at Fall Comdex 1982; Lotus wrote over a million dollars' worth of advance orders at Comdex, and the program took off like a shot, reaching the top position in *Softalk*'s bestseller chart in April 1983.

One question remains: Did Kapor realize at the outset how wildly successful *1-2-3* would be? "The way it works is like this," Kapor says. "You shoot an arrow into the target, and then you draw the little circles around it. You shoot a bull's-eye."

A lot of satisfied customers are drawing circles around *1-2-3*. And with it. ▲

The Rixon PC212A... The Perfect Modem For Your IBM® PC ...Only $499



$25 Rebate on the PC212A

Contact your local retail computer store for details.

The Rixon® PC212A offers you the only 300/1200 BPS full duplex card modem with auto dial and auto answer that plugs directly into any of the IBM PC® * card slots. Because the Rixon PC212A was designed specifically for the IBM PC, it is loaded with user benefits.

The PC212A eliminates the need for an asynchronous communications adapter card and external modem cable, this alone saves you approximately $190. The PC212A provides an extra 25 pin EIA RS232 interface connector, a telephone jack for alternate voice operation, and a telephone line jack for connection to the dial network. Without question, the PC212A is the most user friendly, most reliable, and best performing modem for your IBM PC. An internal microprocessor allows total control, operation, and optioning of the PC212A from the keyboard. A user friendly HELP list of all interactive commands is stored in modem memory for instant screen display. Just a few of the internal features are auto/manual dialing from the keyboard, auto dial the next number if the first number is busy and instant redial once or until answered. In the event of power disruption a battery back-up protects all memory in the PC212A. In addition, the PC212A is compatible with all of the communication programs written for the Hayes Smartmodem™ **such as CROSSTALK.™+Also available for use with the PC212A is the Rixon PC COM I,™ ⋇ a communications software program (Diskette) and instruction manual to enhance the capabilities of the PC212A and the IBM PC. PC COM I operates with or replaces the need for the IBM Asynchronous Communications Support Program. The program is very user friendly and provides single key stroke control of auto log on to multiple database services (such as The Source℠&), as well as log to printer, log to file transfer and flow control (automatic inband or manual control). PC COM I is only $49.00 if purchased at the same time as the PC212A. The PC212A comes with a 2 year warranty. For more information contact your nearest computer store or Rixon direct at 800-368-2773 and ask for Jon Wilson at Ext. 472.

PC212A .....$499.
PC212A WITH ASYNCH PORT .....$539.

SANGAMO WESTON Schlumberger RIXON INC.

2120 Industrial Pky., Silver Spring, Md. 20904
301-622-2121 TWX 710-825-0071 TLX 89-8347

* IBM is a registered trademark of the International Business Machine Corp.

** Hayes Smartmodem is a product of the Hayes Stack ™ series, a registered trademark of Hayes Microcomputer Products Inc.

\+ CROSSTALK is a trademark of Microstuf Inc.

⋇ PC COM I is a trademark of Rixon Inc.

& The Source is a servicemark of Source Telecomputing Corp.

The Rixon PC212A Card Modem

Another Modem Good Enough To Be Called RIXON

Would you believe that for $99 you could...

Move
"Mountains"
Turn
"Straw" into "Gold"
Wipe Out
"War" and "Famine"
Locate
"Atlantis"
Copy
"The Dictionary"
Even Justify
"The Meaning of Life"

All with single key strokes. Select Write word processing. All the power of the most complicated word processors. With none of the hassle. Select Write. Easiest to use. Easiest to learn. Easiest to buy. For the IBM PC, XT, PCjr and workalikes. See Select Write at your local dealer or write: Select Information Systems Inc. 919 Sir Francis Drake Blvd., Kentfield, CA 94904.

SELECT
WRITE

SYSTEM Notebook

by Alan Boyd

The command we'll look at this month introduces us to a whole new ball game—multitasking.

Without a doubt, one of DOS 2.0's most heralded features is its ability to perform background printing—also known as print spooling. An external command, *print*, allows you to specify and queue files that you want to have printed. As if by magic, your printer prints the files you specify, at the same time leaving you in control of your machine so that you can run other DOS commands or programs while the printing is going on. Multitasking? Yes, but in a limited manner.

Background printing (print spooling) is not exactly a new feature for the PC; many word processing programs offered this capability even before DOS 2.0 arrived. Running a word processing program with printing going on in the background is a fairly simple task for a personal computer to accomplish, providing there's sufficient memory.

But what does it mean for an activity to be going on "in the background"? And why are print spoolers so popular? To answer these questions you first have to understand how computers generally approach the problem of storing information they're not immediately acting on.

As you may know, many of the PC's system-level functions are controlled by interrupts—signals that cause a momentary discontinuity in the running of an application program (or, for that matter, of the operating system itself). The system clock causes an interrupt every eighteenth of a second (approximately); for example, the keyboard generates an interrupt every time you hit a key, and a whole range of other processes are also "interrupt-driven." One of the common uses of interrupts is to inform the central processing unit that a peripheral device has completed a task.

The method by which a file is sent to the printer provides a good illustration of the interrupt process.

Your computer operates at much higher speeds than your printer. The internal speeds of the computer are measured in millions of cycles per second, whereas the speed of the printer is measured in characters per second. The IBM dot-matrix printer and its Epson counterpart, for example, are capable of delivering only about eighty characters per second. Obviously, then, there is a great capability gap between the printer and the PC.

To cope with this gap, most printers contain buffers, small amounts of memory that hold information waiting to be printed. There is usually a direct connection between the PC and the printer's buffer—either a serial or parallel connection.

Suppose your printer has a buffer capable of holding only one eighty-character line and you have just instructed the PC to print a file consisting of four such lines. The first thing that the PC does is send a signal to the printer, called *a request to send*. If the printer is prepared to receive information, it will acknowledge the request and send back the computer equivalent of an okay. This is part of the protocol, or handshaking, that keeps an orderly flow of information between computer and printer.

Whenever the PC receives the okay-to-send signal, it delivers the first line. At that point the printer buffer is filled, and the printer sends a message to the PC telling it to stop sending characters. Having received this message, the PC then sits around and waits for space to be cleared in the printer's buffer so that it can send the next line. When the coast becomes clear, the printer sends an okay back to the PC, which then sends another line. This process is repeated until the entire file has been transmitted and then printed.

Very efficient, you might think. This form of data transfer is actually quite efficient, providing that there's a high-speed device, such as another computer or a smart printer with a large buffer, on the receiving end of the communications link. When the PC is "talking" to a slow printer, however, it spends about 90 percent of its time just sitting around waiting for the printer to send back an okay.

To expedite matters, a routine residing in DOS allows the CPU to get on with other work while it waits for the printer's okay-to-send signal. This print spooling is implemented entirely in software, by means of interrupts. Essentially what happens is that an interrupt signal is generated whenever the printer is ready to receive data; the rest of the time the computer is free to handle other tasks.

Whenever the PC is running more than one task, a potential for conflict exists. What happens if both tasks need access to the same resource at the same time? To deal with this possibility, tasks are assigned priorities. The task with the highest priority is called the *foreground task*, and any other tasks are called *background tasks*. Since the printer is (relatively speaking) a very slow physical device, print spoolers are usually implemented in such a way that the printing goes on in the background.

This is not, however, the way the DOS *print* command is implemented. Contrary to custom, printing via the DOS *print* command actually works in the foreground. From your perspective as a user, there is essentially no difference between this method and the traditional approach, except that any task you run while a print is in progress may be inefficient and/or subject to noticeable slowdowns.

For convention's sake, we will always refer to concurrent printing as though it were a background process.

The *print* command itself is quite powerful but has some limitations. Although it's a simple utility, it does demonstrate that the PC is capable of multitasking (a portent of things to come?).

Using the *print* command is easy. To print a file, just enter the command

```
A>PRINT filename
```

The best method of learning the *print* command is to create some dummy files and play with them. To do this you'll need a word proces-

The *Print* Command

MAKE

NEW
FROM
PRENTICE®
CORPORATION

THE CONNECTION

POPCOM, X100 the new, easy-to-use communications tool that connects you and your personal computer to the wondrous, mind expanding, enlightening world of information.

POPCOM™ X100

- **Automatic or manual dialing and answering** for all voice and data calls.
- **Voice and data transmission during the same call** — ends the 3 separate calls ("I'm going to send," "I'm sending," "Did you get what I sent?")
- **Smart modem compatible** — works with widely available communications software.
- **Flexibility** — compatible with 103, 113, and 212A dial-up modems; connects to all standard single and multi-line equipment.
- **Fast, easy setup** — 'tune' tells when the three cables are properly connected.
- **Adjustment-free operation** — no manual switches to contend with. The X100 automatically takes its instructions from your PC or terminal.
- **Automatic computer briefing** — reports to your PC all call-progress tones ... dial tone, busy signal, remote ringing, talk, even line disconnect — so your computer can do more.
- **"In-Use"** light on multi-line phones — protects against inadvertent interruption.
- **Smart interface** — automatically adapts itself to various RS232 cables.
- **Versatile installation** — fits conveniently on wall, desk or floor.

See your dealer or write for more information. Make the connection between yourself and the challenging world of information.

☐ Please send me literature on POPCOM products.

☐ Please call me immediately.

NAME _____ TITLE _____

COMPANY _____ TEL: _____

ADDRESS _____ STATE _____ ZIP _____

PRENTICE CORPORATION, 266 Caspian Dr., P.O. Box 3544, Sunnyvale, CA 94088-3544, (408) 734-9855

0109

Infoscope ... Its magic happens right before your eyes

Thirty minutes with your new computer and Infoscope, and you can be showing off — entering information, sorting it, displaying it, putting it to work in ways you never dreamed possible.

Infoscope, a revolutionary new program for dynamic information management, opens up the potential of the personal computer. It's usable and useful now, even for a beginner, but it'll never get in the way in the long run.

From the first minute you use it, you'll discover some very interesting applications. It comes with demonstration "scripts" and sample data so you can sit back and watch it do its stuff without doing a lot of tedious data entry.

Infoscope helps you create "Scopes" to display data — windows on the screen that grow, shrink, move around, and overlap, while showing you just the information you want to see.

As you work with it, Infoscope adapts to your level of expertise. Its "choice-driven" approach makes it easy for a new user to get up to speed, but it doesn't entangle an expert in a maze of menus he doesn't want to see.

In short, Infoscope is as simple or as complex as you want it to be, and it does virtually any information management chore you want it to do.

But you have to see it for yourself. Infoscope is available for most popular 16 bit microcomputer systems. Ask for a demonstration at your local computer store, or write us for details.

Microstuf, Inc.
1845 The Exchange, Suite 140
Atlanta, Georgia 30339
(404) 952-0267

MICROSTUF®

sor or text editor. If you have access to neither of these, you can always use the Edlin minieditor supplied with DOS.

To create the dummy files File1.txt, File2.txt, File3.txt, and File4.txt, simply enter one line into the text editor and use the editor's facilities to duplicate the line over and over so that the final document is longer than a single page. The line you enter into the files should identify the filename so that when you look at the printout you'll know which file is currently being printed. To make things simple, use a line like

This is the file named File1.txt

so you can substitute the appropriate numbers for your other files.

If you use a word processor to prepare the files, make sure that it writes an ASCII file to the disk. If your word processor doesn't do this, use its print-to-disk command, which has the same result. If you're not sure whether your file is ASCII, you can check it via the DOS *type* command; if the file appears as gibberish on the screen, you haven't created an ASCII file.

Armed with the four files you've just created, you're ready to take on the *print* command. The first exercise is to enter the command

A)PRINT FILE1.TXT

and see what happens. If all goes well you should be rewarded with a prompt from DOS requesting

Name of list device [PRN]:

meaning that DOS needs to know how your printer is set up, or indeed which printer to send the file to if you have more than one connected. If your printer is connected to the standard parallel port and is usually addressed as the standard device Prn, then you can simply press enter to continue. If your printer is connected to any of the other ports, then enter the reserved name for the port—Com1, Com2, Aux, Lpt1, Lpt2, Lpt3, or whatever—and press enter.

When this is done, DOS will print the message

Resident part of PRINT installed

You need to go through this process only once when you start your system. Any subsequent time you use the *print* command you will not need to set the device parameter again.

DOS then emits the message

A:FILE1 .TXT is currently being printed

to show exactly what is happening. Whenever the printer starts up, the DOS prompt will return and you can operate your PC as if it weren't printing the file. Try some of the usual DOS commands like *dir* and *type* and observe the effect they have on the printer. You will see that some commands will bring the printer to a halt, since the processor is busy tackling another job.

This is all very nice. You have just experienced real multitasking on the PC. But what happens if, while the background printing is in progress, you issue a second *print* command? Try it and see. If the printing stops before you get a chance to enter the second command, then simply reenter the command, immediately followed by a second *print* command.

```
A)PRINT FILE1.TXT
  A:FILE1   .TXT is currently being printed
  A)PRINT FILE2.TXT
  A:FILE1   .TXT is currently being printed
  A:FILE2   .TXT is in queue
A)
```

Obviously DOS can't run two different versions of the *print* command at the same time, so it queues the files—it creates a list of files to be printed. If you were immediately to add a third *print* command, then DOS would add that file to the print queue.

```
A)PRINT FILE3.TXT
  A:FILE1   .TXT is currently being printed
  A:FILE2   .TXT is in queue
  A:FILE3   .TXT is in queue
A)
```

Whenever a file has finished printing, the *print* command causes a page eject to be sent to the printer, ensuring that each file will be started on a new page. It then removes the completed file from the queue and bumps each of the lower priority files up one level.

If you want multiple copies of a file, just enter the command once for each copy you want.

```
A)PRINT FILE1.TXT
  A:FILE1   .TXT is currently being printed
A)PRINT FILE1.TXT
  A:FILE1   .TXT is currently being printed
  A:FILE1   .TXT is in queue
A)
```

Of course, while this queue is being printed you are free to run other programs on your PC. You should, however, make sure that any program you run while a background print is in progress works through the operating system. Many programs don't conduct their input and output through DOS but instead bypass the operating system and work directly with the hardware. Therefore, unfortunately, you cannot queue up a whole slew of files to be printed and then sit down to a session on the *Microsoft Flight Simulator* or any other high-performance program.

This raises the issue of how many files can be placed in the print queue. Once the print queue is ten files long, no others are allowed to join it.

More than one filename can be entered on the *print* command line at the same time. For example, to print all four of the files you've created, you can enter

```
A)PRINT FILE1.TXT FILE2.TXT FILE3.TXT FILE4.TXT
```

To make things a little simpler, DOS lets you use wildcard characters with the *print* command. In the example just cited, you can replace the 1, 2, 3, and 4 in the filenames with a single ?. To demonstrate this feature—and to see what happens when the print queue becomes full—try entering the following command three times in quick succession:

```
A)PRINT FILE?.TXT
```

One convenient method of entering a command more than once is to use the F3 key—which repeats the last command entered at the keyboard—and then press enter.

The first time you issue the command, *print* searches the directory and determines that there are four files that meet the wildcard specification. It then places all four files into the print queue.

When you issue a second command, *print* again places the four files in the print queue; there are now eight files in line. On your third use of the command, however, there should be room for only two more files. So *print* adds the first two files it finds that match the wildcard search and then closes the queue. To show that the queue is full, it prints the message

```
PRINT queue is full
```

on the screen and lists the contents of the queue. At this point, it won't accept any more files to be printed until a space becomes available in the queue. The queue itself follows a first-in, first-out sequence.

A quick look at what you've just done may reveal that you've cost yourself half a box of paper and tied the printer up for a half hour or so. It would be nice if you could stop the printer before you wasted any more paper, wouldn't it? However, while the queue is full you have a good opportunity to see some of the other print features at work.

If you're ever in doubt about what files are in the print queue, or if you're smart and have located your printer in another room and you'd like to check the status of the queue, you can simply enter the *print* command with no argument; doing so will generate a status report on the screen. This might look something like

```
A)PRINT
  A:FILE2  .TXT is currently being printed
  A:FILE3  .TXT is in queue
  A:FILE4  .TXT is in queue
  A:FILE1  .TXT is in queue
  A:FILE2  .TXT is in queue
  A:FILE3  .TXT is in queue
  A:FILE4  .TXT is in queue
  A:FILE1  .TXT is in queue
  A:FILE2  .TXT is in queue
A)
```

showing that DOS has finished printing the first document and is currently working on the second.

Before you waste all that paper and cause severe strain on your printer ribbon, you should learn how to abort the *print* command. The control-break combination has no effect on the *print* command, since it will only affect any other command that is running concurrently. The key is to enter

```
A)PRINT /T
```

Adding the /T switch to the *print* command tells DOS to terminate the process immediately and dump the contents of the queue. *Print* responds by stopping the printout in progress and ejecting the page currently in the printer. It then rings the printer's bell, empties the print queue, and terminates the entire print. It also causes the message

```
All files canceled by operator
```

to be printed by the printer.

Another switch you can use with the *print* command is /C, which cancels the specified files. For example, if you queue all four files for printing using

```
PRINT FILE?.TXT
```

and then decide that you don't really want to print the file named File3.txt, you can enter the command

```
PRINT FILE3.TXT /C
```

and cause *print* to remove File3.txt from the queue. If File3.txt appears more than once in the same queue, it's removed wherever it occurs.

The /P, or print switch, causes all the filenames that precede it to be printed, allowing you to set up complex print situations with a single command. For example, suppose that you want to print the three files named File2.txt, File3.txt, and File4.txt. Rather than entering three different *print* commands or entering a global *print* command and canceling File1.txt (which would be difficult, since the printer will have started to print it already), you can accomplish the whole thing with one command:

```
A)PRINT FILE?.TXT /P FILE1.TXT /C
```

megahaus

presents

MEGAWRITER FOR THE IBM PC

THE SUPERSTAR WORD PROCESSOR FOR YOUR IBM PC THAT MAKES ALL OTHERS "ORDINARY PERFORMERS"

HERE'S WHAT WE DO

We give you all the features you'd expect to find in a quality word processor.

We give you an easy-to-learn, easy-to-use manual.

We give you easy-to-remember commands. ("I" = Insert, "D" = Delete, etc.)

We give you built-in mail list merging at no extra cost.

We give you a built-in document finder at no extra cost.

We do it all for $99.95

AND

HERE'S WHAT WE DON'T DO

We do not duplicate, feature-for-feature, every word processor in the world.

We do not give you a difficult manual that requires constant reference to use.

We do not require you to remember complicated key strokes.

We do not require you to buy mail list merging separately.

We do not require you to buy a document finder separately.

We don't believe quality has to be extravagantly priced.

MEGAWRITER is available for the Apple][+ and Apple //e as well as for the IBM PC.

megahaus **We Make Computers Work Harder. Easier!**

This will load the three desired files into the print queue and cause the message

A:FILE1 .TXT canceled by operator

to be printed on the printer.

Unfortunately, the *print* command is one of those innocent little commands that are extremely vulnerable to both deliberate and accidental sabotage. There are many cases where the poor thing becomes incredibly confused because while it is off doing its thing, the operator is free to wreak as much havoc as possible. For example, what happens if you queue a file for printing and then change its name? The best way to see the result is to try it.

Enter the command

A>PRINT FILE?.TXT

Then change the name of File2.txt as follows:

A>RENAME FILE2.TXT SOMETHN.ELS

and observe the reaction. *Print* will plod along printing the first file. When it comes to the second file, however, it won't find it. That is, it *shouldn't* find it; for mysterious reasons *print* occasionally does find the file and prints it out correctly. As though to make a mockery of the situation, *print* will on some occasions print out the file, or at least a part of it. Strange goings-on indeed.

All this means, of course, is that it's best not to tamper with any file queued for printing. It's best not to have two processes act on a file at the same time under any circumstances. Since concurrency seems to be a coming attraction on the PC (new versions of DOS are on the horizon), it behooves you to establish good habits now. Otherwise, when you get the opportunity to run several tasks concurrently you'll discover many new and wonderful methods of destroying your work.

There are other things to avoid when you use *print*—besides tampering with queued files. For example, invoking the *print* command and sending information out to the printer via *another* command (such as *type*) can have devastating effects. So too can the use of the print-screen key. The Basic command *llist*, which sends a program listing to the printer, should also be avoided. In other words, don't invoke any command or program that uses the printer while DOS's *print* command is doing its thing.

Here's another caveat: *Print* has trouble with pathnames. Try creating a new directory, called Backup, on your disk. Then copy the filename File2.txt to the new directory and erase it from the root directory. This can be done as follows:

```
A>MKDIR BACKUP
A>COPY FILE2.TXT \BACKUP
  1 File(s) copied
A>ERASE FILE2.TXT
```

Now enter the *print* command to print the remaining three files in the root directory

A>PRINT FILE?.TXT

Print will queue up the three files and print them in the background as requested. If you now attempt to print the file that you just transferred to \Backup, however, you'll get an error message:

```
A>PRINT \BACKUP\FILE2.TXT
B:          .     File not found
```

For some reason, *print* cannot work in different directories at the same time. The rules for how *print* works on various directories are vague, so just assume that putting the command into a situation where it is forced to work with multiple directories is dangerous. By experimenting, you can discover that if you log on to another directory and issue a *print* command that includes a pathname, you'll get an error message.

Print also ignores the search path set by the *path* command. For example, if you are in the root directory and you set the search path to \Backup and then tell *print* to print a file in that directory, you will be given a "file not found" error message, and the file won't be printed. *Print* does, however, work perfectly when you use a disk drive identifier with two floppy disk drives.

You'll find another interesting "anomaly" if you try to redirect the output of the *print* command to a disk file. Enter the command

A>PRINT FILE?.TXT >MYFILE

The file named Myfile is actually created. However, the *print* command merrily sends the contents of the specified files to the printer, just as it would if you hadn't asked for redirected output.

When you examine Myfile, you will see that it contains:

```
A>TYPE MYFILE
A:FILE1.TXT is currently being printed
A:FILE2.TXT is in the queue
A:FILE3.TXT is in the queue
A:FILE4.TXT is in the queue
```

Print does not communicate with the printer through the standard output, although its screen messages are all treated as standard output.

On the same track, it is illustrative to send the output of a file through the *print* command and then pipe it to a filter. The *find* filter lends itself well to sending the output of a file through the *print* command. First, copy the file Find.exe to your disk, and then issue the command

A>PRINT FILE?.TXT | FIND "2"

Theoretically, this command should pass only the lines that contain the 2. The *print* command will print all four files intact, however. What it does is send its *screen* output through the filter, resulting in the display of only one line:

A:FILE2 .TXT is in the queue

That's all there is to know about the *print* command. You can do some effective things with it, but it does have one or two limitations. ▲

Make April 15th just another day. Get The Tax Advantage.™



April 15 doesn't have to throw you into a cold sweat anymore. Now you can sail through the task you've been dreading all year long. With **The Tax Advantage**.

This program is so easy, you'll be able to use it right away. Even if you've never done your taxes by yourself or used a computer before.

HERE'S HOW IT WORKS

The Tax Advantage takes you line-by-line through Form 1040 and the other most common tax forms. It asks you for information in plain English, and you type in the numbers. That's all there is to it.

The Tax Advantage automatically computes your taxes with each entry you make. So you know exactly how each line affects your overall tax picture. Additionally, **The Tax Advantage** does complex operations like income averaging with a few simple commands.

What's more, you can use these features to help plan what your tax would be if your income, deductions or other figures changed.

And each year, as tax laws change, you (as a registered owner) can get the newest version of **The Tax Advantage** at a special rate.

If you think **The Tax Advantage** sounds fantastic, you're right. But there's more.

THE TAX ADVANTAGE "TALKS" TO THE HOME ACCOUNTANT.™

If you own **The Home Accountant**, the #1 best-selling home finance program, you can transfer your records to **The Tax Advantage** at tax time. It'll make doing your taxes even faster.

You'll be surprised how simply and efficiently you'll knock off the dreaded tax return.

So get **The Tax Advantage**.

And have a terrifically ordinary April 15.

The Tax Advantage is available for: Apple II/IIe, Atari 400/800, IBM PC/PC XT, Texas Instruments Professional and Commodore 64. **Price: $69.95**

For your free 64 page booklet, "Tips For Buying Software," please write Continental Software, Dept. STI, 11223 S. Hindry Avenue, Los Angeles, CA 90045, 213/417-8031.

Continental Software

A Division of Arrays, Inc.



The Chaplin character licensed by Bubbles, Inc., S.A.

Congratulations. We published your program.

The envelope, please.

There's an acceptance letter inside. And a check that could have your name on it. (If we select your program, that is.)

But remember.

We pick our winners carefully.

Because the software we publish for the IBM Personal Computer has to be good enough to complement IBM Personal Computer hardware. (See the box at right.)

Like our hardware, this software should be simple to use. Friendly. Fast. And written to help satisfy the needs of the individual.

Our Personal Editor is a perfect example. A versatile text file editor, it not only helps the user save time, but lets him easily self-tailor a task with definable function keys. And it sets a standard of excellence.

Of course, every person will use the IBM Personal Computer differently. That's why we plan on publishing many different programs.

Entertainment programs. And educational programs. And business programs. And personal productivity programs. And graphics. And games.

And more.

We'll also consider software written *by* programmers *for* programmers. For example, the BASIC Program Development System, Professional Editor and Diskette Librarian are high-quality, full-function tools that were submitted by authors like you and subsequently published by us.

IBM PERSONAL COMPUTER SPECIFICATIONS

User Memory
64K-640K bytes
Microprocessor
16-bit, 8088
Auxiliary Memory
2 optional internal diskette drives, 5¼" 160KB/180KB or 320KB/360KB per diskette
Keyboard
83 keys, 6 ft. cord attaches to system unit
10 function keys
10-key numeric pad
Diagnostics
Power-on self testing
Parity checking

Display Screens
Color or monochrome
High-resolution
80 characters x 25 lines
Upper and lower case
Operating Systems
DOS, UCSD p-System, CP/M-86†
Languages
BASIC, Pascal, FORTRAN, MACRO Assembler, COBOL
Printer
All-points-addressable graphics capability
Bidirectional
80 characters/second
18 character styles
9 x 9 character matrix

Permanent Memory
(ROM) 40K bytes
Color/Graphics
Text mode
16 colors
256 characters and symbols in ROM
Graphics mode
4-color resolution: 320h x 200v
Black & white resolution: 640h x 200v
Simultaneous graphics & text capability
Communications
RS-232-C interface
SDLC, Asynchronous, Bisynchronous protocols
Up to 9600 bits per second

Now you might have the chance to win.

Who knows? You could open the mailbox and find one of the envelopes shown here.

For information on how to submit your program, if completed and running, write: IBM Personal Computer External Submissions, Dept. 765 PC, Armonk, New York 10504.

IBM

The IBM Personal Computer
A tool for modern times

For more information on where to buy the IBM Personal Computer, call 800-447-4700. In Alaska or Hawaii, 800-447-0890.

DOUBLEDOS

Makes your IBM PC twice as good for only $299!

Your IBM PC can perform even better than IBM intended. Introducing DoubleDOS—the SoftLogic Solution that lets you run two programs at once—with no down time. Who said you can't do two things at once?

This magical solution to better productivity is introduced at only $299. ***Plus—there's no need for expensive additional hardware or software changes in your PC.*** DoubleDOS works with DOS 1.1 or 2.0, and your existing DOS software.

To order DoubleDOS or for more information, call SoftLogic Solutions toll free at 1-800-272-9900, or mail in the coupon below immediately. Ask for DoubleDOS at your local personal computer dealer.

DoubleDOS—and the IBM PC—a solution that's twice as sweet as a rose!

SOFTLOGIC SOLUTIONS
530 CHESTNUT STREET
MANCHESTER, NH 03101
1-800-272-9900
In NH call 627-9900

DoubleDOS works with DOS 1.1 or 2.0, and your existing DOS software.

ORDER NOW!
Rush me DoubleDOS.

☐ I'VE ENCLOSED $299 (CHECK OR MONEY ORDER)
☐ CHARGE TO MY VISA/MASTERCARD (CIRCLE ONE)
ACCOUNT NUMBER: _____
EXPIRATION DATE: _____ S
SIGNATURE: _____
NAME _____
STREET _____
CITY _____ STATE _____ ZIP _____
SEND TO: SOFTLOGIC SOLUTIONS, INC.
530 CHESTNUT STREET • MANCHESTER, NH 03101

MasterCard VISA

tradetalk

Δ **AST Research** (Irvine, CA) has entered into an agreement with **IBM** (Boca Raton, FL) under which IBM will sell two AST add-on printed circuit boards for the PC—the SixPakPlus and the MegaPlusII multifunction boards—in their product centers and to value-added dealers. "We are pleased IBM considers our quality equal to the task of maintaining the IBM image," said Thomas C.K. Yuen, executive vice president of marketing for AST Research. Δ AST has appointed **Thomas Stickel** vice president of sales, a new position created to sharpen AST's focus on large OEM end users. Stickel comes to AST from Technical Marketing and Sales (Mission Viejo, CA).

Δ **Infocom** (Cambridge, MA) has named **Addison-Wesley** (Reading, MA) as the sole publisher representing *Zork, Deadline, Planetfall,* and its other interactive adventures to book dealers and distributors in the United States and Canada. "We were impressed by Addison-Wesley's solid reputation in microcomputer book publishing and its commitment to widespread software distribution," said Joel M. Berez, president of Infocom.

Δ **Compaq Computers** (Houston, TX) has announced that **Entre' Computer Centers** will market Compaq portable personal computer products nationwide. Entre' Computer Centers market personal computer products to small-business professionals and Fortune 1000 companies. Δ Compaq has also purchased approximately fifty acres of land adjacent to its corporate headquarters in Houston to accommodate additional manufacturing and office space. The new facilities will be built during 1984.

Δ **Faraday Electronics** (Palo Alto, CA) has contracted with Microsoft Corporation (Bellevue, WA) to supply MS-DOS to the FE Model 64, Faraday's PC-compatible single board CPU. Δ Faraday has also signed a contract with **Esprit Systems** (Melville, NY). Esprit will be using the FE Model 64 as the CPU in its ESP 9310 interactive CRT terminals. Other products using the FE Model 64 to achieve PC-compatibility include Datamedia's Elite PT, Gateway Communications's Gateway Filesaver, and Tava Corporation's Tava PC.

Δ **Eagle Computer** (Los Gatos, CA) has announced plans to offer Microsoft *Windows*, an extension to the MS-DOS operating system, and an optional mouse as features of Eagle's IBM PC- and XT-compatible systems. Δ Eagle has also signed a major supply agreement with **ComputerLand** (Hayward, CA). ComputerLand will purchase and distribute the entire line of Eagle PC Spirit portable and Eagle PC Plus desktop series through retail outlets worldwide.

Δ **Microrim** (Bellevue, WA), a producer of relational database software, has also signed an agreement with ComputerLand for worldwide distribution of *R:base Series 4000*, a comprehensive relational database management system for the personal computer. *R:base* provides for forty files containing 100 billion records and allows the creation of tables based on the contents of two or more files. Δ **Softsel Computer Products** (Inglewood, CA) has also agreed to distribute *R:base*.

Δ **Byron E. Wicks** has joined **Media Technology Corporation** as the company's first-ever director of marketing. "The naming of Byron Wicks to marketing director is one of our efforts to take a high profile in the Winchester disk marketplace," explained MTC president Don Mattson. Wicks's immediate concerns are with MTC's new 5 1/4-inch thin-film-coated hard disk. "We are stepping into a fast-growing, potentially lucrative, and very competitive market," says Mattson. "Byron's record at IBM, Memorex, Xerox, Fujitsu, and most recently Qume, brings a certain marketing punch to MTC."

Δ **Lotus Development Corporation** (Cambridge, MA) has signed an agreement with **Citibank** (New York, NY) that will make *1-2-3* available through *CitiIntegrator*, part of Citibank's new microcomputer-based treasury management system. *CitiIntegrator* automatically retrieves and consolidates balance information from customers' reporting banks, calculates target balance data, and provides access via an XT to Citibank's global electronic banking, cash management products, and online databases.

Δ The **Subcommittee of the American National Standards Committee 239**, a standards-developing organization for library and information sciences and related publishing practices, has agreed on the format of the number to be assigned to software for microcomputers. Each distinct software item for sale will be identified by a number indicating the registrant, the product, the delivery medium, and a check digit. Subcommittee chairperson David Cohen of Technique Learning Corporation reported that "we spent a great deal of time defining each component of the number to provide the maximum flexibility and the minimum 'look up' for the user. The standard will recommend and define certain elements of bibliographic data that should become part of every program description."

Δ **David Collopy** has been appointed as a senior editor of *Business Computing* (Littleton, MA), a publication directed at users of IBM and IBM-compatible personal computers in organizations ranging from small businesses to Fortune 1000 companies. Prior to joining *Business Computing*, Collopy wrote for industrial and consumer publications focusing on specific computer applications in the business environment. He has also written user documentation for computer software products. Δ **William E. Suydam, Jr.** was also named a senior editor of *Business Computing*. Suydam was formerly

technical editor of *Popular Computing* and was responsible for a variety of writing and editorial functions.

Δ **Brown Disc Manufacturing** (Colorado Springs, CO), producer of high-density floppy disks, has completed a private placement of 1.5 million shares of convertible preferred stock. Proceeds totaling $6.6 million will be used for general corporate purposes, including expansion of the company's marketing program and sales force. The two-year-old firm manufactures linear-coated 5 1/4-inch floppy disks ranging to ninety-six tracks per inch and spin-coated disks handling up to two hundred tracks per inch.

Δ **BASF Systems** (Bedford, MA) has agreed to buy an eighty-thousand-square-foot manufacturing facility near its main plant for the sole purpose of manufacturing floppy disks. There are additional plans to build a larger cleanroom environment for FlexyDisks, BASF's brand of floppy disks.

Δ **ComputerCraft Learning Centers** (Houston, TX) has selected **Interactive Research Corporation**'s (Santa Clara, CA) IRC laser videodisc-based IBM PC training system for use in its instructional centers. Burdette Hanson, president of IRC, said the agreement calls for six IRC systems to be installed in ComputerCraft's flagship training facility in Houston. The centers train approximately fifteen hundred individuals per month, including clients from Exxon, General Mills, Deloitte, Haskins & Sells, and Tenneco.

Δ **The Small Computer Company** (Ridgewood, NJ), a software developer, has stopped **Group G Industry Consultant Corporation**, a New York City area consulting firm, from selling bootleg copies of its computer software products. U.S. District Judge Richard Owen issued an injunction prohibiting Group G from selling the illegal software. "Software developers have found themselves virtually powerless to prevent a burgeoning trade in bootleg software," said The Small Computer Company president Howard Wolowitz. "We want to make Group G pay the full price for every illegal copy that was made. And we want this to be a message to other software pirates all over the country."

Δ **Hayes Microcomputer Products** (Norcross, GA) signed a patent licensing agreement with **Bizcomp Corporation** (Sunnyvale, CA). The patent, issued in June 1983, protects basic techniques used to control command-driven modems, including the Smartmodem 300, Smartmodem 1200, and Smartmodem 1200B. Stated Hayes president Dennis Hayes, "There are several modem manufacturers competing in the microcomputer industry that have made advertising claims that some of their products are the equivalent of Hayes Smartmodems. If these products truly operate like the Hayes products, they may well fall within the claims of the patent and, accordingly, these companies may be affected by the issuance of the patent. We wanted to clear any doubts about our product design and get on with business."

Δ **Raging Bear Productions** (Corte Madera, CA), the producer of the National Software Show, canceled their NSS East show, which would have been held this month in Miami Beach. "Although the NSS East booth sales were following our projections," stated David Russell, president of Raging Bear, "our research confirmed two blatant problems with microcomputer shows: There are too many, and there is a lack of service to exhibitors and attendees by the majority of show producers. Service, through sensitivity and an understanding of the dynamics of the marketplace, remains our primary goal."

Δ **Arrays, Inc.** (Los Angeles, CA) filed a registration statement with the Securities and Exchange Commission relating to a proposed initial public offering of 1,525,000 shares of common stock. Net proceeds from the offering will be used for the acquisition and development of new products, increased advertising and promotion, expansion of facilities, and working capital. Arrays publishes and markets personal and small-business software and books related to microcomputers.

Δ **Software Arts** (Wellesley, MA), creator of *VisiCalc* and *TK!Solver*, has appointed **Dr. Milos V. Konopasek** as senior scientist. Dr. Konopasek will lead the ongoing development effort for the *TK!Solver* line and will report to Stephen M. Bayle, senior manager of product development. "Milos Konopasek proposed the development of the *TK!Solver* program as a consultant to Software Arts and has been actively involved in making this new product a reality," Bayle said. "We are delighted he has joined us full time."

Δ **Chalk Board** (Atlanta, GA), which has introduced PowerPad, a touch-sensitive tablet, and *Leonardo's Library*, a comprehensive set of learning/discovery software packages used in conjunction with PowerPad, has received $4.6 million in financing from major venture capital firms and private investors. The new financing will be used for production, further development work, and extensive marketing activities.

Δ **Timothy H. Kennedy** has joined **BankPro Systems** (San Francisco, CA) as vice president of marketing and will be responsible for developing and implementing a long-range marketing strategy for BankPro. BankPro's first product, an automated funds-transfer system based on the PC, was introduced at the Bank Administration Institute's Money Transfer Developments Conference. ▲

Help Yourself

MASTER CONTROL
A DIET & EXERCISE PROGRAM

A physician-designed, comprehensive weight management program.

Guiding you to a new eating and exercise lifestyle.

Allowing you to monitor your food intake and energy expenditure instantaneously.

Graphic reports provide feedback on your long range weight loss success.

Valuable programmed instruction in exercise and nutrition and other related topics.

A complete diet guide that will show you how to lose weight without relying on willpower.

·HEALTHWARE·

Dealer inquiries invited

Introductory Offer 69.95

Mail to:
Healthware/1504 Leander Rd./Georgetown, TX 78626/(512) 863-6910
Enclose $69.95 for each package and $3.00 shipping and handling.

☐ Send me ____ copy(s) of the Master Control Diet and Exercise Program.
☐ Check or money order enclosed
☐ MasterCard ☐ VISA

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Card No.: _____

Expiration Date: _____ Bank No. (if MC): _____

Signature: _____

MONEY-BACK GUARANTEE!
Return program package within 30 days if not completely satisfied and receive full refund.



BEGINNERS' CORNER

by Kathy Talley-Jones

Preparing for Junior

This month "Beginners' Corner" begins again—with a new emphasis: PCjr. Since Junior is IBM's first computer aimed specifically at the home market, we'll devote this initial installment to a survey of uses to which a high-quality home computer might be put.

Meet the Barrett family.

Jane and Kevin Barrett have just purchased a PCjr—they decided it was time they brought a computer into their lives. They haven't yet learned everything there is to know about computing, but they do have ideas about what they want in a home computer. Jane uses a PC at work—mostly *1-2-3* and sometimes *Multiplan*—so she has at least some familiarity with IBM microcomputers, but not much.

Kevin and Jane's kids, Marjory and Jack, have been excited by their friends' PCs and the games they play on them: *Crossfire, Enchanter,* and *Frogger.* They've been pressuring their parents to get a computer, and, naturally enough, the Barretts see having a Junior as a potential way to widen their children's experience: to make them comfortable with computers (Jane is only too ready to describe her terror when first confronted with her PC at work), to enhance their math and reading skills, and to exercise their logic and creativity. Marjory's sixth grade teacher—Jack is in kindergarten—has also hinted that the school system may soon acquire a few Juniors.

As a hobby, the Barretts distribute a few records made by local folk singers and musicians to larger independent distributors; their company operates under the name Calamari Distributors. They've kept muddled records in account books and on three-by-five cards for the last few years, but now that they have an inventory of ten different albums they need a more sophisticated way to keep track of what they've sent to whom, which magazines and writers have received review copies of what, and what radio stations have what records on their playlists. Calamari Distributors has always been a labor of love, but a surprise profit of a few thousand dollars in 1982 (and the IRS's subsequent interest in Calamari) has convinced Kevin and Jane that they need to become better organized.

While researching the Junior and looking over the catalog of IBM software available for it, the Barretts discovered that there are essentially seven kinds of application programs. The Barretts don't know much about the machinery yet, but they do know that application programs are the means by which to use the computer and make it work for them. The types of applications available are educational software, games, graphics, spreadsheets, databases, word processing, and communications. The family can all learn some programming languages later; for the moment they want to get as much fun and profit out of the Junior as they can with as little effort as possible.

Because the Barretts have some business applications in mind, they decided to buy the more expensive extended version of the Junior—the one with the disk drive, which will store Calamari Distributors' business information on floppy disks. The extended version will also allow Marjory and Jack to borrow some of their friends' PC games and run them on Junior. They realize that some PC games may not work on the Junior, but there are plenty that do to keep things exciting.

Education. Although Jack and Marjory are bright, their parents feel that kids' basic skills could use improvement. They've observed that a computer can seem like a patient, nonjudgmental tutor to children—it won't criticize them when they get an answer wrong and won't become impatient when they repeatedly make mistakes on the same kind of problem. The computer will also provide opportunities to try a problem or practice a skill over and over again.

The Junior's education application software can help preschool children learn the relationship of things in space (left and right, forward and backward, up and down, and so on), improve hand-eye coordination, and prepare them to learn arithmetic and reading when they go to school.

To build math abilities, the software available includes *Adventures in Math, Arithmetic Games, Bumble Games,* and *Monster Math.* These games introduce children to numbers and to arithmetic concepts such as addition, subtraction, multiplication, and division, help them build arithmetic skills, and provide an entertaining arena for practice.

As Kevin and Jane noticed, most of the educational software for the Junior is designed to enhance math skills. *Juggles' Butterfly,* however, is something of an exception; like an interactive *Sesame Street,* it teaches children elementary spatial concepts, letters, and numbers through the use of keyboard overlays,

Introducing Dr. Logo™ Language from Digital Research.™

Think of it. A graphics computer language so ingenious, effortless and fun, you don't even have to know how to program to program.

Introducing Digital Research Logo. The first universal language for anyone who touches a computer. Beginners, kids, families —even professional programmers.

The fun of computer graphics. Without computer frustration.

Because Dr. Logo Language is graphic, it's as easy and entertaining to learn as a game. Beginners can sit down and start programming their first day.

Using popular "turtle graphics" you can transform your IBM® PC into an electronic sketchpad capable of creating endless images.

Brilliantly simple. Simply brilliant.

The idea behind Dr. Logo Language is simple genius. Take Logo, the most intelligent and entertaining graphics language ever devised for children, and stretch it to the limits of its potential.

From children's graphics to thingamabobs. Arithmetic to geometry. List processing to the future applications of robotics and artificial intelligence.

You'll never outgrow Dr. Logo™ Language.

Operating at up to 256K, Dr. Logo Language has 3.5 times more memory than Apple® Logo. Or, enough memory and work-space management to handle even the most extensive professional programs.

$99.95. Our special introductory price.*

To help you draw your own conclusions about our great graphics language, we're offering Dr. Logo Language for the introductory price of $99.95. But hurry. Offer good only through April 30, 1984.

See your local Computerland store or call 800-227-1617, ext. 400 (in California, 800-772-3545, ext. 400) for the dealer nearest you.



Squiggle. ***Gizmo.*** ***Thingamabob.***

IF YOU CAN DRAW A SQUIGGLE, GIZMO OR THINGAMABOB, NOW YOU CAN PROGRAM AN IBM® PC.

DIGITAL RESEARCH™

*Manufacturer's suggested retail price.

music, and color. There is also software, such as *Animation Creation*, that allows children (and adults, of course) to create graphic images with which to animate their own pictures; and there's *Turtle Power*, which allows children to create pictures by moving a vaguely turtle-shaped pointer around on the screen by way of keyboard commands. There's also a wealth of PC educational software that will work on the Junior, provided it doesn't need two disk drives or more than 128K of memory.

Games. Games can help beginners acquire ease and familiarity with the computer that will not only build computer literacy and confidence but also encourage creativity. The Barretts don't want their kids to feel as threatened by computers as they were, so they don't feel that time spent playing *Adventure* is time wasted—at least, not yet.

Crossfire, which, as we've seen, already interests Marjory and Jack, is an arcade-type game available on the Junior. You use the keyboard or joystick to direct extermination efforts against giant bugs that are attacking a city. This is a variation on the shoot-'em-up-type games populating shopping mall arcades. *Mineshaft* and *ScubaVenture* are also Junior arcade games; both have the player hunting for treasures.

Another variety of game is the adventure, which is prose-based and allows the player to interact in writing with the program. The program describes a room or a character or an event, and the player must respond appropriately by directing exploration, answering a riddle or solving a puzzle, or speaking to some character in the game. These games have become very witty, complex, and addictive. Some of the games marketed by Infocom and playable on the Junior—such as *Zorks I, II,* and *III*, *Planetfall*, *Deadline*, and *Infidel*—have become renowned for their stories.

There are also games that simulate existing board and card games. The IBM *Casino Games* are one example of this genre. Kevin is looking forward to acquiring this package, because he's a hot blackjack player from way back.

Graphics. Graphics application software allows you to create moving graphics, three-dimensional graphics, and your own games. As the Barretts have discovered, Junior's *Turtle Power* lets users manipulate a turtle to create graphics on the screen. *Turtle Power* graphics are mostly for play, but other graphics software lets you design your own pie charts and bar graphs.

Jane and Kevin also bought their little PC in hopes of furthering the reach of Calamari Distributors.

Spreadsheets. Two spreadsheet programs, *VisiCalc* and *Multiplan*, are available from IBM to run on the Junior. Spreadsheets are financial planning and analysis tools; by elec-



So, You Think You've Played An Adventure Game

Now there's a game that can keep up with your imagination

Rogue, the ultimate challenge in adventure games, gives you non-stop action, with an infinite variety of situations. There's no memorizing events because Rogue's never the same game twice. These qualities combined make Rogue addictive. No wonder it's the most popular game running under the UNIX* System.

Requires MS-DOS*
IBM PC with 128K of memory
Monochrome or color monitor

To order direct call:
(408) 296-1634 or call toll free:
800-538-8157 ext. 973
800-672-3470 ext. 973 in California
or send check or money order for:

$44.95

(add $2.00 postage and handling) to:

Artificial Intelligence Design
P.O. Box 3685
Santa Clara, CA 95055

a.i.design

* UNIX is a trademark of Bell Labs, Inc.

* MS-DOS is a trademark of Microsoft, Inc

tronically simulating an accountant's worksheet and performing mathematical and financial functions, these programs will replace Calamari's ragged account book and the Barretts' old TI calculator.

A spreadsheet program is designed to simulate an accountant's pad, typically offering some 254 rows and 64 columns, scrolling sideways, upward, or downward. Cells are formed where the rows and columns intersect; they're identified by row and column numbers. The cells can be filled with text, numbers, formulas, and special functions. The programs are designed so that you can change information in one cell of the worksheet and have all related cells updated automatically.

Kevin and Jane are likely to find their spreadsheet program very useful for Calamari Distributors because it will let them speculate on a course to take, manipulate the worksheet to reflect their ideas, and come up with financial projections. For example, if they buy and distribute one thousand copies of Ted Barton's *Bells over Mbabane*, they'll have enough profit to take on distribution of Jill Halsey's *Time Stood Still*, a record they greatly admire. Because their spreadsheet program will allow them to see these relationships more clearly, it will help them project Calamari's future with greater confidence.

Databases. Databases are more properly known as database management systems. A database management system is a filing system that can be indexed in a number of ways. The Barretts will use *PFS:File* to keep a log of a record's year of release, artist, record company; the type of music of each record; the person to whom the record has been sent, and so on. This program formats the data for display on-screen and for printing, listing up to sixteen columns of data defined and filled in by Kevin and Jane. *PFS:Report* generates printed output based on this information.

Word Processing. Word processing application software allows you to write a letter, an article, or a novel (using the keyboard) and see your text displayed on the monitor screen; you can then store what you've written in memory and transfer it to disk for more permanent storage. Thus you can write a letter, save it and ruminate over it, look at it again on the next day, and handily rearrange and edit it. When the letter is ready to send, you can print it in whatever manner you wish—double-spaced, single-spaced, with wide margins, with narrow margins, or whatever.

Jane and Kevin can obviously find many uses for their word processing package; they can use it to write business letters and short notes to one another and to format brochures. Because neither of them has ever used a word processing program before, they have decided to buy *HomeWord*, a program that uses graphics to introduce word processing concepts. Marjory will also use *HomeWord* to prepare reports for school and write letters to her out-of-state grandparents.

Spreadsheet, database, and word processing programs require a machine equipped with a disk drive so that information and records can be stored on floppy disks.

Communications. The Junior can be equipped with a built-in modem, which facilitates the transmission of information electronically over telephone lines to another computer. Communications software is needed to work with the modem; the software can direct the computer to dial the number to be called (you don't need a telephone, just a working telephone jack) and to communicate with the device on the other end.

Jane and Kevin are going to purchase IBM's *Personal Communications Manager* to use with their modem. One of the big independent record distributors in New York has a modem, and the Barretts expect to communicate with this distributor about the releases, prices, and stock status. They're also going to subscribe to The Source, an on-line service that gives subscribers access to useful information and allows them to communicate with each other.

Next month: a look at the PC-DOS operating system—software that helps the PCjr function and that holds the hardware together. ▲

Create screens like these in ten minutes with Keytools!

One picture is worth a thousand LOCATE-COLOR-PRINT statements.

KEYTOOLS Programmers' Utilities™ help you write better Basic programs in less time. With KEYTOOLS on the job to remove the drudgery of repetitive, tedious coding, you can concentrate on the challenging, creative parts of your project.

Designed specifically for the IBM PC Basic programmer, these utilities and mergeable subroutines will save you hours of programming on almost any application. For instance — complex, colorful, effective screens that would require over 100 program statements can be created in less than ten minutes . . . with no code generated . . . and needing only one line of code in your program! That's just one example of the many benefits you get with KEYTOOLS . . . there are lots more.

The KEYTOOLS package includes four major utilities:

PICASSO Screenmaker™ . . . A better way to create the displays you need . . . and a better way to use them in your programs. This fast machine language utility lets you design your program's screens directly on the monitor, from the keyboard. You get full, instant control of the attributes of any character —intensity, blink, underline, reverse, and if you are working in color, sixteen foreground, eight background and border colors. Character-by-character, word-by-word, each with a single keystroke. Plus horizontal and vertical repeat of any character: insertion, deletion, and much more. In minutes, you can produce screens that would take hundreds of tedious, error-prone, COLOR-LOCATE-PRINT statements. PICASSO automatically saves the completed screen to a disk as a data file, ready to be called to your program by a single statement. PICASSO screens can be edited and modified without changing a line of code in your program . . . even if your program has been compiled. Once you use PICASSO you'll never go back to COLOR-LOCATE-PRINT again.

EMERSON Formatted Data Entry Subroutine™ . . . A classy routine ready for MERGE-ing into your programs. Specify the location and type of field, and EMERSON takes it from there: keystrokes are filtered, special formats (date, phone, etc.) are enforced, word processing functions (Insert and Delete) are in effect. EMERSON is the fastest and easiest way to provide protected field data entry for your programs. Use EMERSON with PICASSO-generated screenforms for a truly professional user interface.

SOCRATES Screen Handler™ does two things: it automatically puts a set of instructions (or other screens) at the disposal of the user, or it can be MERGEd into your program to provide an on-line "HELP" facility at the touch of an F-key. Either way, you'll find that SOCRATES is the quick, efficient way to improve the friendliness of your applications.

YOUNGMAN One-Liners™ is a collection of polished, concise, and useful short utility routines, culled from the personal portfolios of the pros. Supplied ready to MERGE and fully commented, these Basic pearls include a high-speed indexed string sort; date manipulation routines; a super set of F-key definitions that "correct" the IBM keyboard; a printer-readiness tester and alarm; and a powerful text encoder. You'll dip into the YOUNGMAN collection for every program you write.

KEYTOOLS is supplied on two DSDD diskettes, and includes a complete Tutorial, structured listings and a forty-page manual in a binder. Requires 64K IBM PC, 2x320K drives, PCDOS 1.1 or 2.0, mono or color. Programs may be copied, merged and compiled.

KEYTOOLS is a thoroughly tested professional product at a volume price. Order a copy today . . . You're wasting time without it.

Suggested retail price . . . $75.00 complete.

Ask your computer dealer for KEYTOOLS or call KEY-1 for the name of your local KEYTOOLS dealer.

KEY:1
COMPUTER SOFTWARE

178 Spring Street Newport, RI 02840
(401) 849-4562

SOFTWARE REVIEW

A MANUFACTURING SYSTEM FOR THE PC

BY JAN B. YOUNG



Illustration by Weldon O. Lewin

Have you looked for an American-made radio in your department store lately? Chances are you won't find one, because radios are no longer manufactured in the United States. On the other hand, look at a hardware store's selection of electric drills. You probably won't find any imports.

Why the difference? Because in the 1960s, Black and Decker, the leading maker of electric drills, successfully implemented an outstanding computerized manufacturing system and became so efficient that the imports couldn't compete.

Used properly, a computerized manufacturing system supports far more detailed and complete planning than is possible by hand. Such a system can accurately track the activity in a factory and provide measurements and controls that are otherwise not possible. The result can be happier customers who buy more and a shop that operates with less confusion, worry, and delay.

Computerized manufacturing systems, originally written for mainframes, began appearing on interactive minicomputers in the mid-1970s. Now, in the mid-80s, they're starting to show up on microcomputers, including the IBM PC.

Manufacturing systems for microcomputers dramatically reduce costs and make computer-based planning and control available to the small manufacturer for the first time. Mainframe systems typically cost $300,000 to $1,000,000; microcomputer systems, while necessarily less powerful, incorporate the same basic functions and sell for $5,000 to $25,000.

The availability of *MRP-II* (from Twin Oaks Software) for about $3,000 means that a manufacturing system is now within the reach of the small manufacturer. This article will review *MRP-II*. But first, a little more about manufacturing systems in general—and about materials requirement planning (MRP).

A typical full-scale manufacturing system keeps track of a very large amount of information, including:

- purchased parts and materials, subassemblies, and finished products;
- bills of material—lists of the parts and raw materials used to make subassemblies and finished parts;
- orders from customers, dealers, distributors, and others for finished products and for spare and replacement parts;
- orders placed with suppliers for production materials, office supplies, and all the other things required to run the business;
- inventories on a part-by-part and location-by-location basis;
- employees in the shop;
- equipment used to make the product, including machines and tools; and
- production methods and employee instructions.

A large manufacturing company's information can occupy hundreds of megabytes of disk space. A manufacturing system organizes this data and makes it accessible to the people who need it. Sometimes access takes the form of simple retrieval; at other times it involves complex analysis and many calculations.

Manufacturing systems must also help managers plan; manufactur-



HyperGraphics®

MAKES COMPLEX COLOR GRAPHICS S•I•M•P•L•E

HyperGraphics® is the unique new authoring system that allows you to create custom color graphic screens **and animation** in minutes. This unique communications language was written to provide the easiest to use graphic software available for the IBM pc, xt, pc jr. and compatibles. Only software application programs written in HyperGraphics® allow the user to store up to 1,000 color graphic screens in 320 kb. and to create any graphic symbol and even animation using only the 10 function keys and two key strokes! Two application programs are available at your local computer retailer. **The Authoring System** is a complete, easy to use graphic editor for creating diskette based tutorials, help facilities and marketing presentations. **The Presentation System** is a menu driven tool featuring easy to construct business graphics. These fine products retail for only $395.00 and $349.00 respectively. You won't believe how easy it is to create sophisticated color graphic presentations and CAI programs . . . absolutely no previous programming experience is necessary!

HYPERGRAPHICS®

BREATHES LIFE INTO STATIC SOFTWARE!

For more information call or write: HyperGraphics® Corp. 100 N. Central Expry. Suite 1208, Richardson, Texas 75080 (214) 783-9900

ing businesses must schedule production, for instance, so that required materials can be ordered in advance and be on hand when needed. Companies must also plan to have adequate quantities of their finished product on hand to meet customer demand; they must have enough equipment, enough trained workers on the payroll, and so on. Manufacturers must also be careful not to have too much of their product around; idle capacity is expensive, and competition demands that unnecessary expenses be ruthlessly eliminated. Good systems pay their way by allowing manufacturers to operate with less waste.

Many manufacturing systems use *material requirements planning*, or *MRP*, a method for planning future work and prioritizing current work so the factory can give its customers the best possible service at the lowest possible operating cost.



MRP works something like this: If a company receives an order for one hundred tidgews and has thirty in stock, it should plan to make seventy more. If there's enough raw material on hand to make twenty tidgews, then additional raw material should be ordered for fifty more. MRP systems perform these simple calculations and determine the timing of each required shop and purchase order to minimize inventory investment. When a business is small and easy to control, management can plan by hand. As a business grows, however, the computer becomes necessary.

Manufacturing systems differ from other business systems in two important respects.

First, they are enormous. A complete mainframe manufacturing system can involve more than half a million lines of program statements in several hundred individual programs. Squeezing this much logic into a PC is difficult, but possible, and the result can be effective for a small manufacturer.

Second, manufacturing systems differ from other business systems in that they cut boldly across organizational lines. For instance, simply keeping track of the number of left-handed whoosits in inventory requires the cooperation of many people. The engineering department defines the part and its characteristics to the computer, the purchasing department tells the computer when orders are placed for the part. The receiving department, the inspection department, the stockroom, the factory workers who carry the part from place to place, and the shipping department all affect the computer's view of how many left-handed whoosits are in stock. Everyone must cooperate to give the computer system an accurate view of what's going on. If the computer has inaccurate or incomplete information, management can't do a good job of planning and running the business. So, how people are trained to use the manufacturing system is critical to the system's success.

New manufacturing system installations can require a fundamental change in the way a company operates. Properly implemented, a system becomes as much a part of a business as its switchboard. However, companies that once were successful have closed their doors because they trusted a manufacturing system to solve their problems for them and didn't adequately train their employees to work with it.

On the other hand, there are lots of success stories proving that manufacturing systems can deliver important benefits. Black and Decker is a case in point.

MRP-II

Starting up a manufacturing system usually takes a long time, because the system involves so many people and so much data. During the installation, the business, the company's markets, and the general economy continue to change. As time goes by, the software evolves with new releases from the vendor, and, after a year or so, the original system may be virtually unrecognizable. Evaluating manufacturing system software is therefore often at least partly a matter of forecasting the future.

There are three important questions to ask when evaluating manufacturing system software: Is the software complete and powerful enough to do the job that needs doing today? Is the fundamental design good and can it be extended to do the job that will need doing tomorrow? Will the technical support needed to modify and operate the system be available both now and in the future?

MRP-II is not a complete system by anyone's standards; several major subsystems have yet to be released. However, the current subsystems, including the control file subsystem, the item master subsystem, the bill of material subsystem, the inventory control subsystem, the *pick list* subsystem, and the purchasing subsystem, are adequate; the standard cost development subsystem is outstanding.

To use the system, you must have a PC or XT equipped with 128K (256K for the soon-to-be-released MRP subsystem), an eighty-column monitor, and a 132-column printer. You must also have either two double-sided disk drives, or one double-sided floppy drive and a hard disk. *MRP-II* was designed specifically for the PC and XT and appears to be the only manufacturing system that will operate without a hard disk. Companies looking for the least expensive alternative to manual systems may wish to take this fact into consideration.

If speed and convenience are crucial to you, however, a hard disk is recommended. *MRP-II* works with the XT's hard disk, and Twin Oaks says the system also operates with Corvus and Tall Tree drives. You'll also want a relatively speedy printer and a printer buffer, since the system does a lot of printing. A standalone buffer is probably preferable to one that uses internal memory, because some internal buffers appear to interfere with *MRP-II*'s handling of long reports.

Disk size alone limits system capacity. A two-disk system allows *MRP-II* to handle six hundred to seven hundred part numbers, assuming you use the entire released system. Complex bill-of-material relationships or extensive use of multiple storage locations will tend to reduce file capacity. The installation of additional subsystems will require more storage space, reducing capacity further. Of course, a hard disk will greatly increase capacity.

MRP-II is driven by menus and transaction-oriented screens. The menus are only two levels deep and are easy to understand and use. Unfortunately, they fail to recognize lowercase characters. This inconvenience is minor, but a simple program to poke the caps-lock key at the start of each session would have eliminated some frustration.

Twin Oaks has included a batch input feature. According to the manuals, this feature permits transactions to be formatted by another system or transferred to the PC from another computer, and then to be processed by *MRP-II*. We didn't test the batch input feature for this review.

MRP-II uses a single random-access data file for everything it stores. As a result, backups are simple and unused file space can be shared among many subsystems, giving you greater total flexibility. Backup, restore, and rebuild utilities are included as a standard part of the system.

MRP-II limits the user to twenty levels in the bills of material, and a thousand parts on a pick list. These limits are high enough for any Fortune 500 manufacturer and should not be considered a hindrance.

All database changes are recorded on the printer and written into a transaction log. These audit trails are an excellent example of the sound basic design of *MRP-II*. You should file the printouts in date-and-time sequence; if questions or problems come up, these printouts will be an excellent resource both for you and for Twin Oaks.

Manufacturing systems are often used to store confidential and proprietary information; manufacturing system vendors, therefore, ought

to provide some way for you to prevent unauthorized access to the programs and data. Unfortunately, *MRP-II* does not include any form of access control. Your only option is to put the PC in a locked room at night and keep the disks in a safe when you're not using them.

Installation. The installation process is the most discouraging and least professional aspect of *MRP-II*. The problem is the manual; the programs themselves work well, but the instructions for installing them are terrible. Twin Oaks omits essential details such as telling you to format twelve disks before starting. The instructions include at least one outright error and use special terminology without explanation.

But don't give up. Difficult and frustrating though it may be, the installation can be accomplished and even understood. Furthermore, Twin Oaks promises help via telephone. Luckily, you install the system only once, and the manual's lack of clarity is unlikely to be a long-term headache.



Control File Subsystem. The control file subsystem must be installed first because it maintains a small file of information that in effect customizes *MRP-II* to the user's requirements. The control file contains, among other things, the user company name for report headings, the desired precision for cost data, and default values for lead times. Once these things have been established, it's reasonable to expect that there'll be little need to change the control file.

Like the installation program, the control file program is unprofessionally programmed, but, fortunately, these programs are infrequently used. Twin Oaks' control file maintenance program appears to be the same program that's at the heart of the installation procedure. Consequently, it suffers from similar problems.

Item Master Subsystem. Like all other manufacturing systems, *MRP-II* requires that the user provide part numbers for every raw material, fabricated part, subassembly, and finished assembly that the system needs to know about. *MRP-II* permits the use of alphanumeric part numbers and provides space for recording item descriptions, units of measure, make-or-buy codes, drawing numbers, and the initials of the engineer and planner responsible for the items. In addition, the user enters codes that tell the system how to plan an item's inventory and what a part's engineering status is. All in all, the *MRP-II* item master is typical of most manufacturing systems. The maintenance programs operate smoothly and, with a bit of practice, a typist can enter information at full speed.

Deleting an item from the item master requires that several codes be set to specified values and that bill of material linkages be deleted first. The need to delete the bill of material linkages is a technical necessity as well as a sensible restriction, but the need to change, for instance, the engineering status code to *obsolete* before deleting the part is a minor nuisance.

Bill of Material Subsystem. Low-level codes in the bill of material subsystem identify the relative level of assembly of parts. These codes allow programs to start at the bottom of the bills of material and efficiently work their way to the top. In most manufacturing systems, both the material requirements planning and the product cost-accumulation processes require low-level codes.

Mainframe manufacturing systems usually calculate low-level codes during bill of material processing. Since low-level code calculation is tricky to program and often requires lots of memory, some microcomputer manufacturing systems have moved it to a separate program the user must remember to run after every change to a bill of material. *MRP-II*, however, does continuous low-level code maintenance as a normal part of bill of material maintenance, just as the mainframe systems do.

MRP-II limits bills of material to twenty levels. The quantity of a component part in stock to be used on an assembly may be as large as 9,999,999, or as small as 0.00001. These limits aren't really limiting. If they don't look adequate, you're probably structuring your bills of material incorrectly or using inappropriate units of measure.

Parts can be defined on the item master as either purchased or manufactured, and as bills of material are created, the program checks the purchased/manufactured code. Purchased parts are not allowed to have components and manufactured parts must have them. Although this edit scheme makes sense and will be helpful in constructing accurate, error-free bills of material, it makes the initial bill of material construction job difficult. One must start at the bottom of the bills and work up to the top, rather than build in pieces and later bring the pieces together into a complete bill of material.

There is no provision for "negative quantity per" in the bills of material. Although this precludes the use of modular bills, Twin Oaks promises that modular bill facilities will be available in the as-yet-unreleased master scheduling package.

The *MRP-II* system's bill of material reporting program is excellent. It features both explosions and implosions, single-level and multilevel reports, both full file and single part reports, summarized reports, and even batched summarized reports. This set of reports is complete and will meet almost any company's needs.

Inventory Control Subsystem. *MRP-II* supports multiple storage locations for any stocked part on the item master; the permissible stocking locations must be defined in advance for each part. Although *MRP-II* could have been designed to build records as material is placed into a location, predefining the locations gives additional control over inventory accuracy and, therefore, over inventory investment.

MRP-II notably does not permit entry of a safety stock quantity.

Although good planning should eliminate the need for safety stocks, few manufacturers are able to do without them from the very beginning. A better approach is to plan for safety stocks until inventory records are demonstrated to be better than 95 percent accurate, and then to slowly reduce safety stocks to zero.

MRP-II features a basic set of inventory and costed inventory reports. This is a good, sound, basic inventory control system complete with on-line and interactive inventory updating and the necessary audit trails.

Pick List Subsystem. The pick list subsystem prints single-order and multiple-order pick lists. It has an optional availability check that warns when an item is out of stock but does not allocate (reserve) stock in advance of picking.



The program includes a group withdrawal transaction, which allows you, with a single input, to withdraw all material required to produce an order. Group withdrawal is a valid if risky technique. On the one hand, it spares you the trouble of manually entering individual withdrawal transactions for every item in a pick list. On the other hand, the assumption that all the items are present and have actually been pulled from stock may be faulty. If inventory records are inaccurate, group withdrawal will tend to make them worse.

Standard Cost Development Subsystem. *MRP-II*'s standard cost development subsystem is one of the stars of the show. It's more powerful and more complete than those provided by many mainframe systems.

MRP-II can accumulate standard costs from elemental costs through the bill of material. According to Twin Oaks, when its routing subsystem is released, the standard costing system will also perform accumulations through the operations to arrive at elemental labor costs. Operation setup costs will be included in labor cost based on a user-supplied standard lot size.

MRP-II maintains separate fields for material, labor, burden, and outside processing costs. It accumulates all four costs separately and supports all four fields for both elemental and total costs. It includes two complete sets of these eight costs called *current* and *standard*. Current cost is under the user's control. Standard cost can be modified only by copying the current cost into it. Under normal circumstances, a user would continually update the current cost fields as prices and labor costs change and would restandardize costs periodically according to the company's accounting rules.

A rollup program accumulates the costs. A rollover program transfers them from the current fields to the standard fields. *MRP-II* supports cost rollups for individual part numbers; unfortunately, it does not support rollover by part, making it impossible to correct a standard cost error without reestablishing every standard cost in the file.

One could wish for the ability to increase or decrease current elemental costs by a global percentage; a program to recalculate burden costs based on a percentage of labor, material, and outside processing costs would be useful.

The cost development subsystem prints very flexible costed bill reports, a costed part listing, and a costed inventory report. It also reports zero cost elements under a simple user selection control. The zero cost element report could be more intelligent; as it is, it simply reports all cost fields containing a zero.

All in all, despite a few omissions, this is a first-class costing system for a small manufacturing business.

Purchasing Subsystem. The purchasing subsystem records and tracks progress on purchase orders. It permits multiple line items per order and multiple due dates for a line item. There is no vendor file, so it cannot print the purchase orders, but it does produce open-order reports by order number, item number, due date, and vendor.

Purchasing also handles the movement of material from the receiving dock through inspection into stock. Users who do not require incoming inspection can route parts around inspection. The system permits material rejections and handles returns to vendors, although not very elegantly; returns are recorded as negative receipts. Purchase orders can be automatically closed based on the quantity received.

The receipt of material can directly update an on-hand balance in the inventory control subsystem. Like the group withdrawal feature in the pick list subsystem, this one has pros and cons. The feature is optional.

It would be useful to have a material status code for distinguishing between material awaiting inspection, material being inspected, material rejected and awaiting disposition, material to be scrapped or returned to the vendor, and so on. The system also needs additional reports to locate material in receiving and in inspection because inventory control reports do not show material in these departments.

MRP-II's purchasing system is a good basic one. It will help buyers keep track of orders, help receiving anticipate incoming material, and help the production department plan based on incoming material and material in inventory.

Documentation. *MRP-II* in its current configuration, arrives with eight manuals and ten disks. Unfortunately, there are no instructions telling the user where to start, so one has to scan the entire set to find the installation instructions. As it turns out, each book covers a subsystem and the installation instructions are in the control file subsystem book.

Twin Oaks assumes users understand the PC and PC-DOS. The user must also understand manufacturing systems, because Twin Oaks offers no tutorials in the manuals—nor should it. The *MRP-II* manuals should have page numbers, tables of contents, and indexes, as well as a major tutorial; and more examples are needed. Updates to the manual are impossible to file properly because the user doesn't know where to put the new pages. However, once the user learns how they work, the manuals are a reasonably good reference.

Summary

Typically, it takes more than a year to implement a manufacturing system to the point where everyone is comfortable with it, trusts the reports, and is willing to discontinue personal record-keeping. During this period of adjustment, of course, the business and the marketplace continue to change, causing the user's system needs to change. As a result, systems often end up being used in unanticipated ways. Features that look unimportant at first sometimes end up being crucial. So, the purchaser of a manufacturing system should be concerned not only with the system as it currently exists but also with the system developer's plans for the future.

Of course, predicting the future is risky, and no user should take any vendor's forecast at face value. There are always unforeseen problems and delays.

Most manufacturers find that they need to change their manufacturing systems as their business changes and as they develop more sophisticated controls. Because systems are large and complex and few suppliers are willing to release their source code, users often find themselves dependent on the system supplier for software maintenance. Buyers, therefore, should prefer large, established software suppliers to smaller, newer, and less stable companies.

Twin Oaks is neither large nor old. The company has, however, placed the *MRP-II* source code in escrow with a lawyer. Should the firm



C·I·P™ manages your paperwork while you make your fortune.

In businesses of almost every size these days, the more successful you are, the less time you have to spend with paperwork. Now you can turn all that paperwork over to C·I·P™, the Concentric Information Processor, and your IBM® PC. • You'll be using C·I·P confidently and profitably within hours. Designed for first-time users, C·I·P lets you create files, alter formats, and design reports visually. So simple! Yet C·I·P has the flexibility to adapt to changes in your business and the power to grow along with your needs. • Ask your local IBM PC dealer to show you how C·I·P can keep inventory under control, manage mailing lists, write reports, calculate due dates, figure sales tax – in other words, take over the paperwork, while *you* concentrate on running the business and increasing profits. C·I·P from Concentric Data Systems, 18 Lyman Street, Westboro, MA 01581, (617) 366-1122.

C·I·P™
CONCENTRIC INFORMATION PROCESSOR

The next generation of information managment software.

C·I·P is a trademark of Concentric Data Systems, Inc.
IBM is a registered trademark of International Business Machines.

go out of business, the lawyer will make the source code available to all registered users, making it possible for a user to contract with a third party for ongoing maintenance and modifications. This escrow arrangement is important. Anyone interested in buying the *MRP-II* software should inquire about it.

Twin Oaks, however, appears to be a successful company with ambitious plans. Based on the quality of the work reviewed, *MRP-II* could be a good system choice for small manufacturing companies. A first-time system user will find it quite adequate, and Twin Oaks promises to issue new releases faster than most companies will be able to use them. These planned subsystems include work center maintenance, routings, shop orders, material requirements planning, engineering change control, and others. Several additional systems are scheduled for later release; these include master scheduling, shop floor control, and a more advanced purchasing subsystem.

Twin Oaks is working to improve the *MRP-II* documentation and to solve the problems in the system installation. Help screens will be added throughout the system. A user-oriented report generator is being developed, together with a subroutine that will let users write their own database access programs.

Twin Oaks plans to migrate *MRP-II* to the IBM System/34, System/36, and possibly the System/38. This migration is important to users who are concerned about outgrowing the capabilities of a PC. Twin Oaks also plans to repackage a stripped-down version of *MRP-II* and market it under the name *Churchmouse* for $1,395. *Churchmouse* should be available by the time you read this.

Although *MRP-II* is limited in documentation and function, it is an excellent foundation. If your company grows to $200 or $300 million per year, you will no doubt outgrow *MRP-II*. But, while you are small, it could be a good place to start.

The company offers a monthly seminar in Minneapolis for *MRP-II* users and prospective users. The price is $250 per day per student, which is in line with prices charged by other vendors of manufacturing systems. Twin Oaks offers free unlimited telephone support to its users and will make custom modifications on a quotation basis. A free forty-five-day trial copy of the software is available to any serious prospect. ▲

MRP-II, by Twin Oaks (2650 Colfax North, Minneapolis, MN 55411; 612-588-2685). Total system as released to date, $2,800; control and item master subsystems, $475; other modules range from $225 to $550 each; total system as planned, $8,425.

If you're interested in a manufacturing system for your business, it's important that you know how to organize and train both yourself and your employees. Proper education and planning can ensure that your use of a manufacturing system will make your factory more productive and provide better service to your customers.

Becoming a member of The American Production and Inventory Control Society (APICS) is a good way to start learning about manufacturing systems.

APICS (500 West Annandale Road, Falls Church, VA 22046; 703-237-8344) is a nonprofit professional organization founded in 1957 to educate both the membership and the general public in modern methods of controlling inventory and factory production. Today, APICS has more than two hundred active chapters and more than twenty thousand members.

APICS membership costs $50 per year. In return, the member receives the monthly journal and the opportunity to rub shoulders at monthly dinner meetings with both manufacturing system experts and novices. APICS sponsors local, regional, and national seminars and conventions and supports a highly successful national certification program. ▲



The personal, portable daisywheel printer.

Only $599.

The new briefcase size Transtar 120 is easy to take with you to work, to school and home again. The 120 is light, only 19 pounds, and easy to use with all the best selling word processing programs.

Plug it into your computer and watch this precision printer purr along at 14 cps. It's a tough, durable little machine and does everything a big, heavy, expensive printer does — including superscript, subscript, underlining and boldface, only a little slower. Automatic single sheet loading adds new convenience.

Just think of it: everything you want in a letter-quality printer ... anywhere you want it.

Only $599.

Transtar 120

P.O. Box C-96975, Bellevue, WA 98009

by Vivitar®

PATIENT CARE

THE PC DELIVERS

It's her first, and the way she feels now she thinks maybe it should be her last. She's been in labor since early this morning and in the hospital for days because of high blood pressure. The delivery will be Cesarean.

Beside her, a fetal monitor graphs her unborn child's heartbeat. What she doesn't know is that the signal is also being closely watched down the hall at the nursing station. Not just by doctors and nurses, but by a microcomputer.

Microcomputers have been cropping up all over Sinai Hospital, a 630-bed facility on the outskirts of Detroit. Nearly all are PCs, and their presence is due largely to the efforts of Edward M. Lichten, a physician who first describes himself as a hacker and then amends it to "plodder."

"I like to think of this hospital as a testing ground for microcomputers," Lichten says. It took some time to win this testing ground; Lichten's involvement with computers predates the hospital's involvement with them by more than a decade.

BY JAMES BRADBURY

A New Language. "In 1966 I was a pre-med with a part-time job stapling invoices at Firestone Tire and Rubber in Akron, Ohio." Sensing that his abilities were being wasted, Lichten went to management after a year and asked for something more challenging. "They said, 'Do you know anything about computers?' I told them 'No,' but that I had a good math background. So they said, 'Well, we're changing over from an old PDP-something to a new IBM 360/30, and we're going to start using a new language called Cobol.' So I went to work at minimum wage as a part-time Cobol programmer, and in 1967 I had a key to a five-million-dollar complex, filled with IBM mainframes."

Soon, Lichten was writing a billing system in Cobol for the company. "Of course, when I left, no one knew how I had programmed it. Good documentation is something you don't learn by teaching yourself to program."

For the rest of the sixties and most of the seventies, Lichten was understandably preoccupied with becoming a doctor. It wasn't until 1977, after he had gone into practice as an obstetrician/gynecologist, that computers reentered his life. This time, however, the computer wasn't a million-dollar mainframe.

"A doctor I worked with told me about the PET 1001, and I went out and bought one. It came with no manual, running Basic. The first night, I stayed up till four in the morning, learning to program in Basic."

Nurse Mary Porter examines the printout of a nursing note.

One of Those Days. Sinai Hospital handles about 3,500 deliveries a year. On this day, it looks like most of them will be C-sections. "Doesn't anybody do vaginal deliveries anymore?" Lichten asks no one in particular. The head nurse sighs. "Sometimes you just get one of those days," he says.

The rising frequency of Cesarean births is a serious concern to obstetricians. At this hospital, however, fetal monitoring by way of the microcomputer is helping doctors follow their patients' progress during labor and warn of pattern changes indicating possible abnormal fetal conditions.

Before microcomputers can do this job, though, they have to get admitted to the hospital. Lichten recalls how his Apple came to work at Sinai.

"I always had the idea that I could merge my profession and my hobby," he says. "Of course, some people think it ends up the other way. In 1979, I decided that the computer was fast enough to allow me to do some analog-to-digital interfacing."

As usual, the first hurdle was funding. "I went to the hospital and said I wanted to use the computer to make some measurements on the heart parameters of the baby in utero. They looked at me like I was nuts. One of the doctors said, 'I've been working with computers for ten years (he had a room-sized DEC), and what you're talking about is impossible.' "

Naturally, Lichten felt otherwise, and he was able to finance $5,000 from the department funds to buy and outfit an Apple II.

The first step was obtaining help from someone who knew the Apple well. "One of my colleagues' sons, David Snider, had done machine language programming on the Apple, and he worked with me over the summer." (This same David Snider later made his own fortune writing the games *David's Midnight Magic* and *Serpentine*.)

"We showed that we could take the signals off the machines and display them on the Apple and stop them and measure them like an oscilloscope."

Although this proved the doubtful doctor wrong, Lichten wasn't satisfied. "I thought, wouldn't it be neat if we could get the computer to analyze the tracings once they had been done? David was away at college, but he had shown me two little programs with forty lines of machine code, and those were my tutorial. It took me two and a half years to get the patterns displayed the way I needed them. Then I decided to try to get the machine to do some evaluations. I didn't tell the hospital that's what I was going to do or they really would have thought I was crazy.

Dr. Edward M. Lichten is a self-confessed hacker.

"If you show a tracing to a doctor and ask him why he thinks the pattern is an early or a late, he may not be able to tell you. He'll just say it looks like it. But there are mathematical criteria for these phenomena. I put them into the machine, and it worked reasonably well. There's about an eighty-five-percent correlation between what I think, what the resident thinks, what the perinatologist thinks, and what the computer says."

Getting micros into the hospital required more than writing a useful program for a micro and setting it up in the obstetrics ward. "In some ways we're fortunate that our hospital had not implemented a hospital information system," Lichten says. "The hospital decided in 1982 to support microcomputer applications that could improve patient care."

Lichten's proposed alternative? A network of micros, all linked to the mainframe and able to draw on its reserves of memory, but maintaining their own independent CPUs. The microcomputer that would make this possible? IBM's PC.

As it did in so many other settings, the PC played a big role in legitimizing the presence of microcomputers in the hospital. Although the Apple was fine for analog-to-digital applications, the PC offered real advantages for Lich-

ten's other projects.

"The communications buffer is built in, the clock's built in, you've got upper and lowercase, the processor is a little faster, and the Basic is much more extensive. I thought it would be a more reliable machine for the floor. And we wanted a standard that could communicate more comfortably with the hospital's IBM and Hewlett-Packard mainframes."

While attending the annual meeting of the Society for Computer Applications in Medicine in late 1982, Lichten got the idea for an application he felt could usher the PC into the hospital. "A resident from another hospital in the city had put together a system on an Osborne to do case histories. Another doctor was using a portable Epson in a nursing station to allow nurses to take notes, print them out on calculator paper, and tape them to charts. I thought it would be nice to take those two functions and build them into a nursing unit."

Nurses Kathy Duff (left) and Marlene Taylor compare notes with a computer-generated nursing log.

Dr. Lichten was able to fund these two separate functions with support from the hospital's educational fund. The hospital physicians felt that legible and complete histories would be an interesting and practical application of microcomputers in medicine.

"Doctors take courses, you know, in illegible handwriting," he says. "It's part of the curriculum in medical school. And their histories, in addition to being illegible, are usually incomplete. All the doctors thought it was a great idea."

Lichten's program performed several functions. For the residents, it generated histories that were both legible and complete. For the nurses it did even more.

"When I brought the idea up, I got together the head of nursing, nursing administration, and the people from management engineering. We all sat down and said, 'What will be best for the nurses?' I took it up to the floor, and it was about sixty percent right. The nurses on the floor had things that were important to them that the head nurses didn't know about. So I changed the program to fit their needs."

The program's primary purpose is to help with the recording and sharing of clerical information so more time would be available for patient care. One area targeted was team reports.

"Every time there's a change of shift, the nurses transfer information that's been collected on the patients," Lichten explains. "This is a manual transcription process where the nurses sit around the table and discuss the problems of their patients. This is all written down and handed to the ward clerk, who then goes down and makes twenty copies of it. I thought--the name's not changing; with vital signs there will be only a small element that needs to be updated; and the treatments will change slowly. . .so why not get all that information in the computer and just update whatever needs updating?"

The program also keeps a log of nursing notes and patient acuities. Information about the latter helps nurses determine which patients are the sickest. In addition to more reliable reports, the program has provided significant time savings.

"The ward clerk saves about an hour a day," Dr. Lichten says, "which means that the computer ends up paying for itself in about eight months." That's hardly a bad return for a program in compiled Basic that took less than three months to get up and running. Lichten's beachhead was established.

"The idea behind the nursing station was to create a comfortable attitude in the hospital toward computers. Nurses are not afraid of the computer. They look at it as another piece of electronic equipment."

Parking Cars. The time had come to find other uses for PCs in the hospital. To be fully integrated into the hospital's information network, however, the PCs would have to interact with the mainframes. Recognizing the limits of his own hacker's expertise, Lichten looked for outside help—and found it in an unusual place.

"I was parking cars at a party given by a doctor whose son I knew," recalls Larry Freed, a recent University of Michigan computer science graduate. "One of the doctors came out and said, 'I understand that one of you guys is into computers.' I told him I was, and he said that he could get me a summer job."

The doctor, of course, was Edward Lichten, and the job turned out to be a student fellowship in the cardiology department at Sinai. It marked both the beginning of Freed's association with Lichten and his introduction to the PC, which is used as a freestanding terminal for the cardiology department's mainframe system.

"Probably the biggest advantage of the PC is that it's the most common micro, and more people understand it," says Freed. "Since it's a standalone CPU, you don't have to compete with other people. If you hook it up to mainframes, you get the best of both worlds, because you can centralize the information and use the PC to draw it off once."

To avoid losing the advantages of the PC's independent CPU, Lichten and Freed developed software to interface micro with mainframe. The mainframe people had considered using 3270 interface boards in the PC.

"I told them that doctors at home will want to communicate with hospital computers," says Lichten. It makes more sense for the hospital to interface an asynch board to the mainframe."

Larry Freed went from parking cars to programming PCs.

Lichten and Freed, together with Tom Bauld, a biomedical engineer, are setting up several other PC projects that they hope will be models for other hospitals. One that's almost

Isn't It Worth $198 To Protect Your Computer?

data defender™ SECURITY SYSTEM

The Data Defender. It can protect up to ten units from being stolen. Just place your computer or any component on our pressure sensitive mat. If the circuit is broken, the alarm will sound.

The tamper resistant Data Defender works with standard wall outlets, has a battery backup and can only be accessed by you.

All this protection is at a price you can afford.

A lot of time is spent writing codes to protect your information. Now it's time to protect your computer.

Call Picotronics at 1-800-431-5007 to order your Data Defender today.

Designed by

PICOtronics, Inc.

820 East 47th B-10
Tucson, Arizona 85713

Head nurse Shirley Wright holds the documentation for the nursing station program.

done is a system for keeping track of the requirements that different surgeons have for various operations.

"In the operating room, I use this type of suture and this type of instrument for this case. I want size seven-and-a-half gloves, and I use such and such a microsuture. Every doctor has a different request," Lichten explains.

Physicians' preferences are currently kept on file cards. The day before an operation the nurses send a request to central supply and a package is made up containing the correct supplies. Most of the time. If the doctor's preferences have changed, as they often do, or if a mistake is made, a nurse has to run back down to central supply and get the proper instruments.

Lichten's program will use an XT with three interactive files to automatically generate a list of necessary equipment based on the physician's name and the procedure being performed. "For sixteen rooms doing seventy to seventy-five operations a day, the hospital figures it will save almost one nurse per day."

The project after that will address one of the biggest problems facing the administration of any hospital: scheduling. "The average scheduling cost to a hospital with three thousand employees is probably one hundred thousand dollars a year," says Lichten. "And that's a conservative estimate. I figure I can do it a lot faster and a lot fairer for a lot less. I'll generate four alternative schedules and let the hospital pick the one they want."

Better Control. A long-range goal is to integrate some of these individual applications into a larger database that will give insights into how effectively the hospital is running. The nursing stations are a good example.

Lichten says there's a wealth of useful information in nursing notes. "Pull that information back and you'll have better control over how medical care is delivered and how patients are doing," he predicts.

Even farther down the road, Lichten would like to see the computer make contributions to medicine based on artificial intelligence. "I have a great interest in AI. My only question is if I have trouble figuring out how *I* think as a physician, then how can I teach a *machine* to think?"

As for expert systems (AI programs designed to do such things as diagnose diseases), database expert Freed points out a fundamental limitation: "They're too dependent on opinion. If you took the same data and went to ten doctors, you'd probably get eight different opinions. All an expert system would be is a collection of the opinions of one of those doctors. For most diagnoses, the computer would come out with that doctor's opinion, but there's no guarantee it would be right."

Lichten agrees. "A patient's symptoms set off different thinking in different doctors. The

Compare Best's Professional Finance Program™ to anyone's. The competition just isn't up to par.

Use this score card to compare Best's Professional Finance Program to the Home Accountant Plus, or any other financial program. You won't find any that can make financial management simpler or more effective.

The Professional Finance Program is software that has all the features you want, but is simple to operate. The keys to its simplicity include a help menu linked to current activity, and other aids like budget, account, and tax/sort names displayed on the screen. The program also comes with a fully indexed user's manual and is backed up by Best's free customer support.

The Professional Finance Program is also a great help at tax time. It provides financial information for easy input into Best Program's PC/TaxCut™, a tax preparation and planning package. Combine the two programs and you have a complete financial and tax package.

If you already own the Home Accountant Plus™, don't consider that a handicap, because Best is offering you a $100 rebate. The program is compatible with the IBM PC, PC/XT, COMPAQ, Columbia Data Products, and Eagle Computers. For more information about the rebate or the Professional Finance Program, call 1-800-368-2405. In Virginia call 1-703-931-1300. Or write to Best Programs, 5134 Leesburg Pike, Alexandria, VA 22302.

Score Card

Feature	Professional Finance Program™	Home Accountant Plus™*	Other
Budget Codes	1,170	200	
Tax ID Codes	99	1	
Transactions Displayed Per Screen	16	1	
Number of Checkbooks	26	5	
80-Column Screen	Yes	No	
On-Screen Calculator	Yes	No	
Password Protection	Yes	No	
Address Book for Payees	Yes	No	
Speedy Compiled Basic	Yes	No	
Full Use of IBM PC Function Keys	Yes	No	

*Home Accountant Plus™ is a trademark of Continental Software

BEST PROGRAMS

"The Quality Software Company"

TRIX ARE NOT JUST FOR KIDS

Everyone will be hooked

Kids, watch out for grown-ups

Insoft's TRIX series is educational fun for the whole family. Ten-year-olds and grandparents alike will lock horns with the computer in testing their word skills, their memories, and their quick wits.

Parents, watch schoolwork improve

Kids will pay attention to vocabulary and history lessons after TRIX moves in. They'll eat up new words, facts, and thinking skills for their next bout with TRIX series.

Three TRIX to take on

Wordtrix expands your vocabulary as you work against the clock to form as many words as you can from a grid of random letters. There's only one catch: the computer has a built-in dictionary!

Mystrix is the ultimate mystery-adventure. Given a few clues and a sophisticated crime laboratory, you apprehend and question witnesses, arrest suspects, and use your best deductive reasoning to solve hundreds of baffling crimes.

Quotrix challenges you to beat the computer at figuring out famous quotations. Starting with the author and format, you unravel a trail of clues with the help of crossword puzzles, trivia questions, foreign word translations, and other challenging word games.

Start easy, or be brave

TRIX series offers several different skill levels. You can test the waters as a beginner or try your hand as an expert. How much challenge can you stand?

Play TRIX at your local computer dealer today. Or call us at **(503) 641-5223.** Learning was never so habit-forming.

TRIX Series: Educational Fun From Insoft

insoft

Insoft, Inc.
P.O. Box 608
Beaverton, OR 97075

TRIX series works on IBM PCs and most compatibles.

A nursing note is entered and displayed on-screen.

point is not the number of tests a doctor runs, but how he interprets the information. If medicine keeps pushing for more and more diagnostic testing, physicians miss the tool they were given—the one between their ears. Medicine is an art, not a science. The computer is a science, no question about it, and it can support medicine. But to replace the art of medicine with computer science is something that I don't think will happen."

The battle to bring the micro into medicine is far from finished. "The slowest industry to change is medicine," says Lichten. "It's status quo. Whatever change we produce takes time."

To help share his ideas, Lichten formed a computer forum for physicians in Detroit as a place where "people could bring their software and get answers to questions." And, of course, there's the Society for Computer Applications in Medicine. "1983 was the first year that thirty or forty percent of the presentations were micro. In 1981, I gave one of only six microcomputer papers at this national meeting."

In medicine, the micro movement promises to be a grassroots campaign promoted by energetic hobbyists, such as Lichten. "People will bring the micro from home," he says. "The educational process I go through with all my friends is 'I have to get a computer for my kids and I don't know what I should do. Will you come over and set it up for me?' And the kids sit down while their parents stand there."

Just how extensive a role the PC will play in the hospital of the future may in the end be determined by the imaginations of those who use it. Lichten is fond of stressing that applications such as his nursing station are to a large extent developed by the people who use them.

"The ways a computer can be used in a hospital are unlimited," he says. "I've explored analog-to-digital. I've explored communications between nurses on floors. Maybe someday I'll get into artificial intelligence."

Meanwhile, a new mother holds her noisy baby up with unconcealed pride and delight. He is two days old. His first experience with a microcomputer came when he was still in the womb. He doesn't know it, but he is part of a generation for whom medical care will be better and more efficient, thanks to a quiet revolution in the practice of medicine.

"I don't know what we'd do without it," says one head nurse about the year-old PC in her ward. The prognosis is clear: Micros have a long hospital stay ahead of them. ▲

HEROISM IN THE MODERN AGE

THE ROLE-PLAYING GAME OF TODAY

- The *first truly* complete computerized role-playing system.
- A multi-character role-playing game which is vast in scope, allowing hundreds of incredibly detailed characters of your own creation.
- A sophisticated simulation of modern life and human psychology.
- A test of creative thinking and imagination.
- A game designed especially for the IBM PC*
- The only system realistic enough to be believable in *real-life* rather than a fantasy setting.

Your Starter Pack contains 2 full diskettes and detailed manuals. The game has 2 parts:

1. **BASIC MODULE** — which allows you to create characters and guide them through their lives. You can have the computer create characters — giving them names, a family background, and psychological and physical makeup — or you can custom-design characters, perhaps to represent people in real-life.

2. **PROJECT CONTACT Scenario #1** — which allows you to take characters from the Basic Module or pre-created characters on a secret mission to save the United States from a mad scientist and a terrorist plot. You must use all of your character's abilities and skills and technological tools to find clues, persuade allies, question suspects, fly helicopters and fight battles. You have only 60 hours to complete your mission...

HEROISM IN THE MODERN AGE is expandable, with other modules available.

MORE THAN JUST A GAME...

PROJECT CONTACT Scenario #1

at your computer store

SYSTEM REQUIREMENTS:
IBM PC with one double-sided or two single-sided disk drives, an 80-column monitor, and 64K RAM (96K for DOS 2.0).*
Color graphics/adaptor optional
IBM is a trademark of International Business Machines Corp.

PIC®
Pacific Infotech Corp.

10850 Wilshire Blvd.,
Suite 800
Los Angeles, CA 90024
U.S.A.

THE SPREADSHEET GURU*



by Jack Grushcow

This month we feature a spreadsheet model to show the overall composition of your investment portfolio. Our model divides your investments into two groups—bonds and stocks. Figure 1 (page 77) shows the packed form of the portfolio model. Figure 2 shows the keystrokes you need in order to set up the model in *VisiCalc*. If you're working in *1-2-3*, note the following translations:

- /FR and /FL stand for format-right and format-left respectively. In this model they're used only to position labels, and you can ignore them since *1-2-3* conveniently allows label spillover.
- /F$ formats values to dollars-and-cents precision. Use either *1-2-3*'s currency format (/RFC2) or its two-decimal-place format (/RFF2), whichever you prefer.
- /- is a repeating label code, causing whatever character (or characters) that follows the hyphen to be repeated across the width of a cell. Substitute the backslash character for *VisiCalc's* /-.
- In cell G9, change (F9/F30)*100 to (F9/$F$30)*100. We'll want the second cell reference here to be absolute for the purposes of formula replication.
- In cell G24, change (F9/F30)*100 to (F9/$F$30)*100.

To demonstrate the use of this model, we'll analyze the hypothetical portfolio of a hypothetical forty-five-year-old office equipment sales manager. We'll start by entering his bond data into the spreadsheet; then we'll enter his stocks.

Let's say our sales manager holds the following four debt issues, listed at face value:

- $5,000 Gulf Oil 13.75-percent debentures due September 15, 2009, unit cost $99.50 per $100.
- $1,000 Tandy Corporation 10.00-percent debentures due December 31, 1991, unit cost $81.72 per $100.
- $1,100 McDonnell Douglas Company $4.75 convertible debentures due July 1, 1991. The conversion rate is $30.61 for each common share; the unit cost was $92.00 per $100.
- $500 Chase Manhattan Bank $4.875 convertible debentures due May 1, 1993. The conversion rate is $55.00 for each common share; unit cost was $88.25 for each $100.

Now let's turn our attention to the model and begin entering the investment information.

We'll divide the bonds into two groups: corporate and corporate convertible. First let's enter the "straight" corporate debentures—those that have no conversion privilege. Move your cursor to A8 so that you're over the label SECURITY. Now enter

CORPORATE

into this location, thereby replacing the general label by one that matches the type of securities we want to add.

*Formerly *The Profit Plot*

Portfolio Analysis

Next we need to create more work space. Move to A9 and insert five rows.

Now we have to replicate the dummy line that contains the formulas and formats our model needs. Since we want the first row of our model to be row 9 and since by inserting rows we've moved the dummy line to row 14, we need to replicate (copy) the formulas in A14 through J14 into the corresponding cells in row 9. *VisiCalc* users answer the relative/no-change queries in the following manner:

RRRRRNRR

Now we can input the data on the Gulf Oil debentures. Enter

at A9: 5000	at E9: 85.75
at B9: GULF OIL 13.75%	at H9: 13.75
at C9: 99.95	at J9: 16.00

These values represent the par amount of the debenture, the descrip-

Authoritative

The authority, Peter Norton, takes a stand on the Microsoft Disk Operating system and has created a compendium of information on DOS unavailable elsewhere. Over sixty computers use MS-DOS or a related version, so this book will serve as a welcome reference for the PC at home or in the office.

With handholding examples and explanations of MS-DOS, Peter Norton includes chapters on Fundamentals of DOS Commands, Getting the Most of DOS Editing Keys, What You Need to Know about Diskettes and File Formats Programming Languages, Batch Files, and Copy Protection. Norton gives expert advice on copy protection and software selection. For both the novice and the expert, he provides a glossary and a summary of commands for easy reference.

Peter Norton has earned his reputation as the authority on the IBM PC resulting from years in the field, articles in major magazines, lectures, interviews and consulting work. The expertise gleaned by Norton appears within the pages of his two books and benefits the reader and his PC.



"MS-DOS and PC-DOS: User's Guide"
Peter Norton 1983/250pp/paper/ISBN 0-89303-645-5/D6455-2/$15.95

"Inside the IBM PC"
Peter Norton 1983/320pp/paper/ISBN 0-89303-556-4/D5564-2/$19.95
Book/Diskette 1983/ISBN 0-89303-558-0-D5580-8/$79.95

The book that has become the final companion to the machine, "Inside the IBM PC: Access to Advanced Features and Programming" illuminates the inner workings of the machine while demonstrating how both beginning and advanced programmers can take advantage of the many features offered by the PC. Norton also explains how the ROM is allocated for BASIC and BIOS. He explores the RAM for functions like the monochrome and color monitor displays and shows how the assembler can be integrated into Pascal and BASIC to access more power from the IBM PC.

And, the authority is brought to you by The Brady Co., publishers of the personal library for the personal computer. You will find both volumes at retail bookstores and computer dealers, nationwide. Or, call toll free 800 638-0220 for information.

BRADY

The PC Specific Library

Brady Co.
A Prentice-Hall Company,
Bowie, Maryland

BOND SECTION

PAR VALUE SECURITY	UNIT COST	BOOK VALUE	MARKET PRICE	MARKET VALUE	% OF TOTAL	INTEREST	ANNUAL INCOME	YIELD
SECURITY								
		0.00		0.00	ERROR		0.00	
TOTAL BONDS		0.00		0.00	ERROR		0.00	

STOCK SECTION

NUMBER OF SHARES SECURITY	UNIT COST	BOOK VALUE	MARKET PRICE	MARKET VALUE	% OF TOTAL	DIVIDEND	ANNUAL INCOME	YIELD
SECURITY								
		0.00	0.00	0.00	ERROR	0.00	0.00	0.00
TOTAL STOCKS		0.00		0.00	ERROR		0.00	
PORTFOLIO TOTALS		0.00		0.00	ERROR		0.00	

Figure 1.

tion, the purchase price, the current market price, the interest rate, and the yield. The current market price and yield of a security can be found in *Barron's* or the *Wall Street Journal*.

Our model calculates the book value, market value, and annual income for this security. The book value tells us what we paid for the debenture, while the market value is its worth today. The % OF TOTAL column reveals how much of our total holdings are represented by this security. The current value of the portfolio is used for the percent of total calculation. So far we've entered only the one debenture, and it represents 100 percent of our portfolio. This number will change as we add more securities.

To complete our description of the Gulf Oil debenture, we should include the due date. Let's put this on the line below—row 10. At B10, enter:

DUE 09/09

Now we can add the second corporate bond. To begin, we want to replicate the dummy line (still row 14) into row 12. We'll leave row 11 blank to make the spreadsheet a little more readable.

Put your cursor back on A14 and copy cells A14 through J14 into the corresponding positions in row 12. This is the same operation you did a few moments ago, only with a different target range; *VisiCalc* users, don't forget the no-change reference (the sequence, once again, is RRRRRNRR).

Now, go to row 12 and enter

1000
TANDY CORP 10.00%
81.72
72.25
10
14.00

in columns A, B, C, E, H, and J respectively. Add the expiry information at B13: DUE 12/91.

So much for corporate bonds. Notice that if you move your cursor down column A, you'll come to the TOTAL BOND line. At this point, that line shows that the total book value for these bonds is $5814.70 and the market value is $5010.00; combined, the two corporate bonds make up 100 percent of our portfolio and will contribute $787.50 in income.

Now let's move along to the convertible bonds.

First, we'll create some more operating room. With your cursor anywhere in row 14, enter the appropriate commands to insert ten new rows. This will put your dummy line into row 24.

The heading for the next set of securities will go in cells A15 and B15. At those two locations, enter:

CORPORATE
CONVERTIBLE

On the following line, add the data for the McDonnell Douglas convertible debentures. First replicate the dummy line. This time, you're copying cells A24 through J24 into row 16, following the same relative/no-change pattern as before. Now add the data:

A16: 1100
B16: MCDONNELL DOUGLAS $4.75
C16: 92.00
E16: 96.00
H16: 4.75
J16: @NA

We don't show the yield for the corporate convertible debenture, be-

FILE PORT

	-A-	-B-	-C-	-D-	-E-	-F-	-G-	-H-	-I-	-J-
1				BOND	/FRSECTI	/FLON				
2			/-	/-	/-	/-	/-			
3										
4			/FRUNIT	/FRBOOK	/FRMARKET	/FRMARKET	/FR% OF	/FR	/FRANNUAL	
5	/FLPAR VALUE	/FRSECURITY	/FRCOST	/FRVALUE	/FRPRICE	/FRVALUE	/FRTOTAL	/FRINTEREST	/FRINCOME	/FRYIELD
6	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
7										
8	SECURITY									
9	/FL			(A9*C9)/100		(A9*E9)/100	(F9/F30)*100	/FS	(A9*H9)/100	
10	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
11	TOTAL	BONDS		@SUM(D6.D10)		@SUM(F6.F10)	@SUM(G6.G10)		@SUM(I6.I10)	
12	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
13										
14										
15				STOCK	/FRSECT	/FLION				
16			/-	/-	/-	/-	/-			
17										
18	/FRNUMBER OF	/FR	/FRUNIT	/FRBOOK	/FRMARKET	/FRMARKET	/FR% OF	/FR	/FRANNUAL	/FR
19	/FRSHARES	/FRSECURITY	/FRCOST	/FRVALUE	/FRPRICE	/FRVALUE	/FRTOTAL	/FRDIVIDEND	/FRINCOME	/FRYIELD
20	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
21										
22	SECURITY									
23										
24	/FL			+A24*C24	.00001	+A24*E24	(F24/F30)*100	0	+H24*A24	(H24/E24)*100
25	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
26	TOTAL	STOCKS		@SUM(D20.D25)		@SUM(F20.F25)	@SUM(G20.G25)		@SUM(I20.I25)	
27	/-	/-	/-	/-	/-	/-	/-	/-	/-	/-
28										
29	/-=	/-=	/-=	/-=	/-=	/-=	/-=	/-=	/-=	/-=
30	PORTFOLIO	TOTALS		+D11+D26		+F11+F26	+G11+G26		+I11+I26	

Figure 2.

cause of the unknown effects of the underlying common stock.

To complete the background information, we need to add the redemption date as well as the conversion features. At B17 and B18, enter:

DUE 07/91
CONV @$30.61/SHARE

We'll put a line between the securities and replicate our dummy line (A24 through J24) into line 20—in the same fashion as before. With that done, you can put your cursor on A20 and enter the final convertible security:

A20: 500
B20: CHASE MANHATTAN BANK $4.875
C20: 88.25
E20: 102.50
H20: 4.875
J20: @NA
B21: 05/93
B22: CONV. @$55.00/SHARE

All right, now you're finished with the bond section of the spreadsheet. By examining the total line, you can see that the bond section has a total book value of $7,267.95 and a market value of $6,578.50. Since we haven't added any stocks yet, the bonds comprise 100 percent of the portfolio. The expected annual income from these investments is $864.13.

Those of you who hold mortgages as part of your portfolio can record them in the bond section as well. Simply record the face value of the mortgage in the par value column, then enter the cost and market value as 100. The effective interest rate goes into the interest column as well as the yield column, and the annual income is automatically calculated.

Now we can turn our attention to the stock section of this portfolio.

The same principles apply here. Simply insert rows to make room for securities, and then enter the appropriate information.

Let's look at the stocks that our sales manager has bought over the last few years. The following list describes his entire stock holdings and the average costs per share:

- 100 shares of Colgate-Palmolive $3.50 cumulative preferred shares at $34.50 per share.
- 100 shares of General Dynamics $4.25 cumulative convertible preferred shares at $70.25 per share.
- 300 shares of General Dynamics common at $12.50 per share.
- 100 shares of Northrop Corporation at $40.25 per share.
- 200 shares of Hewlett-Packard Company at $24.25 per share.
- 100 shares of Texas Instruments at $110.50 per share.
- 300 shares of CBS Incorporated at $61.00 per share.
- 100 shares of Warner Communications at $15.25 per share.
- 200 shares of Tandy Corporation at $37.60 per share.
- 100 shares of Sears at $28.10 per share.

To make the stock portion of the model a little more meaningful, we'll divide the stocks into two major sections: preferred and common. The preferred stocks will be further divided into preferred and preferred convertible. And we'll display the common stocks under industry headings.

To make our work a little easier, we'll anchor the column headings of the stock; this will let us refer to the headings as we enter data. Scroll down the screen so that the NUMBER OF label in column A is at the top of the screen. Move your cursor to A34, which should be on the second line of your screen. Now enter /TH (*VisiCalc*) or /WTH (*1-2-3*). This will freeze the headings into place.

With your cursor in row 39, enter eight new lines; after you do, the dummy line that we'll be replicating for the stock portion of the model will be inhabiting row 47. Change the label at A37 from SECURITY to PREFERRED.

Now replicate (copy) the dummy row into row 38. For *VisiCalc* users the relative/no-change sequence is: RRRRRNRRRR. This will keep the second cell reference in the percent-of-total formula absolute.

Now enter the Colgate data:

A38: 100
B38: COLGATE-PALMOLIVE
C38: 34.50
E38: 29.50
H38: 3.50
B39: $3.50 CUMULATIVE

Notice that the stock yield is calculated automatically. In the bond section of our model we had to enter this information manually, because the calculation of bond yield to maturity depends on too many factors for it to be automated by the model. The yield of a stock, however, is easy to calculate; it's the dividend divided by the current price of the stock.

If you're getting tired of waiting for your spreadsheet program to

Don't Spend Hours Coding Your Input Screens... Leave It To KEYDISK™

KEYDISK uses a screen design like this ...

KEYDISK eliminates the hours of coding time necessary to customize data display screens. It is an excellent programmer productivity tool that can be used for system prototyping as well as for coding the final product.

KEYDISK does not produce a "black box" that only the computer can understand; it generates BASIC source code. Use it as an educational tool: it shows you how to control the keyboard and the cursor. KEYDISK allows you to chain up to ten screens during data inpnt. The user manual describes in detail ways to further customize the resulting code, shonld you wish to protect fields, initialize fields, etc.

KEYDISK is supplied on diskette with a detailed user manual and examples. The software requires an IBM-PC or compatible machine, color or monochrome screen, at least one disk drive, 128K of RAM and MS-DOS.

A. You design your data screens with a customized full-screen editor.

B. KEYDISK generates **fully-operational** BASIC code from your screen designs. You don't do **any** programming.

C. The resulting code may be incorporated in your systems to provide full-screen data input, review and storage features.

... to generate a BASIC program which RUNs like this.

Ultimately, it's up to you: you can spend hours programming your input screens ... or you can leave it to KEYDISK.

KEYDISK is available for $100 from

ACORN SOFTWARE

9111 Cadawac
Houston, Texas 77074
(713) 774-6108

VISA · American Express Card · MasterCard

IBM-PC is a registered trademark of IBM Corporation.
MS-DOS is a registered trademark of Microsoft.

recalculate after each new data entry, you may at this point wish to turn off automatic recalculation. /GRM will do the job in *VisiCalc*; in *1-2-3*, type /WGRM.

Now, before we enter the General Dynamics convertible preferred, we need to insert the appropriate heading. At A41 and A42, enter:

PREFERRED
CONVERTIBLE

Once again, replicate the dummy line, this time into row 42. Then enter the stock data:

A42: 100
B42: GENERAL DYNAMICS
C42: 70.25
E42: 89.50
H42: 4.25
B43: $4.25 cum conv @ 2.27 COMMON/PREF SHARE

Each preferred share of this security can be converted into 2.27 common shares at the owner's request.

This completes the preferred shares. We still need to enter the common stock data.

Insert six rows between row 44 and row 45; then, in A45 and B45, enter the label COMMON STOCKS. Now you're ready to input the first industry heading:

A46: AEROSPACE

One more time, replicate the dummy row. If everything has gone according to plan, the dummy line should be camping out in row 53 and you'll need to copy it into row 47. *VisiCalc* people, use the same reference pattern as before.

The data for the first common stock should go in as follows:

A47: 300
B47: GENERAL DYNAMICS
C47: 12.50
E47: 24.10
H47: .72

At this point, you should be able to add the other securities in our sales manager's portfolio by following figure 3. Take the time to fill in the remaining common stocks and check that your answers agree with the ones shown in the figure. If you turned off automatic recalculation, be sure you do a manual recalc when you've finished entering the data; otherwise you can be sure your results will not agree with the figure's.

This model is designed to give you an overview of how your portfolio is composed. By dividing your securities into industry groups, you can see how diversified your holdings are. You can also model the impact that a stock purchase might have on the diversification of your portfolio. To do this, you simply enter the stocks and their prices into your portfolio and your spreadsheet program will tell you how the proposed purchase will affect your investment blend. ▲

BOND SECTION

PAR VALUE	SECURITY	UNIT COST	BOOK VALUE	MARKET PRICE	MARKET VALUE	% OF TOTAL	INTEREST	ANNUAL INCOME	YIELD
CORPORATE									
5000	GULF OIL 1 DUE 09/09	99.95	4997.50	85.75	4287.50	5.82	13.75	687.50	16.00
1000	TANDY CORP DUE 12/91	81.72	817.20	72.25	722.50	0.98	10.00	100.00	14.00
CORPORATE	CONVERTIBL								
1100	MCDONNELL DUE 07/91 CONV @$30	92.00	1012.00	96.00	1056.00	1.43	4.75	52.25	NA
500	CHASE MANH DUE 05/93 CONV @$55	88.25	441.25	102.50	512.50	0.70	4.88	24.38	NA
			0.00		0.00	0.00		0.00	
TOTAL	BONDS		7267.95		6578.50	8.93		864.13	

STOCK SECTION

NUMBER OF SHARES	SECURITY	UNIT COST	BOOK VALUE	MARKET PRICE	MARKET VALUE	% OF TOTAL	INTEREST	ANNUAL INTEREST	YIELD
PREFERRED									
100	COLGATE-PA $3.50 CUMU	34.50	3450.00	29.50	2950.00	4.00	3.50	350.00	11.86
PREFERRED	CONVERTIBL								
100	GENERAL DY $4.25 CUM	70.25	7025.00	89.50	8950.00	12.15	4.25	425.00	4.75
COMMON	STOCKS								
AEROSPACE									
300	GENERAL DY	12.50	3750.00	24.10	7230.00	9.82	0.72	216.00	2.99
100	NORTHROP C	40.25	4025.00	45.25	4525.00	6.14	1.80	180.00	3.98
DATAPROCES									
200	HEWLETT-PA	24.25	4850.00	40.75	8150.00	11.06	0.24	48.00	0.59
100	TEXAS INST	110.50	11050.00	79.75	7975.00	10.83	2.00	200.00	2.51
ENTERTAINM									
300	CBS	61.00	18300.00	44.00	13200.00	17.92	2.80	840.00	6.36
100	WARNER COM	15.25	1525.00	58.50	5850.00	7.94	1.00	100.00	1.71
MERCHANDIS									
200	TANDY CORP	37.60	7520.00	33.00	6600.00	8.96	0.00	0.00	0.00
100	SEARS	28.10	2810.00	16.50	1650.00	2.24	0.00	0.00	0.00
		0.00	0.00	0.00	0.00	0.00	0.00	0.00	ERROR
TOTAL	STOCKS		64305.00		67080.00	91.07		2359.00	
PORTFOLIO TOTALS		71572.95		73658.50	100.00		3223.13		

Figure 3

THE PROCESSED WORD



by Terry Tinsley Datz and F. Lloyd Datz

Punctuation + Style, StarIndex, and Updates

PUNCTUATION + STYLE. No one will deny that word processors can help you write more efficiently. But there's a big difference between writing efficiently and writing well. And word processors, being true diplomats, draw the line at passing judgment on the quality of our writing. After all, can you imagine *WordStar* giving you an error message like:

***ERROR E99: PLEASE INSERT A WRITER AT THE KEYBOARD ***

That's where electronic editors such as Oasis Systems's *Punctuation + Style* come in. Besides picking up capitalization and punctuation errors, *P + S* reviews your sentences for such writing flaws as passive voice and awkward or overworked phrases. Its criticism is constructive, however. Instead of leaving you dangling, *Punctuation + Style* comes up with suggestions for improvement.

Overall Design. As its name implies, *Punctuation + Style* is two programs in one—Cleanup (alias Punctuation) and Phrase (alias Style). Cleanup deals with the purely mechanical: misplaced or omitted periods, doubled words, capitalization errors. Phrase, on the other hand, concentrates on the more nebulous subject of writing style, relying on its own dictionary of commonly misused words and phrases.

Phrase and Cleanup both come with default settings for *WordStar* files, which prevent them from tripping over dot commands, soft hyphens, and other *WordStar* peculiarities. The program disk also includes optional settings for *PeachText*, *SpellBinder*, and *Perfect Writer*. You can customize the disk for other word processors, although you may need help if you're not familiar with the ins and outs of your program.

Cleanup

What Cleanup Does. Cleanup is based on a set of standard composition rules. One rule, for example, dictates that the first word of each sentence be capitalized. Therefore, every time the program comes to a period, question mark, or exclamation point, it checks to make sure that the next word is capitalized. It does make exceptions for words that follow abbreviations, at least those abbreviations it recognizes.

Using similar rules, Cleanup finds the following errors:

Capitalization errors. Besides checking the first word of each sentence for capitalization, Cleanup looks within each sentence for other errors. It expects all words to fall into one of three categories: all lowercase (for example, computer), all uppercase (IBM), or initial cap (Texas). With several exceptions, which we'll get to shortly, it assumes that any other mixes of case are incorrect. For example, it picks up typos such as "THe".

Now for the exceptions. For one, Cleanup is smart enough to recognize legitimate mixed-case words such as acronyms used as possessives (IBM's) or plurals (PTAs). It also stores a list of words with unconventional capitalization (JoAnn, McMurphy, and *WordStar*, to name a few). If you frequently use other mixed-case words, (*VisiCalc*, for example), you can add them to Cleanup's list of exceptions.

Punctuation errors. Cleanup detects six different punctuation errors involving periods, exclamation points, question marks, commas, ellipses, semicolons, and hyphens. These involve punctuation in an unexpected place, missing end-of-sentence punctuation, punctuation that belongs inside quotes, too much punctuation, punctuation with illegal spaces on either side, and incorrectly spaced ellipsis points.

Unmatched punctuation and embedded commands. Some kinds of punctuation marks (quotation marks, parentheses, and brackets, for example) almost always occur in pairs. Recognizing the fact that some people tend to forget the closing member of such pairs, Cleanup makes sure you finish what you start.

Although an unpaired quotation mark may be embarrassing, an unpaired *WordStar* boldfacing command can be downright infuriating. Just as it searches for unbalanced punctuation marks, Cleanup also makes certain that each toggle command has a partner. Should you forget to type the second ^PB at the end of your document's title, for example, you get the polite message *Unbalanced toggle characters.*

Numeric errors. Cleanup is also meticulous about how you format numbers. It assumes that there should be three digits after commas, at least one digit preceding decimal points, and no commas to the right of decimal points.

Miscellaneous errors. Cleanup finds a few other odds and ends. Especially handy is its ability to ferret out doubled words, the waste products of word processing that always seem to escape the most careful proofreading. On the not-so-useful side, Cleanup flags abbreviations with embedded periods (such as Ph.D.) if they're not on its list of standard abbreviations.

It also checks that you put two spaces between sentences and one space after other punctuation such as commas and semicolons. Dashes, which Cleanup recognizes as two consecutive hyphens, are flagged if they're preceded or followed by either a space or punctuation. For *WordStar* files, Cleanup can tell the difference between spaces you insert and spaces the program adds to justify the margins.

How Cleanup Works. Cleanup doesn't begin with a main menu; to get started, you type *cleanup* followed by the name of the file you want to check. As Cleanup proofreads your document, it stops at each error and displays the line of text containing the mistake, with a caret pointing to the error's exact location. Below the line of text a message describes the error—for example, in the case of a doubled word, *"This word is repeated."*

A menu at the bottom of the screen gives you three choices: You can mark the error, ignore the error, or quit the program. The ignore option allows you to do a quick bypass when Cleanup marks something you think is okay.

If you agree with Cleanup about the error, you select the mark option. The program inserts an @ (or another symbol if you choose) so later you can use your word processor's

Introducing a graphics system to meet your every need, whether it's creating sophisticated presentations that integrate screens from your favorite programs — or expressing yourself with freeform drawings.

What Lotus™ 1-2-3 has done for spreadsheets, Executive Picture Show™ is doing for graphics.

Ordinary business graphics programs are fine as far as they go. But they are hardly the stuff of interesting business presentations.

If you need the ability to integrate and modify screens from other programs, such as Lotus 1-2-3, dBASE II®, CREATABASE, and WordStar™ — or just give free rein to your artistic side with free-form drawings — you've probably been frustated on both counts.

Now there's a business graphics system that gives you these capabilities, plus the usual line, bar, 3D bar, horizontal bar, and surface and pie charts.
It's the Executive Picture Show and it's long on capabilities where other programs fall short.

With Executive Picture Show you can create:

- free-form graphics
- business graphics
- slide show presentations
- animated presentations

Presentations to keep viewers on the edge of their seats.

Not only does Executive Picture Show accept screens from other programs, it lets you integrate them into your presentation where aud when you want them. Then you can add the sound, motion, and color that insures a captive audience. Dropping in your company logo or making bar graphs take form right before your viewer's eyes is easy as pressing a few keys.

Executive Picture Show allows you to use both your IBM® monochrome and color monitors during your presentation. This means you can show a spreadsheet on your monochrome monitor, while a graph or drawing is formed on your color display.

Interactive presentations.

The Executive Picture Show was designed with you and the audience in mind. Not only does it allow you to design a moving presentation, it gives your viewers a chance to respond with more than enthusiastic reviews. They can actually input their responses so the program — and you — can act on their input.

Easy to use.

We had the business executive in mind when we designed this tool. That's why Executive Picture Show cuts through all the "computer-ese" to simplify instruction and prompts you throughout the program. We've reduced many steps to single key commands and included a handy reference card to help you get your show on the road.

Executive Picture Show is playing at a computer store near you for just $195. If you want to preview this program, contact PCsoftware of San Diego directly for a demonstration disk and documentation priced at $30.

Requires: Graphics adapter and display
128K RAM
2 disk drives or hard disk
IBM PC or IBM XT

Dealer inquiries invited.
VISA and Mastercard accepted.

Dealer orders contact:

Micro D	(CA)	800-432-3129
	(Nat.)	800-854-6801
Software Distributors	(CA)	800-252-4025
	(Nat.)	800-421-0814
Vitek	(CA)	800-237-7290
	(Nat.)	800-237-3443

Also available through Computerland Corporate.

PCsoftware™

PCsoftware of San Diego
Suite 416
9120 Gramercy Drive
San Diego, CA 92123
(619) 571-0981

search function to find the mistake and correct it. In addition to marking the mistake, Cleanup inserts a short message at the end of the paragraph, numbered to correspond to the appropriate error. For example, a sentence with a couple of mistakes would look like this in your file:

> Four score and and@1 seven years ago, our forefathers brought forth upon this continent a new nation ,@2 conceived in liberty, and dedicated to. . .
> ..@1 This word is repeated.
> ..@2 Isolated punctuation.

After you correct the mistakes, you have to remember to delete the @s or they will print as part of your file. (Fortunately, in *WordStar*, the error messages won't be printed, since Cleanup inserts them as *WordStar* comment lines.)

Cleanup (and Phrase) keeps your original file intact by changing its extension to .bak and making a working copy for itself. This means you can still get at your original should you need it.

Cleanup allows you to change the defaults that dictate how it operates. After you give the name of the file you want checked, you type $ followed by the letter of the option you're changing. For example, by typing *$M#*, you can change the Cleanup's error-flagging symbol from @ to #. Another option allows you to switch to *quiet mode*, in which Cleanup flags all your file's errors without showing them individually on-screen. Another option, one that's handy for short files and for files in which you don't expect many errors, lets you suppress the individual error descriptions that Cleanup would otherwise insert into your text file.

Although Cleanup does a good job of ignoring *WordStar* dot commands, it does have one *WordStar* idiosyncrasy. If you mark an error in the paragraph preceding a header, that error's message sometimes will end up being printed as part of the header.

Cleanup can't be expected to detect every punctuation error in your manuscript. It can't, for example, tell where you need to insert commas to improve readability. Doing that would require the program to know the *meaning* of your sentences, something beyond the ability of any computer program. Besides, punctuation for such purposes is often a matter more of taste than of law. Other complicating factors (proper nouns, for instance) make it impossible for the program to check every word in every sentence for correct capitalization.

Phrase

What Phrase Does. Phrase is based on a series of programs called *The Writer's Workbench*, developed by Bell Telephone Laboratories for use on mainframes. If Phrase finds any one of seven hundred expressions from its phrase dictionary in your file, it brings the expression to your attention and offers suggestions for improvement.

Phrase divides its dictionary, called Writing Roadblocks (not to be confused with writer's block), into eight categories:

- awkward phrases—such as *as a consequence of* (substitute *because of*);
- cliches—such as *enclosed herein* (just use *enclosed*);
- erroneous phrases—such as *reoccur* (use *recur*);
- folksy phrases—such as *kind of* (use *somewhat*);
- muddy phrases—such as *quite* and *rather* (don't use);
- pompous phrases—such as *elucidate* (substitute *explain*);
- redundant phrases—such as *alternative choices* (just say *choices*);
- wordy phrases—such as *as of this date* (substitute *today*).

You can also create your own dictionary of phrases or edit the existing list by adding or deleting entries.

Phrase also checks your writing for lapses into passive voice. Most style manuals recommend using active voice when possible because it's clearer and more direct.

How Phrase Works. Just as with Cleanup, you have to get Phrase up and running without benefit of a menu. You type *phrase* followed by the name of the file you want checked plus the letters of any default options you wish to change. You can also choose the quiet mode and bypass reviewing each flagged phrase on-screen. Another option is to have suggestions inserted in your file either at the end of each sentence or at the end of each paragraph.

Each time the program finds a sentence containing a phrase or phrases from its dictionary, it shows you that sentence with the questionable items enclosed in brackets and offers its suggestions for improvement. A typical flagged sentence would look like this on-screen:

> REASONABLY : ⟨AVOID⟩
> REPRESENTATIVE OF :
> ⟨REPRESENT⟩
> ENCOUNTER : ⟨FIND⟩
>
> **The spreadsheet templates are [reasonably] complex and [representative of] what you might [encounter] in a business situation.**
>
> **M⟩ark I⟩gnore P⟩rint or S⟩uppress sentence?**

If you took Phrase's advice, you would select M to mark the sentence so you could later return to your word processor and rework the sentence to read:

> **The spreadsheet templates are complex and represent what you might find in a business situation.**

Besides marking the sentence, you have three other options: ignore the flag, print the sentence along with Phrase's suggestions for improvement, or suppress the sentence so it won't be flagged if it appears again in the same file.

In searching for passive voice, Phrase uses a dictionary containing forms of the verb *to be* and a list of prepositions (prepositions frequently appear in passive-voice constructions). Unfortunately this technique is inadequate. Phrase will object to many constructions that are not passive at all. For instance, because it contains a form of the verb *to be* along with several prepositions, Phrase will make the mistake of flagging the following sentence:

> **The instructions [at] the bottom [of] the screen [are] concise.**

It's up to you to figure out which constructions are really passive and which are not. Unfortunately, sifting through all the flagged sentences in a file takes time (you could easily have as many as seventy-five in a ten-page document). Generally speaking, you shouldn't take Phrase's advice too literally. In some situations, the phrase it flags may be perfectly legitimate. In others, although you may agree that your sentence needs rewriting, you'll do better to ignore the program's suggestions and rewrite the sentence yourself.

Documentation and Support. *P + S*'s ninety-page manual is as readable as they come. The section describing Phrase contains specific examples of ways to improve your writing; this section includes paradigms of all eight types of offending phrases along with suggested replacements. Writing samples, shown both before and after the problem phrases have been replaced, demonstrate how much difference changing just a few words can make.

Although the manual's information is good, its organization is not. The commands you need to use the program are scattered haphazardly throughout the manual; both a quick-reference command card and an index would be helpful.

Ease of Learning and Use. *P + S* is easy to use once you've learned the handful of commands that run it. Since there's no opening menu, however, you do have to remember these commands—or else dig through the manual every time you use the program.

Audience. Will *Punctuation + Style* help you write the Great American Novel? No. It will, however, help you find writing flaws that you might otherwise miss. And whether you're a student writing a term paper or a manager turning out a report, Phrase can help you get your ideas across in a clear and simple style—or at least get you headed in that direction. In fact, if you use it often, you'll learn to spot

problems before *P + S* has a chance to squeal on you.

System Requirements. *P + S* requires 64K and two disk drives (or a single drive and a hard disk). It isn't copy-protected.

STARINDEX.

Let's face it. In the computer age, you shouldn't have to use three-by-five cards for indexing. And if you insert material into a section-numbered document, you shouldn't have to renumber the rest of the document yourself. Unfortunately, with most word processors you're still stuck doing those chores by hand.

Well, *WordStar* users can throw out their index cards, because MicroPro's *StarIndex* has come to the rescue. *StarIndex* automatically creates indexes, numbers section headings, and generates tables of contents, all of which it formats to your specifications.

Overall Design. *StarIndex* works on *WordStar* files only. Using *WordStar*, you insert embedded and dot commands in your manuscript to tell *StarIndex* what words you want indexed and what headings you want numbered or included in your table of contents. Then, after saving your file, you run *StarIndex* from *WordStar*'s main menu.

StarIndex creates three files: an index, a table of contents, and a file containing your manuscript complete with numbered sections. Using *WordStar* again, you can change anything that didn't turn out exactly as you wanted and then print *StarIndex*'s files.

What if you need to use *StarIndex* on a manuscript that's stored as multiple files? No problem. *StarIndex* recognizes .FI, the *MailMerge* command that chains files together. If your files are on different disks, you can use the *change* command to make the program pause while you switch disks.

Indexing. Index entries can come from two sources: words and phrases already in the manuscript and those you supply because they don't appear in your text exactly as you want them in the index. You can indicate the principal treatment (main entry) of a subject by having its page number boldfaced in your index; more general entries appear in regular print.

To index a word that's already in your text, you embed a command just as you would a *WordStar* boldface or underline command. For example, to indicate the main entry for *computer*, you type ^P^P on each side of the word *computer*. Similarly, you set off general entries with ^P^K.

Dot commands allow you to index a term that's not in your text exactly as you want it to appear in the index. On the line that precedes the passage you want indexed, you type .IM to designate a main entry and .II to designate a general entry. If you want to be more specific, you can use subentries. A comma placed after the main entry tells *StarIndex* that what follows is a subentry. For example, if you wanted *WordStar* to be a subentry under the entry *Word Processors*, you'd type *.II Word Processors, WordStar.*

StarIndex limits entries to eighty characters. You can index terms that cross over lines or pages but not those that extend past a hard carriage return. Fortunately, if you forget the closing half of an embedded command (something that's easy to do), all isn't lost. *StarIndex* automatically cuts off the entry after eighty characters or at the next hard carriage return, whichever comes first. Without interrupting its run, it gives you a warning message to let you know what happened.

One thing to remember is that *StarIndex*, like other indexers, does *not* automatically find succeeding occurrences of a word or phrase once you mark the first occurrence—you must mark the term each time it appears in the text. But, to streamline the process, you can use *WordStar*'s search and replace functions to replace each occurrence of the term with ^P^P*term to index*^P^P.

Automatic Section Numbering. *StarIndex* automatically numbers sections, appendixes, figures, tables, or practically anything else you want. Just enter the appropriate dot commands on the line preceding each heading to indicate whether it's a major heading, subheading, or whatever. For example, to designate a chapter title as a major heading, you type .IA on the line preceding the title.

You can have up to four heading levels. The numbering format defaults to Arabic numerals (from 1. for major headings to 1.1.1.1 for lowest-level headings), but many other options are available.

Automatic Table-of-Contents Generation. Once you've numbered the headings in your text, why not have them automatically printed as a table of contents? That's exactly what *StarIndex* does. It locates any headings that you've designated for section numbering and enters them in a table of contents. Your headings print exactly as they appear in the manuscript (including the same numbering and printing format), along with the appropriate page number.

StarIndex limits contents entries to one line, but that line can have up to 255 characters. If you want your table of contents to be more than a simple list of headings, you can use dot commands to insert extra text—a brief summary of each chapter, for example.

In the same way that you mark headings for a table of contents, you can mark the legends of figures and tables to produce a list of

PALANTIR™ WORD PROCESSING

WE DON'T HAVE TO BEEF UP OUR GUARANTEE WITH A LOT OF BULL

Other software companies give you disclaimers. Palantir gives you a real guarantee: Palantir backs its software with 90 days of free phone support via a toll-free number. When you call, we won't tell you to ask your dealer or read your manual; we'll answer your question, free of charge. If we can't solve your problem, we'll replace your Palantir Software with any competitive software of comparable value.

We couldn't make an offer like this if we weren't confident about Palantir word processing. It's easy to learn, easy to use, easy to live with.

Palantir word-processing software is designed for microcomputers. Yet it gives you all the features of a dedicated word processor. You won't find a better system on the market today.

To find out more about Palantir software, mark the reader-service card in this issue or call, toll-free: 1-800-368-3797. In Texas, call 713-520-8221.

We'll respond with detailed information on Palantir software and a free "No Bull" button. A closer look will convince you that we're not just one of the herd. And that's no *bull*.

Palantir Software 3400 Montrose Blvd. Suite 718 Houston, Texas 77006

™ Palantir is a trademark of Palantir, Inc.

figures or tables. As it does with section headings, *StarIndex* automatically numbers the legends in your text.

Formatting. *StarIndex* gives you plenty of formatting options. You can decide how to number headings and pages, what titles to give tables and indexes, and what print features to use for each. Table 1 lists these formatting options.

There are two ways to specify a formatting option. You can have a format stay associated with a document or you can save a format in a separate file. To do the first, you embed dot commands in the text; to do the second, you call on a menu-driven program named Style. The latter approach allows you to create multiple formats and choose the appropriate one for each manuscript.

***StarIndex*'s Formatting and Printing Options**

Headings

Numbering:
- No numbering
- Arabic numerals
- Roman (upper or lowercase)
- Letters (upper or lowercase)
- Omit or print higher level numbers

Printing:
- Regular print
- Boldface
- Double-strike
- Underline
- Spacing
- Elongated (dot-matrix printer only)
- A combination of the above

Index

Index automatically generated each time you run *StarIndex* Y/N
Letter headings included in index Y/N
Headings automatically indexed Y/N

Table of Contents

Page Numbering:
- No numbering
- Arabic numerals
- Roman (upper or lowercase)

Omit or print higher level numbers
Use same print options as for headings Y/N

Titles and Captions

Rename titles or captions (for example, change List of Figures to List of Illustrations)

Table 1.

For maximum flexibility you can combine dot commands with the instructions of a Style format file, since dot commands always take precedence over Style commands. This means you can insert a dot command or two in your document when you want a printout that's slightly different from what you'd get with a Style format file.

Documentation and Support. MicroPro has done an outstanding job on *StarIndex*'s documentation. The 111-page manual includes sample screens and printouts as well as helpful hints on how to get the most from the program. A handy quick-reference card helps you keep the commands straight. There's also a sample document on disk for you to practice with.

Ease of Learning and Use. Since *StarIndex*'s commands are similar to *WordStar*'s (you know, mnemonics such as .IE for fIgurEs), *WordStar* veterans should feel right at home. However, even though you can throw out your index cards, using *StarIndex* isn't as automatic as you might like. It still leaves a fair amount of the work to you.

Audience. Anyone who uses *WordStar* for long documents such as manuals, briefs, business reports, or books will find *StarIndex* valuable.

System Requirements. 48K.
Punctuation + Style (version 1.21)
Oasis Systems
2765 Reynard Way
San Diego, CA 92103
(619)222-1153
Price: $150

StarIndex (version 1.0)
MicroPro International Corporation
33 San Pablo Avenue
San Rafael, CA 94903
(415) 499-1200
Price: $195

UPDATES

VisiWord. The news about *VisiWord* is that it's now bundled with *VisiSpell*, and, reflecting the change, the new package is called *VisiWord Plus*. The price, however, hasn't changed, so in effect you get *VisiSpell* (previously $225) for free.

In addition, VisiCorp has just released a new version of *VisiWord* (version 1.2) that includes:

Bug fixes. VisiCorp says they've tamed the wayward cursor and increased *VisiWord*'s screen-painting speed, so it's less likely that you'll outtype the cursor. They've also improved the DOS file-conversion program. In previous versions, this program went overboard when it removed a centering command, taking the rest of that line with it.

New print drivers. Print drivers have been added for the C. Itoh Starwriter and IBM Electronic Typewriter, models 65 and 85.

WordPerfect. SSI, like VisiCorp, is now offering its word processor and spelling checker as one package without a price increase. They've also released a major update of *WordPerfect* (version 3.0, available to *WordPerfect* users for $20), and it's a dandy. Version 3.0 adds many features to the version reviewed here in September, including:

More rapid screen rewriting. A "flash" version of *WordPerfect* that's specific for the IBM rewrites the screen three times faster than previous versions.

Proportional spacing. WordPerfect now supports proportional spacing. It places a code in your file so your document will be proportionally spaced each time you send it to the printer.

File protection. WordPerfect can scramble (encrypt) your document so that, to an unauthorized person, it will appear as a jumble of characters on-screen. To unscramble it, you have to use a password that can have as many as seventy-five characters. The password is *not* saved on disk, so if you forget it you're out of luck—unless your hobby is solving ciphers.

Orphan and widow control. A widow is a last line of a paragraph isolated at the top of a page. An orphan, on the other hand, is the first line of a paragraph that's printed by itself at the bottom of a page. *WordPerfect* now automatically prevents these unsightly creatures. One-line headings and paragraphs of less than three lines aren't protected, however, so you still need to use a conditional end-of-page command for these.

A file-conversion feature. WordPerfect now has a utility that converts *WordPerfect* files to standard ASCII text files. This allows *WordPerfect* to function as a program editor. Conversely, you can convert standard text files to *WordPerfect* format. There's also a command to convert *dBase II* address files to *WordPerfect* format so they can be used with a mail-merge feature.

Extended characters. You can have special characters displayed on-screen (and printed) by using alt- or control-key combinations.

Improved editing. You can now edit in the "reveal functions" mode, the mode in which *WordPerfect* displays its normally hidden printing and formatting codes. This makes deleting these codes much easier.

Improved hyphenation control. You can turn hyphenation on or off for the current session or change it permanently by altering the default setting. With hyphen help on, you can now bypass hyphenating a particular word and have it wrapped to the next line instead.

Expanded printer support. A menu-driven program now allows you to interface printers that aren't on *WordPerfect*'s list of supported printers. ▲

COLORPLUS™
Shatters The Mold.



A vibrant, varied new world of color is now at your fingertips.

We've shattered the mold for color graphics adapters with COLORPLUS, a high resolution, full color breakthrough fully compatible with IBM Personal Computer hardware and software.



COLORPLUS produces incredibly sharp, detailed multi-color graphics of professional quality at a low PC price.* Its state of the art biplanar technology enables high resolution 4 color 80 character graphics or medium resolution 16 color 40 character graphics.

The current IBM PC capabilities of high resolution 1 color 80 character graphics and medium resolution 4 color 40 character graphics simply pale in comparison, now that the era of COLORPLUS has arrived.

Using only a single expansion slot, COLORPLUS includes an integrated parallel port, thereby saving you an expansion slot for future needs. No modification is required to existing software in the IBM modes. Enhanced software supporting COLORPLUS Graphics capabilities is currently available from major software suppliers.

For over 31 years, Frederick Electronics Corporation has developed high quality electronic equipment world-wide. The key to our success is our international reputation for customer support. PC + Products will continue in this tradition. Frederick Electronics Corporation is a subsidiary of Plantronics, Inc., a publicly owned company listed on the NYSE as PLX.

The goal of PC+ Products is to expand your options, to make your personal computer more valuable and productive. COLORPLUS is just one example of our commitment to that objective.

Contact us for the name of your nearest COLORPLUS dealer.

PC+™ PRODUCTS

PC+ Products
Plantronics Enhanced Graphic Products, Inc.

1751 McCarthy Boulevard
Milpitas, CA 95035

408 945-8711 800 638-6211

TELEX: 17-1139



TALE of the PORTS

by John Dickinson

The Oracles of EBCDIC were enjoying a pleasant evening, chatting about their recent visit from the King of ASCII. "Nice fellow, that aSC," said IBlue.

"Yes," agreed MBlue. "Too bad about his trouble over the Escape."

aSC, you may remember, had consulted with the Oracles when the HardWares and SoftWares of ASCII couldn't agree on how to celebrate their Great Escape from the chains of TTY ("The Printed Word," November 1983). Even to a great King like aSC the problem had seemed insolvable, but to the Oracles it was just another ho-hum matter in the World of Computers, and they had easily solved it for him.

"Perhaps we should pay more attention to affairs in ASCII," said IBlue.

MBlue didn't agree. "ASCII is of no importance to the Kingdom of EBCDIC," he said. "It is incompatible in most respects."

"But what of the popular shacks and arcades of ASCII?" asked IBlue. "Shouldn't we pay more attention to that sort of thing?"

"Maybe we should, at that," said BBlue. After a few moments, an idea struck him. "My youngest son, PCBlue, has been at loose ends lately, with nothing to do. We'll send him to ASCII to have a look at things there."

So it came to pass that PCBlue was sent to live in the Kingdom of ASCII. His father cautioned him about his mission. "Don't make a big fuss about moving to ASCII," BBlue said. "We don't want to disturb things there, just observe them."

'But what of the popular shacks and arcades of ASCII?' asked IBlue. 'Shouldn't we pay more attention to that sort of thing?'

Illustrations by Gordon Baker, Tennesen/Tobin Studios

PCBlue's first task upon arriving in ASCII was to build a house to live in. He was astonished by the small size of most of the other houses there. "We normally have 64K," he was told by neighbors, "although the Rube of SoftWares can make trick houses of as many as 128K."

PCBlue was not satisfied with this and wanted something larger. In EBCDIC, you see, even the smallest houses had 256K, and palaces of 16M and even 96M were not unheard of. So, with the help of a distant cousin from the Valley of Silicon, PCBlue built a special house of 1,024K in ASCII.

The citizens of ASCII were awed by the size of PCBlue's new house—their shacks and arcades paled by comparison—and they were a little afraid of it, too. The Kingdom of EBCDIC, it seems, had an unsavory reputation in certain parts of ASCII, and people weren't quite sure what to expect from PCBlue or his great house.

So, with the help of a distant cousin from the Valley of Silicon, PCBlue built a special house of 1,024K in ASCII.

But PCBlue reassured them. "My house is an open one," he said. "It has plenty of ports to use for whatever you want, and anyone in ASCII can use them to come and go as they please."

The great house did seem to be quite open. From the outside it appeared to have 64K ports, and that was quite a lot by anyone's standard. The citizens of ASCII were relieved—maybe these EBCDICs weren't such bad folks after all.

Citizens of ASCII proceeded to use the ports pretty much as they pleased, and PCBlue didn't mind at all. Oh, he was a bit taken aback when someone came in with joysticks and pong balls, and he wondered how a mouse might be used, but he stuck to his open house policy. He was well pleased with the asynchronous communications adapters (especially the one with an automatic modem) and was particularly proud of his new quartz clock and calendar. There seemed no limit to the number of ports or to what citizens of ASCII would think of next.

However, there had been one slight problem with the house's ports during its construction. PCBlue's cousin had designed the house to use all the 64K ports that appeared on the outside, but the Zoning Board of ASCII had other ideas. "Local laws allow only 1,024 ports," they had told PCBlue. "You must shutter the rest of them off."

Appeals to aSC for help had been in vain. "Bureaucrats of ASCII have their own ways, just like bureaucrats anywhere else," lamented aSC, "and there's nothing I can do about it." For the moment, there seemed to be enough ports to go around, so PCBlue let the matter rest.

One day, BBlue decided to make the long journey to ASCII to visit his son. When he arrived there, he was tired, shaken, and a bit miffed. "How can I make a decent trip here on these old asynchronous communications links?" he complained. "It's start-stop all the way, and my slick new 3279 color terminal wouldn't even fit on the lines! I had to park it and rent some silly portable thing with rubber ears!"

PCBlue was somewhat embarrassed, but he reminded BBlue of his own instructions. "You told me not to disturb things here," he said, "and all communications in ASCII are done on asynchronous links. We must do the same."

"We can fix that!" replied BBlue. "I'll build a nice, smooth bisynchronous link from EBCDIC to your house in ASCII." That seemed like a nice idea to PCBlue—he missed visiting with his friends in EBCDIC.

The rest of BBlue's visit seemed to go quite well. He praised PCBlue's new house and liked everything about it. Until, that is, PCBlue took him in to see the disks. "*Floppy disks?!*" BBlue was livid. "No son of mine is going to live in a house with just floppy disks!"

"But all houses in ASCII have floppy disks," said PCBlue, once again recalling BBlue's orders.

"Never mind that," said BBlue. "We'll have the monks at Winchester build a nice fixed disk for your house. Floppy disks, indeed!"

And so it was that almost before it was finished, the nice new house that PCBlue had built in ASCII started to be reconstructed. Specialists were brought in from EBCDIC to work on the bisynchronous link, and a new expansion annex was fabricated for the fixed disk.

The people of ASCII once again were astonished by PCBlue's house, this time by all the changes. Never had they seen such speedy communications, nor at such great cost. And the fixed disks of Winchester were but a pipe dream for all except the richest citizens of ASCII.

PCBlue again reassured them. "My house is still an open one," he said. "A few of the ports had to be used for the new additions, but the rest are still free for you to use however you want to."

But the "few" ports used turned out to be many, and trouble soon began. It started when PCBlue's quartz clock stopped working. He went to see what was wrong and found out that the clock had been damaged. The fixed disk, it seems, was using the same port, and every time the disk was accessed it hit the clock. After a few days, the clock had broken completely. Another gadget, this one a special asynchronous communications device, stopped working altogether. The expansion annex had taken the ports that it had been using and had blocked them off.

PCBlue carefully moved his clock to another port and refitted the asynchronous device. But the incidents aroused great concern in ASCII. The citizens wondered how many ports PCBlue's house really had. How many of them were really open for use? Where were they? Most

"INTRODUCING"


IBM PC


IBM PC XT


HP 150*


RAINBOW 100


RAINBOW 100+


EAGLE 1600


EAGLE PC


TI PRO


IBM PC


IBM PC XT

WordMARC™

Formerly known as MUSE, WordMARC was originally created for mainframes and minis in 1980. WordMARC is simply the best piece of office-quality word processing software a micro user can buy.

WordMARC operates on the IBM PC, Eagle, DEC Rainbow and TI Professional computers.

And because WordMARC is office-quality word processing, you get all the features that make word processing fast and easy. Menus, prompts, messages, single keystroke functions, and what-you-see-is-what-you-get screen display are but a few of WordMARC's powerful capabilities.

To see for yourself how important WordMARC office-quality word processing can be to your office call us at **415-326-1971.**

*Coming Soon

MARC SOFTWARE INTERNATIONAL, INC.
260 Sheridan Avenue, Suite 200
Palo Alto, CA 94306
(415) 326-1971

WordMARC also runs on all models of Prime and DEC mini and mainframe computers.


EAGLE PC


RAINBOW 100


TI PRO


HP 150*

of all, when would PCBlue's father decide to add something else from the Kingdom of EBCDIC that would use up more of the ports?

A fable and a fairy tale both tell a fanciful story; the difference is that a fable's purpose is to make a cautionary point. What you've just read is a fable. Its cautionary point is that the PC has a limited number of input/output ports available for use by optional expansion devices, and that they are being used up at a rapid pace—by IBM and every other vendor that is busily adding options to PCs.

This may not mean much to you if you don't know what an "input/output port" is or how one is used, so let's start there. Once we've established what ports are and how they work, we'll take up the questions of how many the PC has and how IBM has used them; we'll examine the port situation both before and after the XT enhancements (fixed disk, expansion cabinet, and bisynchronous communications links) and the more recent 3270-PC and PC-XT/370 introductions. While we're at it, we'll also explore how third-party (non-IBM) options that you may have installed or be thinking of installing on your PC could be using the ports.



He was a bit taken aback when people came in with joysticks and pong balls, but he stuck to his open house policy.

Designing a computer involves many choices. Some of the considerations—such as register size, number of registers available and the uses to which they can be put, instruction set, maximum random memory available to the processor, and the data size and addressing scheme used for accessing memory—have to do essentially with internal goings-on; these choices involve concepts that are fairly well understood.

A design area that's less widely understood has to do with communications between the computer and the outside world. How will the designer arrange for the flow of information into and out of the system?

It's easy enough to decide to use keyboards, disk drives, printers, and video displays for these purposes; such input/output devices are part of the standard armamentarium of current computer technology. It's also no problem to decide to use intelligent device controllers to manage the I/O devices; these controllers free the central processor from worry about such mundane matters as how far a track is from the edge of a floppy disk or how far from the top of a video screen a display line is. Intelligent controllers greatly reduce system overhead.

What's less obvious is the decision about how the processor will *find* the I/O devices. Where should it look for data once a disk drive or keyboard controller has made it available? And to what address should it send data on its way to an output device?

As it turns out, a computer designer can answer these questions in either of two ways. He can reserve portions of ordinary system memory (RAM) for the use of input and output devices, or he can designate a special type of address, one that isn't in RAM, for the use of I/O devices. If he takes the latter approach, he creates a set of exclusive addresses called *I/O ports*; the entire neighborhood of such addresses is called an *I/O address space*.

Reserving ordinary RAM for I/O devices makes things easier in some ways and more hazardous in others. The same data-movement instructions (the 8088's MOV, for example) can be used to transfer information both into or out of ordinary memory and into or out of an I/O device (the cost of such convenience is that some of the system's memory becomes unavailable for general use); but it's possible that data intended for storage in RAM may inadvertently be moved to an input or output device instead, causing destruction of a critical database or other adverse consequences.

Using a separate I/O address space is safer, but it's costly in another way. The danger of misdirecting data movement is eliminated by this approach, because special processor instructions have to be developed that inform the system that the data are intended for movement to or from an I/O device, not to or from RAM. But therein lies the penalty. The additional instructions required have to be added to what is usually a very limited resource, the computer's instruction set. The instruction set is contained in read-only memory inside the processor, and its size is limited by both space constraints and the processor's own addressing scheme.

In designing the 8088, Intel opted for the second approach. The processor (and therefore your PC) has separate I/O ports in their own I/O address space, and includes extra instructions—*in* and *out*—that allow you to access these ports. The separate I/O address space works just like regular RAM, except that a signal change, generated by the *in* and *out* instructions, informs the processor's data bus controller that the data are moving to or from an I/O port. (It's possible that this design influenced IBM's selection of the Intel chip, since the company generally favors separate I/O ports in its mainframe computers.)

The 8088 does not address its I/O ports in exactly the same way as it addresses its ordinary memory. The segmentation scheme that yields a twenty-bit address and makes 1,024K (two to the twentieth power) of RAM and ROM available on the PC is not used for port addressing. Only sixteen bits are used to compute the I/O address. This means that the 8088 can theoretically address 65,536 (two to the sixteenth power) I/O ports.

However, the PC's implementation of the 8088's I/O port addressing scheme does not use all sixteen available address bits; it uses only the first ten. The other six bits are ignored (or, in computer lingo, sent to the "bit bucket"). This limits the I/O address space of the PC to 1,024

(two to the tenth power) ports, whose addresses are 000H through 3FFH.

Physically, the 1,024 ports on the PC fall into three categories: those available only on the system board, those available only in the I/O channel (the PC's five expansion slots make up its *I/O channel*), and those available in both places. Ports with addresses 000H through 0FFH are available exclusively on the system board, port addresses 100H through 1FFH are available on both the system board and in the channel, and addresses 200H through 3FFH are available exclusively in the I/O channel.

Only those ports available in the I/O channel can be used for expansion purposes. Looking at the addresses in the previous paragraph, you might conclude that a total of 768 ports are available for expansion. That would be a reasonable but inaccurate conclusion.

It turns out that, for reasons unstated by IBM, ports with addresses 100H through 1FFH have an odd implementation restriction. Even though they're available in the I/O channel (as well as on the system board), these ports may be used only for *output* on the channel. And there are no output-only devices in use on modern computers. Even those devices, such as printers, whose only apparent function is output, send acknowledgment and status signals back to the computer. The restriction on ports 100H through 1FFH makes them virtually useless for expansion purposes; although on the system board they're fully functional, the ports are not currently used there either.

So, rather than having the 65,536 I/O ports that are theoretically possible on 8088-based machines, the PC has but 1,024. Only 768 are really usable (unless IBM decides to implement more I/O addresses on the system board or rewires the I/O channel to allow full use of the restricted ports), and only 512 of the I/O addresses can be used for expansion devices. (Reading the technical reference manuals on this point can be confusing. The original IBM manual states, on page 2-8, that 512 I/O ports were available in the I/O channel. The manual's 2.02 revision, which includes coverage of the XT enhancements, states, on page 1-14, that there are 768. The difference is that the 2.02 revision documents the availability of the ports in the 100H through 1FFH range.)

A priority system governs the use of I/O ports on the PC.

The highest priority level is for devices that the system cannot function without. These include its internal timer, the interrupt controller, the programmable peripheral interface (PPI) chip (which includes the keyboard's access), the direct memory access (DMA) control chip and registers, and the nonmaskable interrupt (NMI) registers. All these devices are located on the PC's system board and are in the lowest range of I/O addresses (000H through 0FFH).

Next in the priority list are devices that PC users cannot, or do not wish to, function without. Included in this tier are video display controllers, the disk-drive controller, and usually a parallel printer adapter. The XT's fixed-disk controller and primary asynchronous communications adapter are included in this priority level, and so is the IBM expansion cabinet controller, on systems so equipped.

IBM has specified I/O addresses on the PC for the devices in these two priority levels (see the technical reference manuals for documentation). All the devices in this priority class are located on expansion boards mounted in the I/O channel and are in the address range 200H through 3FFH.

The lowest priority of I/O port allocation goes to optional devices. All optional devices are located on expansion boards. The range and use of optional devices is seemingly endless and includes everything from bisynchronous and asynchronous communications adapters to light pens and tablets. More recently, mice have appeared on the scene. With the exception of the 8087 numeric data processor, all coprocessor devices (such as the 8080 add-on processors, the QuadLink 6502 Apple II emulator, and IBM's own XT/370 triprocessor) have to be accessed as optional I/O devices.

Some of these devices have been included in IBM's specifications of port allocation. For example, space is reserved by IBM for the game controller and communications adapters. I/O address space also is allocated to a "prototype card" for use by option developers and hobbyists. Other devices may go wherever their designers choose to put them, as long as there is room in the I/O address space at the addresses chosen by their designers.

The fact that your PC has 512 I/O ports available for optional devices doesn't mean you can attach 512 I/O devices to it. There are two reasons for this. One is that most I/O devices consume more than a single address. Devices usually require a block of I/O ports, each of which is assigned to a distinct component (usually a register) of the device or its controller. The other reason is that IBM has reserved many I/O ports for future use, and it is wise not to place devices at those reserved positions. (Two reasons for that: You might want to attach a new device for which space has been reserved when the device becomes available; and, in the World of Computers, "reserved" occasionally means "in use for undocumented purposes." Sources at IBM indicate that none of the reserved I/O addresses are currently used, but it's best to be cautious.)

To get an idea of what all this may mean to you, let's look at how IBM has allocated the I/O address space of the PC, including its reserved address blocks; then let's check out a few devices to see how they fit in. Tables 1 through 3 are maps of the three usable blocks of I/O ports. Table 1 shows the system board addresses (000H through 0FFH), and tables 2 and 3 cover addresses 200H through 2FFH and 300H through 3FFH respectively. The maps do not include addresses 100H through 1FFH, since these ports are neither currently used on the system board nor usable in the I/O channel.

Allocated ports are captioned on the maps with their assigned functions, and empty cells represent ports currently unallocated by IBM. Shaded areas denote the allocations (including the new space reservations) that IBM added with the XT, and checkered areas represent the allocations that IBM added with the XT/370 and 3270-PC enhancements. Allocations for the PC*jr* are not shown, because Junior uses an altogether different I/O space.

One thing you'll notice right away is that the I/O address space was much less crowded before the XT and the newer machines came along. On the original PC, only 200 I/O ports were used or reserved for future use. This represented about 26 percent of the total ports available. Of



Table 1. IBM PC and PC-XT I/O address map: system board I/O address 000H–0FFH

Quality you expect, at a price you don't.

BECK DOUBLE DENSITY DISKETTES

SINGLE SIDED **$2.19** ea. / **$2.79** ea. DOUBLE SIDED

Our message to you is simple. If you like the quality of Dysan, Verbatim, 3M, et al, you'll like the quality of Beck soft sector, 5¼" flexible diskettes. The only major difference is cost. We're less expensive. In fact, a lot less expensive.

Why does Beck cost less?

Our philosophy is: Excellent quality and reliability, at a cost that beats the jackets off other diskettes. We can do it because we (1) put our money into the product, not mega-marketing schemes and fancy packaging; and (2) sell our money-saving 25-diskette pack to you direct via a toll free order line, so you get fast, door-to-door service efficiently.

When you buy Beck, you've got the best. Beck Quality. Beck Reliability. And, of course, Beck Price.

1D, soft sector 5¼" diskette $2.19 each
2D, soft sector 5¼" diskette $2.79 each

For IBM, Apple, TRS and 97% of popular microcomputers.

What about quality and reliability?

At Beck, our success as a diskette manufacturer depends upon our ability to provide you with a fully reliable, quality diskette – every time. For that reason we take no shortcuts. You get the best because we are committed to excellence. Every diskette is manufactured to very strict quality standards. We test and retest 21 times throughout the manufacturing process to insure compliance with no less than 42 rigid specifications. We make sure you get the very best – a 100% certified, 100% error free diskette.

Our satisfaction money-back guarantee and full 7 year warranty are proof of our commitment to excellence and confidence in our product.

(in New Hampshire call 924-3821)

Door to Door in 48 hrs.

Order Now Toll Free

VISA MasterCard

COD'S
CASH
ONLY

Corporate Accounts Welcome

1-800-BECK MFG

Order Toll Free 1-800-232-5634. Available in 25 pack only, plus freight, Complete with hub reinforcing rings, Tyvek envelopes, color coded user labels, and nonmetallic write protect tabs. All Beck Diskettes meet or exceed ANSI specifications.



Table 2. IBM PC and PC-XT I/O address map: I/O channel I/O addresses 200H–2FFH



Table 3. IBM PC and PC-XT I/O address map: I/O channel I/O addresses 300H–3FFH

the 512 ports available for expansion, IBM used or reserved 120, or 23 percent, which left plenty of room for expansion devices.

The XT enhancements used, or reserved, an additional 127 ports, all of them in the I/O channel. The XT/370 consumes an additional eight ports, and the 3270-PC uses sixteen more. These are also in the I/O channel. A total of 351 I/O ports are now used by or reserved for IBM-specified devices, and 271 of these are in the I/O channel. Of the 512 ports available for PC expansions, IBM has used or reserved 53 percent. Table 4 summarizes the situation.

IBM's use of reserved ports is something of a mystery. The company originally reserved two sixteen-address blocks on the PC (0C0H through 0CFH and 0E0H through 0EFH), but it hasn't used them for any enhancements. (One additional block was originally documented as being reserved but was actually used for the secondary asynchronous communications adapter.) In the XT enhancement, IBM reserved several additional large blocks that have yet to be put to use. No further space reservations were made with the XT/370 or 3270-PC enhancements, but IBM did not use previously reserved space. A source at IBM would say only that "things are under development" for the reserved spaces.

To get a better feel for what goes on in the I/O address space, take a look now at the port usage assignments that IBM specifies for its asynchronous communications adapter (other vendors usually follow this standard). Table 5 shows how each of the eight reserved ports is used for each asynchronous adapter you have attached to your PC. The addresses listed are for the primary adapter; the secondary one uses the same layout, but starts at a different I/O address.

A total of eight I/O ports are used by the asynchronous communications adapter. This may seem like a lot of space just to call your PC club's bulletin board or The Source, but that's what the design requires. It is important to remember that IBM's asynch adapter follows the company's specifications for port usage and location and can therefore be considered a "sanctioned" device. Other devices you attach may not be so legal.

One of the most popular "nonsanctioned" devices attached to PCs is a real-time clock/calendar. Like any other I/O device, it requires ports. But, the clock/calendar you have may use more of your machine's I/O resources than you think. To show you how much, table 6 contains the I/O port assignments used by AST Research's clock/calendar (which may be considered typical of these devices). The table is an adaptation of the one published in the AST *MegaPlus Guide to Installation & Operation*.

The AST clock/calendar uses nineteen ports—just to tell you the time and date! The total span of the addresses used is actually thirty-two ports (2C0H through 2DFH), which means that thirty-two ports ought to be reserved for the clock/calendar. It isn't absolutely necessary to reserve this many, but it's usually a good idea to consider ports that are spanned by a device to be in use by the device.

The big difference between the asynch adapter and the clock/calendar is not in the number of ports used or the function of the devices but in the fact that IBM has allocated space for the asynchronous adapter but not for the clock. That means that you can rely on the placement and operation of an asynchronous adapter at the address specified, but not necessarily on the AST (or anyone else's) clock/calendar. For exam-

Original IBM PC	PC-XT Enhancements	PC-XT/370 & 3270-PC Enhancements		Total
System Board	80	+ 0	+ 0	80
Percent (of 256)	31%	+ 0%	+ 0%	31%
I/O Channel	120	+ 127	+ 24	271
Percent (of 512)	23%	+ 25%	+ 5%	53%
Total	200	+ 127	+ 24	351
Percent (of 768)	26%	+ 17%	+ 3%	46%

Table 4. IBM PC I/O ports used or reserved by IBM

I/O Address	Function
3F8H	Transmit/receive buffer or LSB divisor latch
3F9H	Interrupt-enable register or MSB divisor latch
3FAH	Interrupt-identification register
3FBH	Line control register
3FCH	Modem control register
3FDH	Line status register
3FEH	Modem status register
3FFH	DLAB switch (sets function of 3F8H or 3F9H)

Table 5. I/O address assignments for the IBM asynchronous communications adapter

I/O Address	Function
2C0H	1/100000 of seconds
2C1H	1/100 and 1/10 seconds
2C2H	Seconds
2C3H	Minutes
2C4H	Hours
2C5H	Days of the week
2C6H	Days of the month
2C7H	Month
2C8H–2CAH	RAM—year
2CBH–2CFH	Not used
2D0H	Interrupt status register
2D1H	Interrupt control register
2D2H	Counter reset
2D3H	RAM reset
2D4H	Status bit
2D5H	Go command
2D6H	Standby interrupt
2D7H–2DEH	Not used
2DFH	Test mode

Table 6. I/O address assignments for the AST clock/calendar

ple, if the AST clock/calendar were installed on a 3270-PC, there would be an I/O address conflict, and something—the clock or some aspect of the 3270-PC—would not function correctly. (One example of this sort of address conflict became evident when XT owners with Quadram QuadBoards found their clock/calendars malfunctioning. The clock and the fixed disk were trying to cohabit certain I/O addresses. Quadram has since put in a change of address for its clock.)

When an engineer at IBM was asked if Big Blue knew of the conflict between the AST clock and the 3270-PC, his answer was affirmative. How did IBM find out? "The hard way," came the reply. "One of our internal test users for the 3270-PC stuck an AST board in and, well, you know the rest." No one, it seems, is immune from accidental address conflicts.

One other point should be made about I/O ports used or reserved by IBM. As the clock/calendar example illustrates, large blocks of I/O addresses are often needed for optional devices. If you look back at table 1, you'll see that prior to the XT enhancements, there were several large blocks in the I/O channel available for use by expansion devices. Now, the only large blocks of unreserved addresses remaining are from 280H through 2CFH and from 338H through 36FH. Several port-hungry devices such as the clock/calendar can make the I/O address space quickly disappear. Most users need not worry about the space reserved for the 3270-PC and XT/370, since they won't be using these machines, but space is tight regardless.

There's no point in complaining that IBM is "taking over" the I/O territory. The PC is their machine, and they have the right to place their I/O devices wherever they feel they'll function best (or wherever they'll fit well in the address space). In other words, IBM exercises the same engineering rights over the PC and the firm's other computers as do auto manufacturers over the cars they make. If there is a complaint to be registered, it's that IBM has reserved quite a bit of space that has so far gone unused in their enhancements.

Here's the moral of this story: If you add non-IBM optional devices to your PC, be sure they fit into an area of the I/O address space that is otherwise unused. If two devices attempt to share an address or a block of addresses, something will go wrong. Nothing will happen if you don't have the IBM device for which the space in question is allocated; if you add that device later, trouble will start.

Be aware that it's also possible to have two non-IBM devices competing for the same I/O space. You even need to watch out for conflict between IBM-made options; this *shouldn't* be a problem, but there is in fact one pair of IBM devices that conflict: The IBM SDLC communications adapter may not coexist on a PC with a secondary IBM bisynchronous communications adapter (see the I/O address map at 380H to 38CH).

Sometimes it will be easy to discover if you have a port conflict or are about to have one. Some device manufacturers (AST is a good example) clearly document the I/O addresses used by their options. Some also allow you to set I/O address switches to indicate where the device should go on your machine, and, if you make sure that you do not set them to be in conflict with another device, this flexibility can ensure that you'll have no conflicts. (IBM says it encourages switches in the design of expansion boards, but few manufacturers seem to follow the company's suggestion.) Other manufacturers do not publish the port addresses used by their devices, and it is often difficult to find out where these devices are located. Without this information, your only option is to install the device and find out the hard way.

You may find it useful to make an I/O address map of your own PC, similar to the one printed here, and mark off the addresses used by options you have installed. This can be particularly important if your machine is "loaded" with options. You don't have to include extra RAM, but you do have to account for everything else, including coprocessors, mice, and devices for which space has been allocated by IBM but which your manufacturer has located in a different place.

Whatever else you do, be aware that if you add a gadget to your PC and it doesn't work, or if something that used to work no longer does, your problem may be an I/O address conflict. Look there first—BBlue may have reserved the room! ▲

The Printed Word

by John Dickinson

The Intelligent Printer, Part IV

If you followed the exercises presented in last month's column, you're well on your way to having a handy reference card for the features of your printer. You've organized your printer's features by functional category; now you can finish the reference card by adding to it the command sequences that activate your printer's features. These command sequences make up the language you'll need to communicate with your printer. Your printer's language is spelled out in your manual, but it may be hard for you to decode; this month's column will help you do that.

If you're just joining us now, or if you don't have last month's column handy, refer to table 1. That's where we left off; table 1 is the same as last month's table 4. The features listed there may very well not match those of your printer; we used an early-model Epson MX-80 as an example.

General Printer Control		
BEL	HORN	Sound Printer Horn
CAN	CLEARBF	Clear Printer Buffer
Esc 8	XFORMOUT	Disable Paper-Out Switch
Esc 9	FORMOUT	Enable Paper-Out Switch
Forms Control		
FF	FORMFEED	Form Feed
Esc C	FORMLINE	Set Forms to "N" Lines
Vertical Line Feed Control		
LF	LINEFEED	One Line Feed
VT	VT	One Vertical Tab
Esc B	SETVT	Set Vertical Tabs at "N1,N2,,,etc."
Esc 2	SPC6LPI	Set Line Feed at 6 LPI
Esc Ø	SPC8LPI	Set Spaces at 1/8" (8 LPI)
Esc 1	SPC10LPI	Set Spaces at 7/72" (10 LPI)
Esc A	SPCN72	Set Line Feed "N"/72"
Horizontal Head Control		
CR	CR	Carriage Return
HT	HT	One Horizontal Tab
Esc D	SETHT	Set Horizontal Tabs at "N1,N2,,,etc."
Character Font & Print Control		
SI	COMP	Enable Compressed Characters (16.5 CPI)
DC2	XCOMP	Disable Compressed Characters
SO	WIDE	Enable Wide Characters (5 CPI)
DC4	XWIDE	Disable Wide Characters
Esc E	EMPHIZE	Enable Emphasized Characters
Esc F	XEMPHIZE	Disable Emphasized Characters
Esc G	DOUBLE	Enable Double-Strike Characters
Esc H		Disable Double-Strike Characters

Table 1. Epson MX-80 printer command sequences; functional area order.

Your printer's programming language is easily summarized. Its language consists of commands represented by ASCII characters according to the following syntax rules:

1. A character in the ASCII range 032 through 126 (the so-called

OPEN UP AN ACCOUNTING DEPARTMENT FOR $395.00

GENERAL LEDGER integrated postings from A/R, A/P and Payroll. **Prints 13 detailed reports** • Company or departmental Income Statements • **Comparative financial statements** with current, YTD, budget, and last year (month and YTD) • Presents everything you, your bookkeeper, and your accountant need to know • G/L reconciles all accounts and maintains extensive, detailed audit trails • Trial Balance includes all transactions • **Flexible Chart of Accounts** • True double-entry bookkeeping • Master File capacity: 400 accounts • Monthly Transaction capacity: 1,000 with 200K diskette; 3,500 with 500K diskette; 7,000 per Megabyte with a hard disk.

ACCOUNTS RECEIVABLE provides **instant, on-line customer account information (both current and aged),** complete invoicing (open-item or balance forward) and statement capabilities on optional preprinted forms give your company a professional image • Quickly identify overdue accounts, speed collections, help control cash flow • Detailed and summary customer activity and aging reports • Produces 8 reports • Automatic periodic customer/client billing option • Itemized monthly transactions • Master File capacity: 400 Customers • Monthly Transactions capacity: 800 with 200K diskette; 3,500 with 500K diskette; 7,000 per Megabyte with a hard disk.

ACCOUNTS PAYABLE maintains complete vendor/voucher history and includes **check-writing** capabilities • **Current and aged payable reports** • Cash flow/cash requirements report • Prints checks with comprehensive check stubs • **Produces 11 reports and documents** • Automatic pay selection program allows payment by due date or by discount date • **Manual and automatic checkwriting** • Check register • Master File capacity: 400 Vendors • Monthly Transactions capacity: 800 with 200K diskette; 3,500 with 500K diskette; 7,000 per Megabyte with a hard disk.

PAYROLL—Be the office hero each week when the checks come out on time! • **Calculates payroll for every type of employee** (hourly, salaried, and commissioned) and **prints payroll checks** (with popular, comprehensive check stubs) with an absolute minimum of input • Maintains monthly, quarterly, and yearly totals for reporting in **multiple states** • **User-maintainable Federal, State, and local tax tables** • W-2 printing • 941 Reporting • Produces 10 reports • Master File capacity: 400 employees.

• California residents add 6½% Sales Tax • Payment by VISA/MasterCard/COD/MO/Cashier's Check • All Brand Names are manufacturers' registered trademarks • No sales to Dealers • Foreign orders please call or write before ordering •

MasterCard VISA

Why staff up? With the Desktop Accountant™, all the accounting help your office needs can be at your fingertips!

Open up a wide new range of possibilities for your microcomputer! No matter what type of business you're in, Desktop Accountant will let you manage the financial end of it more professionally than ever before.

A Complete System with Support. Desktop Accountant includes General Ledger, Accounts Receivable, Accounts Payable and Payroll programs, along with comprehensive user manuals and training aids. We've even prepared an audio cassette tape to make learning the system fast and fun. And our telephone "hotline" means personalized support whenever you need it.

Desktop Accountant's fully integrated accounting system is a complete package of software, training aids, manuals and user's newsletter.

Produces 42 Reports. "Keeping the books" has never been so easy! Desktop Accountant prepares every bookkeeping and accounting report your growing business requires: from invoicing to statements to aged A/R listings; from cash distribution to A/P checks to vendor activity reports; from **complete** payroll checks and stubs to W-2 forms; from the chart of accounts to balance sheet and income statement, as well as many others so vital to efficient management.

Desktop Accountant is available for nearly every portable, personal and desktop computer. The system requires either CP/M® or MS-DOS™ (PC-DOS), Microsoft BASIC™, 64K RAM, two disk drives or hard disk, and a 132-column printer (or an 8½" x 11" printer with compressed print mode).

You won't find better quality software at such a low price—a price we can offer now because development costs were recovered years ago. Just **$395.00 for most CP/M® formats ($495.00 for IBM® and some CP/M formats) complete.** *Call for available formats.*

Order Desktop Accountant today! You'll soon see why we call it **INTELLIGENT SOFTWARE FOR INTELLIGENT PEOPLE.**

ROCKY MOUNTAIN SOFTWARE SYSTEMS
Business Microcomputers and Software

To order Desktop Accountant and for more comprehensive literature, call toll-free:

☎1-800-832-2244
(In California call 1-800-732-2311)

or send orders to:
DESKTOP ACCOUNTANT
1280-C Newell Avenue, Suite 1219
Walnut Creek, CA 94596

printable range) is, normally, a command to print a character.

2. A character below the printable range (001 through 031) is, normally, a command to take a nonprinting action.

3. The escape character (ASCII 027) tells the printer that the character that follows is a command to take a nonprinting action, even though that following character might otherwise be a command to print a character. In other words, the escape character initiates an "escape sequence."

The punctuation rules for printer languages are even simpler than the syntax rules. Except for some relatively advanced command sequences used by a few printers (including the MX-80) that we won't get to this month, there are no punctuation rules for printer languages! All printing and nonprinting characters are sent from your PC to the printer as a continuous stream of characters, without punctuation or any other type of delimiter. Even those command sequences that do obey punctuation rules are expressed as a continuous character stream; the only difference is that some characters in the stream represent punctuation marks (a subsequent column will cover examples of this type of command sequence).

Your printer's language rules are quite simple, but there is a complication (how much fun would this be without one?): The sequences can be documented and used in four different formats, and, unfortunately, you need to learn all four.

Printer command sequences can be represented in the following ways:

- ASCII printable or control characters
- decimal ASCII character codes
- hexadecimal ASCII character codes
- terminal control codes

The fourth format is rarely used in PC applications; it's relevant only for the one-character command sequences whose ASCII codes are 31 or lower. We won't cover the control-code format in detail, but you'll see how to derive it so you can use it when you need to.

Printer manuals document command sequences in any one (usually *only* one) of these formats. Application packages usually accept only one format, and their documentation in most cases uses the format they accept. Programming languages often accept more than one format for command sequences, but their documentation often uses only one for examples and may not even mention the possibility of using alternative formats. Worse yet, those language manuals that do present printer commands in more than one format often do so inconsistently, without giving you clear reasons for preferring one format over another.

Unfortunately, the command-sequence format appropriate for the applications or languages you use may not be the same as the one documented in your printer's manual. This is often a great source of confusion to printer users.

For all this apparent complexity, your printer is quite simple-minded—it understands command sequences only as ASCII character codes, and that's what you've seen in all previous installments of this column. (Actually, printers understand only the binary representation of ASCII codes, but this column has been presenting the codes in decimal notation for the sake of clarity.)

Since your manual may use one format and each of your applications a different one, you have to understand the meaning of each format and be able to translate command sequences from one to another. But don't worry; it turns out that the various command-sequence formats are merely different ways to represent the same ASCII character codes; translations from one format to another, moreover, are not difficult once you get the hang of it.

We're using the Epson MX-80 as an example in order to keep things simple. Let's start with its more elementary command sequences and work our way up to the more complicated ones. Once again, you can follow the example here, use your own printer's command sequences, or do both at once to be sure you get it all right.

Table 3 from last month is reprinted here as table 2; it shows the MX-80's command sequences for character-font and print-control. The one-character codes (listed at the top of the table) control the font (width) of the printed characters; they're the simplest command sequences, so we'll start with them.

The MX-80 user manual documents command sequences either as ASCII control characters or printable characters. The one-character command sequences are all control characters (they're in the ASCII range 001 to 031). To begin, we'll translate these command-sequence characters to their decimal ASCII character-code equivalents.

SI	COMP	Enable compressed characters
DC2	XCOMP	Disable compressed characters
SO	WIDE	Enable wide characters
DC4	XWIDE	Disable wide characters
Esc E	EMPHIZE	Enable emphasized characters
Esc F	XEMPHIZE	Disable emphasized characters
Esc G	DOUBLE	Enable double-strike characters
Esc H	XDOUBLE	Disable double-strike characters

Table 2. Epson MX-80 printer command sequences; character-font and print-control functional area.

A handy reference source for command-sequence translations is Appendix G of the Basic manual. There you'll find a full listing of the ASCII character set used on the PC, along with the equivalent decimal ASCII codes (they're called ASCII *values* in the table). Pages G-2 and

G-3 contain all the information you'll need for this part of the command-sequence translation (and lots more; if you're insatiably curious or can't sleep, you might want to study the whole table sometime).

Start by taking the characters listed in the left-hand column of our table 2 and write them down on a separate sheet of paper. These are the ASCII characters used in the MX-80's command sequences for character-font and print-control. Go to the table in Appendix G, find the decimal ASCII code to the left of each character, and then write it next to the character's name. Your new list should look like table 3.

ASCII Characters	Decimal ASCII Codes	
SI	Ø15	
DC2	Ø18	
SO	Ø14	
DC4	Ø2Ø	
Esc E	Ø27	Ø69
Esc F	Ø27	Ø7Ø
Esc G	Ø27	Ø71
Esc H	Ø27	Ø72

Table 3. Epson MX-80 printer command sequences; character-font and print-control functional area.

You're probably wondering what all the fuss is about; translating the command sequences from characters to decimal ASCII codes is easy. Going the other way (from decimal ASCII codes to characters) is equally easy. Try a few to see for yourself.

However, translating these command sequences into hexadecimal ASCII codes is not quite so simple, and translating hexadecimal ASCII codes into decimal and character equivalents is even less simple. Many printer manuals use hexadecimal ASCII codes in their command-sequence tables, so it's important to learn how to make these conversions. We'll do a thorough translation in each direction.

Once again the IBM Basic manual comes to the rescue, this time with Appendix H, which contains a hexadecimal conversion table. The table consists of pairs of columns containing hexadecimal values and their decimal equivalents. It's just a value translation table, much like the ASCII character-code table in Appendix G, and it's not difficult to use.

First we'll translate the decimal ASCII codes to hex. As you may know, the hexadecimal numbering system uses a base of sixteen and therefore requires sixteen digits. Hexadecimal takes its extra six digits from the first six letters of the alphabet. Thus, the number ten written in hex is A, eleven is B, twelve is C, and so on; the largest single-digit hex number is F, or fifteen. Hex digits 0 through 9 mean the same as they do in the decimal number system. If all this seems unnatural to you, don't worry; it seems that way at first to everyone who was born without sixteen fingers.

(The table on page H-1 omits a row for zero in the left column pair. Pencil one in if it makes you feel more comfortable.)

Concentrate for the moment on the first column pair of the table. It covers hex values 0 through F, or 0 through 15 in decimal notation. The first command sequence to be translated into hex is the SI character, which is decimal ASCII code 015. By inspecting the table in Appendix H, you can easily supply the hexadecimal ASCII code for SI:

ASCII Character	Decimal ASCII Code	Hexadecimal ASCII Code
SI	015	0FH

The translation is simple. Just look up decimal 15 in the first column pair of the table and translate it to F, its hex equivalent. Notice that we tacked a leading zero onto the hex ASCII code, along with an H. It's traditional to notate one-digit hexadecimal numbers with a leading zero—in other words, to write them as two-digit quantities. It's also traditional to add an H (sometimes as a subscript) or some other symbol to indicate that a number is hexadecimal, not decimal.

The DC2 character is a bit more difficult to translate than is SI. Its decimal ASCII code is 018, and all hex values greater than fifteen (0FH) require two digits, much as decimal values greater than nine do. So you have to learn to use the second column pair of the hexadecimal conversion table in conjunction with the first one.

To translate decimal 018 into hexadecimal, start by looking at the multiples of sixteen listed in the right half of the second column pair. Find the largest one that doesn't exceed 018. That's easy; the largest multiple of 16 less than 18 is 16—the first entry in the right half of column pair 2. By looking to the left of that entry, you can see that the hex equivalent of decimal 16 is 10. Now take the remainder of 18 minus

16 (which is 2), find *that* value in the right half of column-pair 1, and look to *its* left to get the hex equivalent of the remainder. The hex equivalent of decimal 2 is, of course, 2. Finally, add the hex numbers you've found in column pair 2 and column pair 1 (10H and 02H) and you've got the hex equivalent of decimal 018—12H.

Let's look at this process in a more general way. To translate a decimal ASCII code (a decimal number between 0 and 255), you start by finding out how many sixteens the decimal ASCII number contains. This gives you the first (left) digit of the two-digit hex number that you're looking for. If the number of sixteens contained in the decimal number is greater than nine, then that left digit will be one of the letters A through F. After you've found the left digit, look at what remains after your division by sixteen; the remainder will give you your right digit.

All hexadecimal ASCII codes contain only two hex digits because there is no ASCII code greater than decimal 255. If you translate 255, you'll see that its hex value is FFH. To prove this to yourself, do the division as follows:

255 / 16 = 15; remainder = 15

Both the first and second digits are F, so the hex equivalent of decimal 255 is FFH. So the top half of the hexadecimal conversion table in Appendix H is all you'll need to translate your printer's command sequences. You can use the bottom half if you should ever need to translate larger decimal numbers into hexadecimal (or vice versa) for some other purpose.

You should now have enough information to complete your translation of the MX-80's character-font and print-control command sequences into hexadecimal notation, but let's do one more translation here, just for reinforcement. The escape character is so important to printer command sequences that you'll probably memorize both its decimal and hexadecimal values before long. The decimal ASCII character code for escape is 027. To derive its hex value, divide:

027 / 16 = 1; remainder = 11

The hexadecimal digit for eleven is B, so the entire hex value for the escape character is 1BH.

Now go ahead and do the remaining decimal-to-hexadecimal translations for the MX-80's character-font and print-control functional area. When you've finished, you should have something that looks like table 4.

ASCII Character	Decimal ASCII Code		Hexadecimal ASCII Code	
SI	Ø15		ØFH	
DC2	Ø18		12H	
SO	Ø14		ØEH	
DC4	Ø2Ø		14H	
Esc E	Ø27	Ø69	1BH	45H
Esc F	Ø27	Ø7Ø	1BH	46H
Esc G	Ø27	Ø71	1BH	47H
Esc H	Ø27	Ø72	1BH	48H

Table 4. Epson MX-80 printer command sequences; character-font and print-control functional area.

announcing

THE INSIDER!

A 10 Mega-byte Internal Hard Disk Drive System . . .

Only **$995 !**

**Now Available!
Half High
Floppy Drives
Only $295**

*Expand your IBM*PC so that it performs like the PC XT for a fraction of the cost.*

Micro Design International announces a major breakthrough in peripheral technology — The Insider™! It is the only hard disk drive system to offer you 10-Megabytes of formatted capacity with complete internal installation, all for $995. Now you can expand your IBM*PC to handle heavyweight data with the same ease and efficiency as the PC XT. By equipping your PC with The Insider™ you can save up to $2,000 over the cost of a PC XT. The Insider™ is also compatible with most IBM PC look alikes, and is DOS 2.0 compatible. It's the perfect solution to your data needs and budget.

The Insider's™ engineering is far superior to any other hard disk drive system on the market. Unlike other internal drives which require an external power supply, The Insider™ uses available power. In fact, it uses only 0.9A of direct current thereby eliminating overheating, a problem which has plagued other drives. Our drive and electronics are so good that we carry a full one year warranty.

The Insider™ includes complete software with all needed utilities, complete cables, simple instructions for easy installation and is available in any of the following configurations.

MODEL

IS01 **Insider™ Winchester System w/ Multifunction Card as described above (three vacant module slots) $995.00**

IS02 **Insider™ Winchester System and Floppy Disk Controller (no vacant module slots) $1,295.00**

IS03 **Insider™ Winchester System w/RAM Memory Card that will hold up to 256K RAM (no RAM installed). (No vacant module slots) $1,295.00**

IS04 **Expansion Memory Module for Model IS03 to allow 320K additional RAM for a total of 576K (Module Only, no RAM installed) $129.00**

IS05 **Per 64K of RAM for IS03 and IS04 ..... $ 75.00**

IS06 **Multifunction Card with 6 vacant slots ..... $ 88.00**

MODULES FOR USE WITH ISO1 AND ISO6 ABOVE

IS07 **Parallel Port Module (Centronics Compatible) ..... $ 59.00**

IS08 **Serial Port Module (RS232) ..... $ 95.00**

IS09 **Clock Calendar Module w/battery $ 65.00**

IS10 **Game Adaptor Module ..... $ 55.00**

IS11 **Hard Disk Controller Module including software (requires 3 slots) $395.99**

IS12 **XT-ROM ..... $ 98.00**

To expand your PC to the performance of a PC XT at a fraction of the cost, *CALL TODAY* to order The Insider™. MasterCard and Visa are accepted; or, send check or money order to Micro Design International.

TO ORDER
CALL COLLECT 305/788-3475

Micro Design International, Inc.
Suite 375 100 Sybelia Ave.
Maitland, Florida 32751

* IBM is a trademark of the International Business Machines Corporation.

The table for your own printer will be similar to this; exactly how it looks will depend on your printer's features and the command sequences used for them.

The information you have now should see you through the translation of the Epson MX-80's printer command sequences, but it may not get you through the command sequences for your own printer. That's because many printer manuals list command sequences in hexadecimal ASCII codes. So let's now do a few translations in the other direction—from hexadecimal to decimal ASCII codes, and from there to the ASCII characters those codes represent.

If the MX-80 manual had been printed using the hex ASCII codes, our table for the general print-control functional area (from last month's table 4) would look like table 5.

Once again, we'll start with the simple one-character command sequences and then work our way up to the more complex ones. The command sequence for sounding the printer's horn is hexadecimal 07, which you can easily find in Appendix H and translate to decimal 007. That wasn't difficult. But what's the decimal value of 18H, the command sequence for clearing the MX-80's buffer? To find out, look up each digit's decimal value in the appropriate column of Appendix H, and add these values:

	Hex	Decimal
First digit	1	16
Second digit	8	8
Total	18H	24

The decimal ASCII code equivalent to 18H is 024. If you need to find the character code that's equivalent to ASCII code 024, just return to Appendix G of the Basic manual. You'll find that ASCII 024 is the CAN (cancel) control code. If you continue translating the MX-80's general print-control command sequences from hexadecimal to decimal, you'll come up with something that looks like table 6.

Hexadecimal ASCII Code	Function
07H	Sound printer horn
18H	Clear printer buffer
1BH 38H	Disable paper-out switch
1BH 39H	Enable paper-out switch

Table 5. Epson MX-80 printer command sequences; general printer-control functional area.

Hexadecimal ASCII Code	Decimal ASCII Code	ASCII Character
07H	007	BEL
18H	024	CAN
1BH 38H	027 056	Esc 8
1BH 39H	027 057	Esc 9

Table 6. Epson MX-80 printer command sequences; general print-control functional area.

Now you have all the equipment you need to finish adding printer programming language information to your printer reference card. The completed card for the MX-80 is shown in table 7 as an example. To make the card easier to use, the command sequences are printed in the

General Printer Control

Name	Function	Char	Decimal	Hexadecimal
HORN	Sound printer horn	BEL	007	07H
CLEARBF	Clear printer buffer	CAN	024	18H
XFORMOUT	Disable paper-out switch	Esc 8	027 056	1BH 38H
FORMOUT	Enable paper-out switch	Esc 9	027 057	1BH 39H

Forms Control

Name	Function	Char	Decimal	Hexadecimal
FORMFEED	Form feed	FF	012	0CH
FORMLINE	Set forms to "N" lines	Esc C	027 067	1BH 43H

Vertical Line-Feed Control

Name	Function	Char	Decimal	Hexadecimal
LINEFEED	One line feed	LF	010	0AH
VT	One vertical tab	VT	011	0BH
SETVT	Set vertical tabs at "N1,N2,,,etc."	Esc B	027 066	1BH 42H
SPC6LPI	Set line feed at 6 LPI	Esc 2	027 050	1BH 32H
SPC8LPI	Set spaces at 1/8" (8 LPI)	Esc 0	027 048	1BH 30H
SPC10LPI	Set spaces at 7/72" (10 LPI)	Esc 1	027 049	1BH 31H
SPCN72	Set line feed "N"/72"	Esc A	027 065	1BH 41H

Horizontal Head Control

Name	Function	Char	Decimal	Hexadecimal
CR	Carriage return	CR	013	0DH
HT	One horizontal tab	HT	009	09H
SETHT	Set horizontal tabs at "N1,N2,,,etc."	Esc D	027 068	1BH 44H

Character-Font and Print-Control

Name	Function	Char	Decimal	Hexadecimal
COMP	Enable compressed characters (16.5 CPI)	SI	015	0FH
XCOMP	Disable compressed characters	DC2	018	12H
WIDE	Enable wide characters (5 CPI)	SO	014	0EH
XWIDE	Disable wide characters	DC4	020	14H
EMPHIZE	Enable emphasized characters	Esc E	027 069	1BH 45H
XEMPHIZE	Disable emphasized characters	Esc F	027 070	1BH 46H
DOUBLE	Enable double-strike characters	Esc G	027 071	1BH 47H
XDOUBLE	Disable double-strike characters	Esc H	027 072	1BH 48H

Table 7. Epson MX-80 printer command sequences; functional area order (including ASCII codes).

GREAT PLAINS ACCOUNTING □ MANAGEMENT SOFTWARE

Our books simplify yours.

SPECIFICATIONS

OVERALL
Password Privacy System • Written in UCSD Pascal** • Hard Disk Oriented • Operates on Apple III, Apple IIe, IBM PC & XT, Texas Instruments and IBM Compatibles*** (Multi-user capabilities available soon.)

GENERAL LEDGER
- All entries on line entire fiscal year
- Flexibly formatted financial statements
- Comparative income statements and balance sheets

ACCOUNTS RECEIVABLE
- Up to 32,767 customers*
- Profit by customer, customer type, salesman and state
- Open item or balance forward
- Automatically posts to G/L

ACCOUNTS PAYABLE
- Up to 32,767 vendors*
- Accommodates manual or generated checks
- Automatically posts to G/L

PAYROLL
- Up to 32,767 employees*
- Up to 20 deductions per employee
- Withholding computed
- Prints W2, 941 and checks

INVENTORY
- FIFO, LIFO, standard cost, weighted moving average and serial number valuation
- 5 price levels per part
- Concise report including profit by part and line
- Point of Sale for cash and credit sales
- Part numbers up to 15 characters
- Automatically posts to A/P and A/R

*depending upon disk storage space
**TM UC Regents
***Compaq, Columbia and Corona

For small and medium-sized businesses, the Great Plains Hardisk™ Accounting Series offers unequaled flexibility and capacity to handle virtually all accounting needs.

Great Plains was designed right from the start for use on hard disk so it offers more features, larger capacity, and greater speed than competitively priced floppy-based programs. Our new Hardisk™ Accounting Series includes General Ledger, Accounts Receivable, Accounts Payable, Payroll and Inventory with Point of Sale. And our new Rapid Transfer module will allow you to transfer your Great Plains accounting data to VisiCalc,* Lotus 1-2-3** or Multiplan.***

You can find Great Plains Software at your local Computerland and other fine computer stores. Or call Great Plains at (701) 281-0550 for more details. We'll be glad to show you how the Hardisk™ Accounting Series can simplify your books—and your business.

*VisiCalc is a trademark of VisiCorp
**1-2-3 is a trademark of Lotus Development Corp.
***Multiplan is a trademark of Microsoft, Inc

GREAT PLAINS™ SOFTWARE

1701 SW 38th St., Fargo, ND 58103 (701) 281-0550

Everything You Ever Wanted From Personal Computing

Faster Easier

SOLVING PROBLEMS vs READING MANUALS

The real benefits of personal computing come from putting the hardware and software to work solving your business problems and not spending hours reading through boring and tedious operating manuals.

PERSONAL COMPUTER BECOMES PERSONAL TUTOR

With Cdex Training programs you simply insert a Cdex diskette in your computer disk drive, turn on your computer, and in an instant your personal computer becomes your personal tutor.

TRAINING FOR PERSONAL COMPUTERS:

- How to use your IBM® personal computer with PC DOS — PC or XT
- How to use your IBM® personal computer with CPM86 or Concurrent CPM86 — PC or XT
- IBM® PC communications using the IBM® PC Asynchronous Communications Program
- IBM® PC DOS 2.0
- How to use your Apple® IIe personal computer

COMPREHENSIVE TRAINING PROGRAMS

Each Cdex program contains at least three disks and many contain four disks. That's because Cdex Training programs are graphical, interactive, and comprehensive. They not only tell you how hardware and software work, but they allow you to operate it through simulations and hands-on exercises with the actual hardware and software.

REFERENCE GUIDE INCLUDED

In addition, each Cdex program comes with a Reference Guide that contains keyboard and/or command references for the pertinent hardware or software so that you can use it later to refresh your memory.

TRAINING FOR PERSONAL COMPUTER SOFTWARE:

- Advanced Training for the Lotus™ 1-2-3 Program
- The Lotus™ 1-2-3 Program
- The MULTIPLAN™ Program
- The VisiWord™ Program
- The VisiTrend™ and VisiPlot™ Program
- The TK ! Solver Program
- The MultiMate™ Program
- The VisiCalc® Program
- The WordStar™ Program
- The SuperCalc™ and SuperCalc²™ Program
- The EasyWriter™ II Program
- The dBase II® Program
- The DB Master™ Program — Version 4

TRAINING FOR PERSONAL COMPUTER ACCOUNTING SOFTWARE:

- The BPI® General Accounting Program
- The State of the Art® General Ledger System
- The Peachtree General Ledger System

TRAINING FOR BUSINESS PRODUCTIVITY USING PERSONAL COMPUTER SOFTWARE:

- "Managing Your Business Using Electronic Spreadsheets"
- "Making Business Decisions Using Electronic Spreadsheets"

These programs are for users of the Lotus™ 1-2-3 Program, MULTIPLAN™ Program, VisiCalc®, VisiCalc IV® or VisiCalc® Advanced Version Programs, or SuperCalc™ or SuperCalc²™ Programs.

COMPETITIVELY PRICED

Surprisingly, given the above comprehensiveness of design and content, Cdex Training Programs are priced competitively with other computer-based training products that claim to provide training but only provide an introduction to training.

USABLE TODAY AND TOMORROW

With Cdex Training Programs you can use them today to train yourself on those features you need today and use them tomorrow to train yourself on the advanced features you need to implement sophisticated applications.

You get everything you ever wanted from personal computing. Faster and easier.

Cdex Training Programs are available for the IBM® PC or XT and IBM compatible personal computers, and the Apple II® Plus, Apple IIe and Apple III personal computers. See how effective a Cdex Training Program can be. Ask your computer dealer for a demonstration or call

(800) 982-1213

In California call (415) 964-7600.

cdex™

Cdex Corporation
5050 El Camino Real, Los Altos, CA 94022

right-hand columns, first as characters, then as decimal ASCII codes, and finally as hexadecimal ASCII codes.

The card for your own printer may be smaller or larger than table 7 and may have a different number of functional areas, depending on your printer's features. The codes used for your printer's programming language undoubtedly will be different. Even if your printer is another Epson model, some command-sequence codes will be different, and the number of features and functional areas will not be the same.

Earlier on, we promised to show you how to translate printer command sequences into control-code format. Remember that the control-code format is defined only for the ASCII control characters (those characters with ASCII codes 1 through 31) and is rarely used in IBM PC applications. The characters are available on your PC's keyboard, however. (They are used somewhat inconsistently by PC-DOS, Basic, and other PC systems and applications.)

Converting an ASCII code to its terminal control-code equivalent involves finding the letter whose position in the alphabet corresponds to the decimal ASCII value. For example, to convert ASCII 007 to a terminal control code, look for the seventh letter of the alphabet—G. The control-code equivalent of ASCII 007 is control-G.

An abbreviated control code table looks like table 8.

Control Code	Character	ASCII Character Code
Ø01	Control-A	Ø65
Ø02	Control-B	Ø66
•	•	•
•	•	•
Ø07	Control-G	Ø71
Ø08	Control-H	Ø72
Ø09	Control-I	Ø73
Ø10	Control-J	Ø74
Ø11	Control-K	Ø76
Ø12	Control-L	Ø77
Ø13	Control-M	Ø78
•	•	•
•	•	•
Ø27	Control-[	Ø91

Table 8. ASCII control-code format.

By now you probably recognize the uses of the more common control codes, control-G through control-M. We listed the escape character, ASCII 027, to demonstrate why the control-code format is not defined for the higher codes (032 and up) and why it can be confusing. The ASCII character set defines thirty-one control codes (1 through 31), yet the alphabet has only twenty-six letters. To make the upper few control codes work, you have to borrow characters from the ASCII character set that follows the alphabet. You may not find this part so easy to remember!

To prove to yourself that the PC's keyboard understands the control-code format, hold down the control key and hit the left bracket ([). Your PC will faithfully behave just as if you had pressed the escape key. Most other control codes will appear on the screen with a caret (^) preceding the ASCII character used (^L, for example). If you use control codes in PC-DOS or in Basic, you'll find that some of them (but not all) have their normal "action" effect. For example, line feed (^J) and carriage return (^M) operate as action codes and are not displayed on the screen. The BEL code (^G), if issued in Basic, causes your speaker to beep. The form-feed control code (^L) in DOS just displays ^L; in the Basic editor, however, the form-feed control code clears the screen.

We listed the decimal ASCII codes in order to show that there's an alternative way to display, and sometimes input or use, the control-code format. If you hold down the alt key, type the decimal ASCII code on the numeric keypad (the numbers to the right of the enter key), then let up the alt key, you'll accomplish the same thing as you would if you entered the control code directly by means of the control key. You can prove this to yourself by typing alt-13 at the DOS A) prompt; alt-13 should have exactly the same effect as control-M.

Now that you have your printer's command sequences organized and tabulated, you might find it a worthwhile exercise to try printing your reference card in as small a format as your printer will allow. It'll be a chance for you to try using some of the print-compression features of your printer. If you get stuck, don't worry; you'll learn more about how to use these features in later installments of this column. ▲



BOARDS AND BUSES

by Kevin Goldstein

Xenix, Graphics Boards, and Multiplexing

There's a rumor abroad that Microsoft is planning to introduce a new version of Xenix, the company's implementation of the Unix operating system that's so well liked by program developers. This version of Unix will supposedly run on a coprocessor board that the company will simultaneously introduce with the operating system. Now here's the good part: The coprocessor board will feature the Intel 80286, the super-fast, super-high-performance bigger brother of the 8086. The introduction is reportedly being delayed both by shortages of the 80286 and by Microsoft's uncertainty over how the move might be received by IBM.

In the meantime, everyone is wondering just when DOS 3.0 will appear. That next major release of DOS is expected to be a fully multitasking system; from early indications, a multitasking system will mesh quite well with Microsoft's recently announced Windows operating environment.

As long as we're mongering rumors, here's another: You may have noticed a shortage of graphics boards of late; almost everybody seems to be out of them. The reason appears to be the imminent announcement by Big Blue of a new, improved graphics card. Said card allegedly offers twice the resolution of the current card, meaning something on the order of 640 by 400 lines. No word yet as to the number of colors available at that higher resolution, but it's a good bet that it'll equal or better the specs of the PC*jr*. It's unseemly that Junior should have better graphics capabilities than Dad, and you can bet IBM will rectify that quickly, which means you'll be able to run all those nifty games written for Junior on Senior.

Designing a higher-performance graphics card is no big deal; the trick is finding a monitor—at a reasonable price—that can support that higher resolution. Until recently, such a monitor could easily set you back $1,800 or more. The situation is starting to change, however. At Comdex last November, Princeton Graphics was showing a monitor that sported 690-by-480 resolution in sixteen colors, with each color available in two intensities.

Those interesting specs were achieved without resorting to interlace. In other words, the Princeton Graphics screen is repainted entirely every sixtieth of a second; interlacing monitors repaint only *half* the screen (every other line) each sixtieth of a second (see "Boards and Buses," August 1983). Thus the PGS monitor is capable of a text display as fine as that of IBM's highly regarded monochrome monitor. It may even be better than IBM's, since the IBM monochrome screen offers only 350 lines of resolution versus Princeton Graphics's 480. And all this will set you back only $799.

Don't rush out to get one yet, though. They won't be in the stores for another several weeks, and that may be just when IBM introduces its new board. (Princeton Graphics will also be offering a display adapter of their own, capable of taking advantage of their monitor's high resolution.)

There are other reasons to expect action on the graphics front. First is the imminent ubiquity of window-oriented operating environments. All window operating environments require bit-mapped graphics. The only way to get some word-juggling types to abandon their monochrome displays is to dangle a display of equal or better quality before their eyes; simply pasting a windowing environment onto a display whose text characters are as poor as those produced by the current graphics board won't do it. That's why it's a good bet that, whatever windowing system IBM chooses to support, it will announce a new graphics board more or less at the same time it announces that support.

Finally, there's the little item from Tandy's Radio Shack division: a low-priced, MS-DOS, 80186-based computer featuring 640-by-400 color graphics and eight colors. Can Big Blue ignore that kind of competition?

MultiMate, MultiTool, Multiplan, MultiPlex. Whoops—that's not right. Contrary to appearances, multiplex is not a new software package—it's a way of funneling multiple information sources through a single information channel. An information channel is simply a path through which information may be sent. Since our context here is computers, the channel is most likely a wire, and the information probably takes the form of bits and bytes. But an information channel could also be a hollow tube that a ship captain shouts through to tell the engine room to pour on more power.

There's a limit to the amount of information you can put through any channel. (If the captain, first officer, and a startled passenger all begin shouting through the tube at the same time to tell the engine room to do something before the ship hits that glacier off to starboard, the people in the engine room probably won't understand a thing—all they'll hear is some excited garble.) The information-carrying ability of a channel is called its *bandwidth*.

There is, of course, an obvious way that three people could use one tube to talk to someone at the other end. They could take turns. The use of the information channel would be divided in such a way that each person would have a time slot in which to communicate.

In computer terminology, dividing the use of an information channel according to time is called *time-division multiplexing*, and it's the key to understanding all the brouhaha about whether the 8088 is a sixteen-bit processor or an eight-bit processor.

Here we must digress. We'll come back to multiplexing and the 8088 in a moment.

A microprocessor is just a sliver of silicon, far too small to be manipulated easily by human hands. To make life easier for the people who have to solder all those silicon slivers onto circuit boards, the integrated circuit (chip) manufacturers mount those slivers into buglike packages with a row of metal legs (pins) sprouting from each side. Hence the moniker DIP, for *dual-in-line package*, a reference to the physical arrangement of the pins.

The pins serve two purposes: They provide a way of mechanically anchoring the DIP to a circuit board, and they provide electrical connection between the very small silicon chip and

the relatively gigantic circuit board. The pins are connected by fine wires to different points on the surface of the silicon chip, and then the whole works—chip, wires, and one end of each pin—is protected by encasement in plastic or ceramic (ceramic is better at radiating heat from the chip; plastic is cheaper). The result is an integrated circuit.

One of the more difficult, hence expensive, aspects of the integrated-circuit manufacturing process is the soldering of those fine wires to the chip. We are talking very small dimensions, and, even though the process is mostly automated, the chance that gremlins will sneak in is great. Furthermore, those pins are one end of a little communications channel that the chip uses for talking to the external world—the other integrated circuits on the circuit board. The more pins you add, the larger the whole package gets, which in turn means the circuit board must grow; that makes your PC both bigger and more expensive.

To keep both the cost and size of circuit boards under control, chip manufacturers have come up with a number of clever ways to reduce the number of pins necessary for communication with the outside world. The primo method is time-division multiplexing; different parts of the chip communicate over the same pin at different times.

A microprocessor has a lot of information to send and receive. This includes various control signals in addition to your ordinary data. But the microprocessor can't just send data out blindly—it must indicate *where* the data is to be sent.

The PC has an address space of one megabyte, which is two to the twentieth power bytes. In order for the microprocessor to specify that many unique addresses, it requires twenty lines; these lines are collectively referred to as the address bus.

A processor with sixteen-bit registers (such as your PC's 8088 or the 8088's sibling chip, the 8086) deals with data sixteen bits at a time, so add to those twenty address lines another sixteen for data and you'll find that the 8086 and 8088 need thirty-six pins for address and data alone. Add to that total a couple of additional lines for power, several for timing and control signals, plus a few other lines you'd just as soon not know about, and you'll have a chip with well over fifty pins.

Separate pins for address, data, timing, control, power, and so on, is exactly the approach taken by such high-performance chips as Motorola's 68000 microprocessor. Because the 68000 can directly address sixteen megabytes (two to the twenty-fourth power bytes), it requires twenty-four lines for the address; another sixteen lines are eaten up by the data bus, and yet another twenty-four lines are required for miscellany. Count it up and you'll have a microprocessor with sixty-four pins sticking out of it.

That is one huge package. More than one disgruntled circuit board designer has called it a battleship. ("How large is it?" the audience asks. It's soooo large, it has a tendency to do nasty things like fall out of its socket when vibrated.) It's also expensive (a chip that large needs to be packaged in the more costly ceramic material), and it takes up a lot of space on the circuit board. Furthermore, each of those pins is communicating with something, so a circuit that large implies a lot of support chips on the printed circuit board.

The 8088 isn't as large as the 68000, partly because it needs four fewer address lines. Yet, instead of making the 8088 a sixty-pin package, Intel manages to cram the whole thing into a trim forty-pin bundle. It pulls that trick by time-division multiplexing those pins it does have.

When the 8088 wants to send a word of data (sixteen bits), it first sends only the right-

most (lower) eight bits; after those bits are safely written to RAM, it sends the leftmost (upper) eight. The 68000, in contrast, just plops the whole word of data onto its sixteen-line data bus.

Now here's a surprise: The 8086, which, like the 68000, sends all sixteen bits at once, is also housed in a forty-pin package. The 8086 multiplexes all sixteen of its data pins with the lower sixteen lines of its address bus. When the 8086 needs to send a sixteen-bit word, it first sends out the address over twenty pins; then it sends out all sixteen bits of data over sixteen of those twenty pins. (During that second time slot, the other four address lines carry control signals.)

A complete data transfer in the 68000 takes only one machine cycle, with address and data all sent at once; the same transfer takes two cycles on the 8086 (address, followed by data on the same pins) and three on the 8088 (address followed by the lower byte of the data word followed by the upper byte of the data word). Both the 8086 and 8088 save quite a few pins by multiplexing the data bus on the same pins as the address bus.

Why doesn't the 8088 simply send out all sixteen data bits over the lower sixteen pins of the address bus? Because it uses the other eight pins for other signals. And what's the advantage of doing that? It saves chips; only half as many external chips are needed to support an eight-bit bus.

This may be one reason why IBM chose the 8088 over the 8086 for the PC. Another reason may be the fact that eight-bit microprocessors had been around awhile by the time the PC went on the drawing board; support chips compatible with eight-bit processors were plentiful and cheap, while sixteen-bit support chips were relatively rare and expensive. The fact that the 8088 can be configured into a minimum system of 16K, whereas the 8086 would have required at least 32K (see "Boards and Buses," September 1983, for an explanation of why this is so), may also help explain IBM's choice.

Since the 8088 deals with sixteen bits at a time internally (on the chip itself) but deals with the outside world eight bits at a time, the question arises: Is the PC an eight-bit machine or a sixteen-bitter? The answer, of course, is that it's a sixteen-bit machine with an eight-bit bus.

But that answer is long and doesn't fit neatly into ad copy. The trend seems to be toward defining a microprocessor in terms of the number of bits it handles internally; by that criterion, the 8088 is a sixteen-bit processor just like the 8086. In any case, the next time someone belittles your PC by saying it uses an eight-bit processor, you can smile wisely as you launch into a discourse on the advantages of multiplexing. ▲

ThinkTank™

YOU'LL NEVER LOSE A GOOD IDEA

EVER LOST A GOOD IDEA?

With ThinkTank it's almost impossible. Sit at the keyboard and brainstorm. When an idea comes, put it in your ThinkTank. Relax, then think some more. Another idea comes to mind, then another—but you're prepared.

Elaborate as much as you want on any particular idea. ThinkTank will store it on-screen or "collapse" it into memory off-screen. If, at a later time, you want to edit your "collapsed" information, you can simply "expand" the heading, bringing the detail back into view.

AN ENTIRELY NEW CATEGORY OF COMPUTER SOFTWARE

Idea processing—fragmented thinking, expanding, revising, deleting . . . limitless changing and updating of data; this is how the human mind conceptualizes, creates and stores its refined data.

ThinkTank, available for Apple and IBM personal computers, is a tool which you can use to capture and organize ideas. It adds to your efficiency as a thinker, and helps you refine the presentation of ideas.

YOU NEED FLEXIBILITY

Thanks to ThinkTank, personal computers from coast to coast are helping people get the most out of their ideas. ThinkTank will be your file cabinet, your daily planner, your electronic secretary . . . Flexible, accessible, and constantly updated, ThinkTank *is* the first IDEA PROCESSOR.

WHAT DO THE PROS THINK?

We didn't have to ask. They told us in glowing reviews nationwide.

INFOWORLD (July 25, 1983): "an amazing tool" . . . "your screen becomes a dynamic arena for your ideas."

SOFTALK (August 1983): "get more out of your thinking" . . . "limitless permission to change your mind."

THE NEW YORK TIMES (May 17, 1983): "ThinkTank is so easy to use, and so relatively errorproof that even a first-timer feels as if he's in control of the computer, instead of the other way around."

SCIENCE DIGEST (August, 1983): "you may well find yourself hooked."

See ThinkTank performing at SOFTCON, Booth A931.

Living Videotext Inc., 1000 Elwell Court, Palo Alto, CA 94303 (415) 964-6300

THINKTANK
The First Idea Processor

THE MOST POPULAR SOFTWARE POLL

1984, as we all know, is an election year. We at *Softalk* thought you deserved the opportunity to vote for something you really care about. Think of it as a kind of Software Olympics. It's our Second Annual Most Popular Software Poll—your chance to vote for the IBM PC programs you have grown to love in the past year.

Unlike our monthly Top Thirty, which measures retail sales, this poll gives us a chance to find out what programs you liked *after* you bought them. Perhaps you bought a bestselling program on the advice of a friend or because your dealer had it on sale or because you liked the company's ads or because *Softalk* gave it a good review, and now it's gathering dust beside your coin collection.

But what about the great game that kept you up until four in the morning trying to reach the fifth level? What about the first word processor you tried that didn't require an orientation weekend in the Poconos to learn? How about the graphics program that finally made you glad you didn't get the monochrome card? Or the educational package that helped Junior learn the multiplication tables before he took his college boards?

As an expert user, you now have a chance to let your voice be heard about which products have brought you profit, productivity, and pleasure.

1. All programs that run on the PC are eligible for votes.

2. Fill out the accompanying postage-paid ballot with up to ten choices ranked in order from your number 1 favorite to your number 10 favorite. If your ballot card is missing, write down your name, address, choices, and comments and send them anyway. Be neat. This is a weighted ballot; we'll give ten times as many points to your number 1 favorite as to your number 10.

3. Use the blank space for any comments, complimentary or derogatory, that you wish to make about the products on your list (or products you left off your list). This is an opportunity to talk back to the software industry; we'll print some of these comments in our April "Crosstalk" column.

4. Products must have been released between October 1, 1982, and December 31, 1983. The accompanying list of programs is meant to jog your memory; it's not exhaustive. Feel free to vote for items that don't appear there.

5. Send your completed ballot to Softalk for the IBM Personal Computer, Box 7040, North Hollywood, CA 91605.

6. Ballots must be received by February 29, 1984.

That last point is particularly important. We will make a presentation to the winner at the West Coast Computer Faire, March 23-25, in San Francisco. And we'll be announcing the winner in our April issue. So send us your ballot now! ▲

Adventures in Serenia
Answer
Arithmetic Games
Astro Dodge
Asynchronous Communications Support
Basic Compiler
Cdex Training for the IBM PC
Cdex Training for VisiCalc
Championship Blackjack
CompuCube
Crosstalk
Data Capture
dBase II
Deadline
Dow Jones Portfolio Evaluator
EasyFiler
EasyWriter 1.1
EasyWriter II
Everest Explorer
Executive Suite
Fact Track
Floppy Frenzy
Friday!
FriendlyWare PC Arcade
FriendlyWare PC Introductory Set
Frogger
Home Accountant Plus
IBM Cobol
IBM Pascal
The Information Manager
InfoStar
The Instructor
Kindercomp
Las Vegas Blackjack
Macro Assembler
Master Type
MBA
Microsoft Adventure
Microsoft Flight Simulator
Money Decisions
MultiMate
Multiplan
Norton Utilities
Olympic Decathlon
1-2-3
PC Man
PC Tutor
Peachtext
Personal Editor
Personal Finance Program
PFS:File
PFS:Graph
PFS:Report
PFS:Write
Pig Pen
ProKey
Smartcom II
Snack Attack II
Snooper Troops I
Snooper Troops II
Space Guardian
Speed Reader
Star Trek
SuperCalc
SuperCalc2
Suspended
Temple of Apshai
Time Manager
TK!Solver
Total Information Management
Transend II
Typing Tutor
UCSD Pascal
Versa Form
VideoGraph 88
VisiCalc
VisiDex
VisiFile
VisiTrend/VisiPlot
VisiWord
Volkswriter
Volkswriter Deluxe
WordPerfect
The Word Plus
WordPlus-PC
WordStar
Zork I
Zork II
Zork III

THE MOST POPULAR SOFT-WARE POLL

These packages or programs are my favorites, in descending order, of all those released between October 1, 1982 and December 31, 1983:

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____

Name: _____

Address: _____

City/State/Zip: _____

_____

Comments: _____

_____

This postage-paid ballot must be received before February 29, 1984. It needs no envelope.

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 673 NO. HOLLYWOOD, CA

POSTAGE WILL BE PAID BY ADDRESSEE

softalk

for the IBM Personal Computer

P.O. Box 7040
North Hollywood, California 91605

Is Your PC Speaking in Tongues?



Maybe it's trying to tell you something. Most likely it's suggesting that you get professional help.

That's us.

Quit chuckling, we're serious. All right, so we don't wear shoes around the office. And maybe we do look a little offbeat at computer shows. That doesn't mean we don't know what we're talking about.

All that goes double for Craig Stinson. When it comes to shoeless meanderings and PC decipherment, he wrote the book.

If you just got your hands on a PC, odds are that there is or should be a copy of The Inevitable Beginner's Manual in your future. The reason is simple: This is simply the best introduction to the PC in this or any parallel universe. No kidding.

This book is a compilation of Stinson's infamous "Beginners' Corner" columns in *Softalk for the IBM Personal Computer*, added to and otherwise augmented to produce an easy-to-read, comprehensive guide to your PC.

Imagine yourself on a moonlit evening communing in perfect harmony with your PC. Kind of chokes you up just thinking about it. IBM bliss. 136 pages. Only $9.95.

Please send your order to:

Softalk Books, Box 60-BD/E, North Hollywood, CA 91603

Please enclose $1.50 postage and handling for each book ordered.
California residents please add 6 1/2 percent sales tax.

PCnetPLUS™ Diskless Board from ORCHID

Go with Floppyless PCs

Integrating the leading low cost network, PCnet™ with on-board firmware

Imagine the savings of not having floppy drives, a floppy controller and expensive diskettes at your IBM PCs and compatibles while still maintaining full PC capability. Only Orchid's PCnetPLUS Diskless provides the savings and the many benefits of a floppyless system.

BENEFITS OF A FLOPPYLESS PCnet SYSTEM:

- **Ease of Operation**—Automatic booting from the PCnet Server, the hard disk unit of the network (i.e. IBM-XT).
- **Increased Security**—Eliminates the loss of proprietary data and software through the absence of local floppies.
- **Increased Efficiency**—Elimination of floppy clutter and related diskette maintenance.
- **Significant Savings**—The elimination of diskettes, floppy disk drives and their controller more than offsets the cost of a PCnetPLUS Diskless adapter card.



ORCHID

ORCHID TECHNOLOGY, INC.
47790 Westinghouse Drive
Fremont, CA 94539
(415) 490-8586 Telex: 709289

AND...PCnetPLUS Diskless includes all the features of PCnet, the leading low cost Local Area Network for IBM-XT/PC and compatibles. Diskless capability is also available on Orchid's PCnetPlus Multifunction Board.



THE C SPOT

by Rex Jaeschke

Like most traditional programming languages, C has several different methods of implementing conditional and unconditional branching and looping. This month we'll look at several of these methods and comment on their use.

The *while* Construct. A while loop consists of a condition and a body. While the condition is true (nonzero), the body is performed. Let's look at a simple example.

```
/*--while.c The while construct--*/
main ()
{
    int counter;

    printf ("i\ti*i\n");      /* print headers */
    printf ("----------\n");
    counter = 1;              /* initialize loop control variable */
    while (counter <= 10) {   /* test loop control variable */
      printf ("%d\t%d\n", counter, counter * counter);
      ++counter;              /* increment loop control variable */
    }
    printf ("----------\n");  /* print footer */
    return;
}
```

The program produces this output:

```
i          i*i
----------
1          1
2          4
3          9
4          16
5          25
6          36
7          49
8          64
9          81
10         100
----------
```

The first *printf* call produces the headings *i* and *i***i* separated by a tab; the second *printf* call underlines them. The integer variable *counter* is used as the loop control variable and is initialized with a value of 1.

The condition in parentheses, *(counter <= 10)*, is tested. If the condition is true, the body of the loop (the statements enclosed by the inner pair of braces) is executed and the condition is tested again. When the condition becomes false (condition = 0)—in this case when counter is greater than ten—the loop ends and execution continues at the statement following the end of the loop. If no statement follows the loop, the function is finished. If the condition is initially false, the loop is never executed. This means that the program will behave rationally, regardless of the initial value of the control condition.

The body of the loop may be a single or compound statement.

A compound statement (also called a block) is a group of declarations, statements, or both, delimited by { and } that is treated syntactically as a single statement. Each function must contain at least one compound statement. A compound statement may contain other compound statements.

One common programming error is the omission of the braces from a compound statement. Consider the following example:

```
function ()
{
        while (condition)
                statement 1
                statement 2
        statement 3
}
```

Judging by the indented format, it appears that the programmer intends both *statement 1* and *statement 2* to be included in the loop body. However, as no braces exist to define a compound statement, the body is considered to be only *statement 1*. *Statement 2* (like *statement 3*) is executed regardless of the condition evaluation—and then only after the loop has been terminated or skipped.

Be careful in situations when your loop body originally has only one statement and you add other statements to it later; it's particularly easy to forget the braces under these circumstances. Beware in general of hasty code modifications and enhancements; they're difficult to debug, particularly in cases such as the example just shown, where the code "lines up" and looks correct at a passing glance. Cobol programmers no doubt have experienced this problem when they misplaced end-of-sentence periods.

To force the loop body to include both statements, the code should read

```
function ()
{
    while (condition) {
            statement 1
            statement 2
    }
    statement 3
}
```

While Loops and Other Matters

The condition expression may include such obvious operators as >, >=, and <= as well as two less obvious ones, != and ==. Note the unusual form !=, which means "not equal to."

Equality is tested using ==, which is different from the assignment operator, =. Some programmers find this distinction useful because equality testing and assignment are quite different operations. A similar distinction is made in Pascal; in that language := is the assignment operator and = tests for equality. This approach to language definition reduces ambiguity and makes the writing of syntax checkers considerably easier.

A special condition to note is *while (1)*. As *1* is a nonzero value and therefore means "true," the *while (1)* loop is infinite and must be terminated via the break or return statements or by some other mechanism.

In our *while.c* example, each time the body of the loop is executed, the values of *counter* and *counter* squared are printed on the same line separated by a tab. Notice that expressions, such as *counter * counter*, may be used as function arguments. In fact, C allows a compound expression, a variable, or a constant to appear in assignment statements and function calls, provided they reduce to values of the expected data type.

Unary Operators. The unary increment operator ++ is a common and succinct notation used throughout C. *++counter;* and *counter++;* are both equivalent to *counter = counter + 1;*. The ++ increment operator may be used as either a variable prefix or a variable suffix. In this example, the increment operator has the same effect, whether it's put before or after the variable name.

This is not always the case, however. If *a* and *b* are integers, then *a = b++;* and *a = ++b;* give different values to *a*. In the first case, *a* is set to *b* and then *b* is incremented by 1. In the second, *b* is incremented, and then its new value is assigned to *a*.

++i may not be written as + + *i;*. However, ++ *i* and *i* ++ are legal. The unary operator includes both + symbols.

There is an equivalent unary decrement operator, --.

It is tempting to consider ++ and -- as operators that increment and decrement by 1. Although this is the case when these operators are applied to integer variables, ++ and -- have a much more powerful role when used with pointers—as you'll see in future installments.

Return. The *return* statement causes control to return to the calling function. A return from function *main* terminates a program. The *return* statement has the same effect as the last brace in a function. In the example given above, the *return;* is superfluous.

Note the way that the brace pairs line up to make the logic flow more obvious. This format, the one recommended by Kernighan and Ritchie, greatly improves program readability.

Incrementing and Decrementing Variables. Last month you learned that C allows the programmer to get quite close to the host machine architecture and instruction set, particularly in the generation of efficient machine code. To see an example of this intimacy, let's look at several ways to increment a variable and the 8086/8088 code generated by one commercial C compiler for each example. The following discussion applies equally to variable decrementing.

```
main ()
{
                    /* 0000 55          PUSH BP */
                    /* 0001 8BEC        MOV BP,SP */
        int i;
                    /* 0003 83EC02      SUB SP,2 */
        ++i;
                    /* 0006 FF46FE      INC WORD [BP-2]
                                        */
        i++;
                    /* 0009 FF46FE      INC WORD [BP-2]
                                        */
        i = i + 1;
                    /* 000C 8B46FE      MOV AX,WORD
                                        [BP-2] */
                    /* 000F 050100      ADD AX,1 */
                    /* 0012 8946FE      MOV WORD [BP-
                                        2],AX */
        i += 1;
                    /* 0015 8346FE01    ADD WORD [BP-
}                                       2],1 */
                    /* 0019 8BE5        MOV SP,BP */
                    /* 001B 5D          POP BP */
                    /* 001C C3          RET */
```

++i and *i++* generate the same three bytes of code and directly use the increment instruction. *i = i + 1;*, however, generates nine bytes of code, involving two MOVs and one ADD. Programmers concerned with speed will appreciate the obvious advantage of the ++ operator. In fact, you can replace *i = i + 2;* and *i = i + 3;* with two or three occurrences of *++i;* and still come out ahead in terms of speed.

Bit-and-byte enthusiasts working on an 8088 system know that that processor has only a four-byte instruction object code queue, compared with the 8086's six bytes. This means that fetching a six-byte instruction sequence requires eight extra clock cycles for the fifth and sixth bytes. Also, the 8088's eight-bit bus requires two bus cycles to fetch sixteen bits of data.

Moving along in our list of ways to increment a variable, we come to the expression *i += 1;*. This is an abbreviated form of *i = i + 1;*, except it generates only four bytes of machine code instead of nine. *i += n* can be used for any value of *n*. For cases where *n* is greater than

EASY to USE "VISUAL SHELL" for DOS

the 1dir

"The Wonder"

DIRECTORY COMMAND SYSTEM
for the IBM PC & XT
for NEW and
EXPERIENCED USERS

—NEW—
MORE POWERFUL
VERSION 2.00

CUSTOMIZE YOUR SYSTEM!

COMMAND EXECUTION and FILE MANAGEMENT MADE EASY!

A MUST FOR HARD DISK SYSTEMS

Licensed by more Hard Disk Manufacturers than any other "Visual Shell."



FUNCTIONAL FEATURES

- CURSOR DRIVEN Command System
- MULTIPLE FILE Operations
- UNIQUE "1 Line" BATCH COMMAND
- DISPLAYS System STATISTICS or FILE DATEs
- EASY SCANNING of any DIRECTORY
- "ALPHA SEARCH" File Location
- SORT/DISPLAY Files by NAME, EXTension, SIZE or DATE
- AUTOMATIC REDISPLAY after command execution
- DISPLAYS DOS 2.00 TREE FILE Directories
- FAST, EASY Access to Sub-Directories
- USER DEFINEABLE COMMAND MENU Options
- USER DEFINEABLE "INSTALL" Options
- WILD CARD DIRECTORY Feature
- SCREEN SAVER Feature
- HELP SYSTEM for DOS Commands
- FAST OPERATION — Written in Assembly Language
- COMPATIBLE with the COMPAQ, CORONA, COLUMBIA, TOSHIBA . . .

REQUIRES DOS 1.10, 2.00 or 2.10, 64K (96K recommended), and 1 disk drive.

1dir replaces the DOS prompt with an interactive command system that eliminates the need to type commands and filenames on the command line. File loading and program execution are implemented by positioning ***1dir***'s FILE and COMMAND CURSORS and pressing the <ENTER> key. ***1dir*** deals with DOS for you, enabling you to concentrate on your applications.

Here's what the critics say . . .

PC Tech Journal - 11/83
*"**1dir** performs flawlessly . . ."*

Software Retailing Magazine - 9/83
". . . a clever solution to using PC DOS without having to remember all the commands."

Softalk for the PC - 9/83
"Especially useful to initiates of the computer community . . . Painless"

Peter Norton - 10/83
"An attractive product, well engineered and the BEST I've seen so far."

Suggested Retail
$95.00
+ $3.50 Shipping

by Bourbaki Inc.™

P.O. Box 2867, Boise, ID 83701, (208) 342-5849

1, this form is more efficient than ++*i*; repeated *n* times.

Other compound assignment operators include −=, *=, and /=.

We'll see another advantage of using ++ and −− later, when we deal with structures. When using structures it is useful to refer to a "variable" by its full structure pathname, such as *employee.special.sickdays*. In this case, incrementing the number of sick days that an employee has used requires either

```
employee.special.sickdays = employee.special.sickdays + 1;
```

or

```
++employee.special.sickdays;
```

or

```
employee.special.sickdays++;
```

or

```
employee.special.sickdays += 1;
```

Which would you rather type or read? The first alternative is the hardest to type, is most error prone, and generates the most code. Choosing one of the other three is largely a matter of personal preference.

Increment and decrement operators may be used in statements such as

```
printf ("%d %d %d\n", a++, ++b, c--);.
```

Using this knowledge, you might be tempted to use something like

```
printf ("%d\t%d\n", counter, counter * counter++);
```

in the *while.c* example given previously and thereby eliminate the need for a separate increment statement. Although this may produce the correct result on one machine, it may not on others. C, like most other languages, gives no guarantee about the evaluation order of multiple arguments in a function call. The arguments might be evaluated as *counter, counter++ * counter* or as *counter++, counter * counter*. The two are quite different.

Symbolic Constants and Character I/O. Let's look at a simple yet powerful utility that uses the construct just discussed.

```
/* --- copy1.c Copying input to output, symbolic constants --- */
#define EOF -1
main ()
{
   int c;
   while ((c = getchar ()) != EOF)
         putchar (c);
}
```

getchar and *putchar* are functions provided by the compiler vendor in its C runtime library. They are *not* part of the C language. *getchar* gets a character from standard input and *putchar* writes a character to standard output.

This program copies characters from standard input to standard output until end-of-file (EOF) is reached. Unfortunately, several different conventions are used to represent the EOF marker (−1 being one of them), so if you want your routine to be portable, don't test EOF against a specific value. In this example, we compare *c* with *EOF*, a symbolic constant that we define at the start of the program. Symbolic constants are particularly useful when they're referenced several times in a source file. They also help document obscure constant values.

Symbolic constants are handled by the C preprocessor, which replaces each of their references in the source file with the appropriate defined value. Thus the *EOF* in the *while* statement is replaced with the character string −1 before the input line is passed to the compiler.

Other examples of symbolic constants are *#define PI 3.1415926* and *#define LINEFEED 10*. Such constants can be used to replace almost any text string in a C program. Symbolic constants have the same naming conventions as do variables, but they're conventionally written in uppercase letters.

The character that's read is stored in variable *c*, which is defined as an integer rather than as type char. The reason for this type definition is that all character bit patterns may be valid characters in a character set, so some mechanism is needed to detect a noncharacter value, such as EOF. As each character is read, it is compared with *EOF* and if *c != EOF*, the character is sent to standard output; the process continues until *EOF* is found.

Notice that the while condition expression contains an assignment. This is a valid practice in C. Such expressions are evaluated left to right according to operator precedence and, as *!=* has higher precedence than =, the parentheses around *c = getchar()* are mandatory; without them, the expression would be evaluated as *(c = (getchar () != EOF))*, where *c* would always be set to 0 or 1 (false or true) instead of to the value of the input character.

This may seem a trivial routine, but Unix and MS-DOS/PC-DOS 2.0 systems allow redirection of standard input and standard output at the system level. If such redirection is done, then *copy1.c* becomes an amazingly simple general-purpose device-independent file-copy utility.

One caution: the version of *getchar* that you use may be sensitive to certain characters other than EOF. Control-C on input may be interpreted as an abort signal. Therefore, copying a binary file that contains bytes with the control-C bit pattern may cause the copy to terminate prematurely. *printf* can achieve the same result as *putchar*; use *printf ("%c",c);* instead of *putchar (c);*.

We've seen an example of the use of symbolic constants. Although they remove dependencies from the source code statements above, the dependency still exists in the source code file in the *#define* directive itself. If a program has several source code modules that each contain references to *EOF*, each file must be changed if the program is to be ported to a system where the EOF marker has a representation other than −1. To avoid this problem, you can use the *#include* preprocessor directive, as shown in the following example:

```
/* --- copy1.c symbolic constant EOF defined in external header file --- */
#include "DEF.H"
main ()
{
   int c;
   while ((c = getchar ()) != EOF)
         putchar (c);
}
```

#defines occurring in multiple source code files in a program can be grouped together in a single file—such as DEF.H. A file of this kind is referred to as a header file and usually has a file type of H. Many compiler kits include header files such as STDIO.H, which contains common standard I/O definitions. Header files may contain any valid C source code statement or definition. Their contents are "included" into other source code files at compile time. As far as the compiler is concerned, the contents of the include file are part of the input source file.

Moving common symbolic definitions to a header file reduces the need to modify source files when programs are ported to different environments. Any changes required need be made only to the header files, with these changes being implemented when the source files are recompiled.

We'll introduce other preprocessor directives in future installments of this column. ▲

Would you like to get in the picture?

. . . then join the FLEET!

FEATURES OF STAR FLEET I
The War Begins

- Full color battle animation
- Enemy tactical and strategic movement
- Thirteen starship systems simulated
- More than 20 commands available
- Sophisticated weapons auto-fire
- Damage control for repairing systems
- Tractor beam, transporters and space marines for capturing and towing enemy vessels
- Internal security to protect vital systems and deal with enemy intruders
- Selection of 36 starships for command
- Four independent defensive shields
- Sound can be toggled on/off
- Comprehensive **Officer's Manual**
- Quick Reference Card
- Much, much more ... !!!

STAR FLEET I - *The War Begins*, is the first in a series of advanced strategic programs designed with the **FLEET** concept. You will become an officer of **STAR FLEET**, and compete with friends to progress from a rookie cadet in the Academy to the illustrious rank of Admiral. You will be given more challenging missions as your abilities develop, and bestowed with decorations and awards for outstanding performances along the way. Promotions and awards are stored in your service record on your playing diskette for view by all.

STAR FLEET I is currently available for the IBM* PC or equivalent with at least 96K RAM, one disk drive, DOS, BASICA and an 80-column display with either the monochrome or color/graphics adapter.

STAR FLEET games combine color, animation, and music with high level strategy in an exciting, mind-stimulating package. The spiraling levels of play, exacting attention to detail and thorough documentation (the **STAR FLEET I Officer's Manual** contains over 100 pages) ensures **FLEET** members years of glorious battles.

CYGNUS
the bright new star in software

presents

STAR FLEET I™

THE WAR BEGINS!™

You have completed your training at the Academy. Now is the time to see if those long hours in the simulator pay off as you accept command of one of the most powerful fighting vessels in the known universe--the Invincible Class heavy cruiser. Your mission: defend the outer regions of the United Galactic Alliance against attack by hordes of ruthless Krellans and Zaldrons. You engage main engines and enter hyperspace confident of success. However, you arrive in the Deneb IV region to suddenly find yourself greatly outnumbered ...

CAPTAIN'S LOG, U.G.A.S. *ATLANTIS*

Date 5106.2: *We emerged from hyperspace surrounded by four Krellan destroyers. GENERAL QUARTERS! We immediately engaged battle and fired off five torpedoes.*

Date 5106.3: *We destroyed two Krellan vessels and disabled a third, but a Zaldron warship arrived. We are laying mines since their invisibility screen makes our sensors useless.*

Date 5106.6: *Sensors indicate a large explosion. The Zaldron has struck a mine! Our tractor beam has the disabled Krellan ship in tow and our space marines are being transported aboard to effect capture.*

Date 5107.0: *Our boarding party was repulsed with heavy casualties. INTRUDER ALERT! The Krellans retaliated by beaming a saboteur aboard. An explosion on Deck 7 damaged our primary life support system. Have initiated a search and put Deck 7 on max security.*

Date 5107.6: *Krellan vessel finally captured by the marines and prisoners were taken. Received top priority orders to rescue Starbase 3 which is under attack by a Krellan fleet. Crew at battle stations--engaging hyperdrive.*

Date 5107.9: *COLLISION! Course intercepted by Krellan. POINT BLANK HIT! Have lost shield 1 and suffered massive damage and casualties. Engineering reports our backup life support system is failing. Cannot survive another attack or reach starbase! We must escape ... but HOW?!*

Membership in the **FLEET** is available for only $49.95, suggested retail price, at your computer software store, or send check or money order, plus $2.00 for postage and handling, to: **CYGNUS, STAR FLEET I**, P.O. Box 57825, Webster, Texas. 77598 Tel: (713)486-4163 Dealer inquiries welcome.

*Registered trademark of International Business Machines Corporation

BEHIND THE SCENES...

THE MAKING OF A TOOLBOX PROGRAM

BY JOHN SOCHA

A number of readers have reported problems using Scrnsave, the utility presented in December under this banner, in conjunction with Hayes Microcomputer Products's Smartcom II. Readers noticed that exactly three minutes after Smartcom started running, their screens went out and never came back.

Unfortunately, Smartcom bypasses the ROM BIOS keyboard routines, so there's no way Scrnsave can work with it. The solution is to disable Scrnsave before you run Smartcom. Scrnsave, as presented in December, isn't disable-able, so for now, at least, you'll need to reboot before running Smartcom II.

Backstage Tour. All the articles in this series have included a Basic program that builds a machine-language program. The present article, no exception, creates a .com file utility by means of a Basic program; but our focus this time will be on the Basic program itself—how the right numbers get into the program's *data* statements and how the program checks to make sure you don't enter *data* statements incorrectly.

To assist us in our work, we'll create another Basic program, called Makedata.bas. This program converts a .com file into a list of Basic *data* statements. Once created, this list can be fed to our second program, Writecom.bas, which does the building of the .com file.

From now on, all programs in this series will be built from the same Basic program—Writecom.bas. Only the *data* statements will change. So you can type in Writecom.bas just once and then change the data for each new article.

Let's start by taking a look inside a .com file. To do this, we'll use a program on your DOS disk called Debug.com. Debug offers a variety of services, including the ability to examine files byte by byte. For demonstration purposes, we'll use Debug to look at the first part of itself—that is, we'll examine the file Debug.com by means of Debug.com.

Start by inserting your DOS disk (or a copy of it) in drive A and typing *debug debug.com* (in caps or lowercase—it doesn't matter). In response to Debug's hyphen prompt, type *d* (for dump) and hit enter. Debug will respond with a display that may or may not look exactly like figure 1.

Why might it not look like figure 1? Because Debug has evolved from its first appearance in DOS 1.0 to the current DOS 2.0 version. Figure 1 shows a dump of the first part of the DOS 2.0 Debug, so if you're using a version of DOS before 2.0, you'll see a different dump. And even if you are working in DOS 2.0, the numbers to the left of the colons in figure 1 may differ from the numbers to the left of the colons in your display. Those numbers indicate the location of the memory segment in which Debug is reading, and that location depends on the amount of memory you have in your machine.

A dump, incidentally, is just a display of the contents of a file. In response to your *d*

```
A>DEBUG DEBUG.COM
-D
0E96:0100  B4 30 CD 21 B6 E0 3D 00-02 73 09 BA 77 2B B4 09   40M!.`=..s.:w+4.
0E96:0110  CD 21 CD 20 B4 51 CD 21-89 1E 5D 2B 8C E2 2A A2   M!M 4QM!..J+<b*"
0E96:0120  E9 2C B4 52 CD 21 8C C8-BE D8 8E C0 E8 0A 01 B0   i,4RM!.H.X.@h..0
0E96:0130  23 BA 70 02 CD 21 BC CA-BB 17 2F D1 EB D1 E8 D1   #:p.M!.JB./QhQhQ
0E96:0140  E8 D1 EB 03 D0 B4 26 CD-21 8B C2 BF F2 2A FC AB   hQh.P4&M!.B?r*¦+
0E96:0150  AB AB A8 A3 F8 2C A3 EC-2C A3 FA 2C BB 00 01 A3   +++¤p,¶l,¤z,B..¶
0E96:0160  EE 2C A3 EA 2C A3 F8 2C-BE DA BE C2 BA 80 00 B4   n,¶j,¤x,,Z.B:..4
0E96:0170  1A CD 21 A1 06 00 8B D8-3D F0 FF 0E 1F 73 0E A1   .M!'...X=p...s.¡
-Q

A>
```

Figure 1.

With 3M diskettes, your computer never forgets.

3M diskettes remember everything, every time. Because at 3M, reliability is built into every diskette. We've been in the computer media business for over 30 years. And we've never settled in. We're constantly improving and perfecting our product line, from computer tape and data cartridges to floppy disks.

3M diskettes are made at 3M. That way, we have complete control over the entire manufacturing process. And you can have complete confidence in the reliability of every 3M diskette you buy.

Look in the Yellow Pages under Computer Supplies and Parts for the 3M distributor nearest you. In Canada, write 3M Canada, Inc., London, Ontario. If it's worth remembering, it's worth 3M diskettes.

3M hears you...

3M

command, Debug has shown you, in hexadecimal numbers and their ASCII equivalents, the first 128 bytes of the file Debug.com.

To convert this dump into Basic *data* statements we could translate each number from hexadecimal into decimal, but that wouldn't be much fun. Even if we wrote a Basic program to do this conversion, we'd still have a lot of work to do. Fortunately, there are better ways.

Supporting Actor. Debug is designed specifically to read files (as well as to do a great many other useful things), but Basic, with just a little bit of programming, can be made to do the job just as well. In fact, it can be made to do more, as you'll soon see.

Here's a simple Basic program that reads and displays the beginning of Debug.com:

```
100 OPEN "debug.com" AS #1 LEN=1
110 FIELD #1,1 AS BYTE.$
120 FOR A.% = 1 TO 8
130   FOR B.% = 1 TO 16
140     GET #1
150     PRINT USING "\ \";HEX$(ASC(BYTE.$));
160   NEXT B.%
170   PRINT
180 NEXT A.%
190 END
```

The output of this program should look just like what you got from Debug, except that single-digit hex numbers will appear without the leading zero and you won't see the ASCII representation to the right of the hex numbers. So now we know that Basic can read and display the same information Debug can. Why should we print the numbers in hex? No reason; we did it here only to verify that Basic can give us the same numbers we found with Debug.

To change Basic's display to decimal notation, change line 150 to read:

```
150 PRINT USING "#####";ASC(BYTE.$);
```

Now we're getting closer to Makedata.bas, our program that reads a .com file and creates a list of *data* statements for Writecom.bas.

A Star Is Born. Before we look at the listing for Makedata.bas, let's examine its output. Figure 2 shows some of the output from Makedata for Debug.com. The output for Debug.com is much larger than what's shown in figure 2, but we don't need to see all of it. For the moment what interests us is the way in which the *data* statements in figure 2 are grouped.

The first group of *data* statements starts at line 1010. These numbers are nothing more than the machine code for Debug.com. Each number in this section represents one byte of machine code. The number of data lines appearing in this group depends on the length of your .com file. A .com program with only eight bytes would use just one line of data, while a program 300 bytes long would use (300 + 7) mod 8, or thirty-eight, lines of data, with the last line containing only four numbers. (The first thirty-seven lines will be full, and since each full line has eight numbers these first thirty-seven account for 296 (37*8) bytes of data; the remaining four bytes will appear in the thirty-eighth line.)

```
1010 DATA   180,   48,   205,   33,   134,   224,   61,   0
1020 DATA   2,     115,  9,     186,  119,   43,    180,  9
1030 DATA   205,   33,   205,   32,   180,   81,    205,  33
1040 DATA   137,   30,   93,    43,   188,   226,   42,   162
1050 DATA   233,   44,   180,   82,   205,   33,    140,  200
1060 DATA   142,   216,  142,   192,  232,   10,    1,    176
1070 DATA   35,    186,  112,   2,    205,   33,    140,  202
                        •
                        •
                        •
10000 '
10010 DATA  51,    35,   8,     55,   139,   75,    65,   81
10020 DATA  93,    88,   155,   67,   208,   150,   2,    255
10030 DATA  180,   239,  -106,   113,  89,    240,   90,   40
                        •
                        •
                        •
1000 DATA   11023,  691,  "debug.com"
```

Figure 2.

The next group, starting at line 10010, contains error-checking information. Each of these numbers is a *checksum* for one line in the group starting at line 1010.

A checksum is a number used to validate the data in one line. In this program, the checksum for each line is the *exclusive or (XOR)* of all the numbers in that line. (If you're not familiar with the concept of exclusive or, you might enjoy reading the IBM Basic manual, pages 3-25 to 3-28; there you'll find an explanation of the various logical operators available in IBM Basic—including *XOR*.)

For example, the checksum for line 1010 is

```
180 XOR 48 XOR 205 XOR 33 XOR 134 XOR 224 XOR 61 XOR 0
= 51
```

The result of all these XORs, 51, appears as the first number in line 10010. Writecom.bas will use the values in the *data* statements starting at line 10010 to check for errors in your list of *data* statements starting at 1010.

Finally we have the last data group, which is the single line 1000. The two numbers and one string in this line will tell Writecom.bas what to expect in the data starting at line 1010.

The first number in line 1000, 11023, is the number of data items in the first group, the group that starts at line 1010; the second number is a checksum for *all* the data, line 1000 excepted. Writecom.bas will use this last number to check the second group of data; but this works correctly only when all the lines in the first group (the one starting at line 1010) are correct. Finally, the string ("debug.com") is the name of the .com file Writecom.bas will create.

Filling the Silence. Some programs, such as Kbd_fix.com ("Socha's Toolbox," November 1983), have large areas of zeros. Rather than filling line after line with zeros, Makedata uses two numbers to represent an entire block of zeros. Wherever you see a −1 in the data, the following number tells Writecom how many zeros to write in one block. So if you have a program that's 700 bytes long, with one block of 200 zeros, the *data* statements at 1010 will have only 502 numbers rather than 700.

You can examine the details of Makedata.bas in figure 3.

The Lead Role. Writecom.bas, shown in figure 4, is the program you'll use from now on to generate all the .com files presented in this series. You can try it out in a moment—on the data for Cls.com, a short program that clears the screen. But first, let's take a quick look at Writecom.

Writecom.bas isn't as easy to read as Makedata.com, because it's optimized to be short and fast, not elegant. There's one new piece added here. Writecom.bas reads *data* statements as a read number. If you happen to leave out a comma when you're entering data, Writecom will ignore the intervening spaces; that is, it will read 128 65 as 12865. The result of such an error may be a number too large to be a one-byte integer. If Writecom sees a number larger than 255 (the maximum for one byte), it knows a comma may be missing.

Encore. Figure 5 contains the data for a short program, called Cls.com, that clears the screen from DOS. This should prove handy to those of you who are working in DOS 1.1 (DOS 2.0 includes an internal command called *cls*). To build Cls.com, enter the statements shown in figure 5 into the file Cls.bas, then, from Basic, type the following

```
LOAD "CLS"
MERGE "WRITECOM"
SAVE "CLS.BAS",A
RUN
```

You'll now have Cls.com on your disk. Give it a try by typing *cls* after the DOS prompt.

For reference, the assembly listing of Cls.com is shown in figure 6.►

```
100 GOSUB 1000                          'Initialize variables, etc.
110 GOSUB 2000                          'Get name of input and output files
120 GOSUB 3000                          'Open files for input and output
130 CHECK.SUM.% = 0
140 PRINT "Writing";
150 GOSUB 4000                          'Generate the data for program
160 GOSUB 5000                          'Write data for checksum
170 NUM.DATA.% = 0 : DATA.BASE.% = 1000
180 NUM.% = LENGTH.%                    'Output number of bytes
190 GOSUB 6000                          'Write the number of bytes
200 NUM.% = CHECK.SUM.%                 'Write the checksum
210 GOSUB 6000
220 PRINT#2, ",";CHR$(9);CHR$(34);COM.FILE.$;CHR$(34)
230 END
1000 '-----------------------------------------------------------------------
1010 ' This subroutine is just for initializing variables, etc.
1020 '-----------------------------------------------------------------------
1030 TRUE.% = -1                        'Set the two Boolean values
1040 FALSE.% = 0
1050 RETURN
2000 '-----------------------------------------------------------------------
2010 ' This subroutine gets the names for the input and output files.
2020 '          COM.FILE.$             Name of the '.com' file to read
2030 '          DATA.FILE.$            Where Makedata writes the data
2040 '-----------------------------------------------------------------------
2050 INPUT "Name of com file (without extension)";COM.FILE.$
2060 DATA.FILE.$ = COM.FILE.$ + ".bas"  'Build name for Basic data statements
2070 COM.FILE.$ = COM.FILE.$ + ".com"   'Build name for '.com' file
2080 RETURN
3000 '-----------------------------------------------------------------------
3010 ' This subroutine opens the two files and sets some variables
3020 '          LENGTH.%               The number of bytes in the '.com' file
3030 '          #1                     file number of COM.FILE.$
3040 '          #2                     file number of DATA.FILE.$
3050 '-----------------------------------------------------------------------
3060 OPEN COM.FILE.$ AS #1 LEN=1
3070 LENGTH.% = LOF(1)                  'Get number of bytes in '.com' file
3080 PRINT "Length = ";LENGTH.%
3090 DIM CHECK.%(LENGTH.%)              'Reserve room for checksums
3100 OPEN DATA.FILE.$ FOR OUTPUT AS #2
3110 FIELD #1,1 AS BYTE.$
3120 RETURN
4000 '-----------------------------------------------------------------------
4010 ' This subroutine writes the data statements for each byte in the
4020 ' '.com' file.
4030 '-----------------------------------------------------------------------
4040 NUM.BYTES.% = 0 : NUM.DATA.% = 0 : DO.CHECK.% = TRUE.%
4050 DATA.BASE.% = 1010                 'Start data statements at 1010
4060 WHILE NUM.BYTES.% < LENGTH.%
4070     GET #1                         'Read the next byte
4080     NUM.BYTES.% = NUM.BYTES.% + 1
4090     ZERO.COUNT.% = 0
4100     WHILE (ASC(BYTE.$) = 0) AND (NUM.BYTES.% < LENGTH.%)
4110         ZERO.COUNT.% = ZERO.COUNT.% + 1
4120         GET #1
4130         NUM.BYTES.% = NUM.BYTES.% + 1
4140     WEND
4150     IF ZERO.COUNT.% = 1 THEN NUM.% = 0 : GOSUB 6000
4160     IF ZERO.COUNT.% > 1 THEN IF.COND.% = TRUE.% ELSE IF.COND.% = FALSE.%
4170         WHILE IF.COND.%
4180             NUM.% = -1             'Signal "repeat count for 0s follows"
4190             GOSUB 6000
4200             NUM.% = ZERO.COUNT.%   'Write the repeat count
4210             GOSUB 6000
4220             IF.COND.% = FALSE.%
4230         WEND
4240     NUM.% = ASC(BYTE.$)            'Now write the next byte
4250     GOSUB 6000
4260 WEND
4270 RETURN
5000 '-----------------------------------------------------------------------
5010 ' This subroutine writes the checksum data for each line of data
5020 ' statements.
5030 '-----------------------------------------------------------------------
5040 PRINT#2, "" : PRINT#2, 10000""     'Leave a blank line at the start
5050 DO.CHECK.% = FALSE.% : CHECK.SUM.% = 0
5060 LENGTH.% = NUM.DATA.%              'Number of data items written
5070 NUM.CHECK.% = (NUM.DATA.% + 7) \ 8
5080 NUM.DATA.% = 0 : DATA.BASE.% = 10010
5090 FOR I.% = 1 TO NUM.CHECK.%
5100     NUM.% = CHECK.%(I.%)
5110     CHECK.SUM.% = CHECK.SUM.% XOR NUM.%
5120     GOSUB 6000
5130 NEXT I.%
5140 RETURN
6000 '-----------------------------------------------------------------------
6010 ' This subroutine prints the number in NUM.% as a string
6020 '-----------------------------------------------------------------------
6030 IF (NUM.DATA.% MOD 8) = 0 THEN WRITE.IF.% = TRUE.% ELSE WRITE.IF.% = FALSE.%
6040     WRITE.ELSE.% = NOT WRITE.IF.%
6050     WHILE WRITE.IF.%
6060         CHECK.INDEX.% = 1 + NUM.DATA.% \ 8
6070         PRINT#2, ""                'Go to the next line
6080         PRINT ".";
6090         PRINT#2, DATA.BASE.% + INT(10*(NUM.DATA.% \ 8));
6100         PRINT#2, "DATA"; CHR$(9);
6110         WRITE.IF.% = FALSE.%
6120     WEND
6130     WHILE WRITE.ELSE.%
6140         PRINT#2, ","; CHR$(9);
6150         WRITE.ELSE.% = FALSE.%
6160     WEND
6170 NUM.$ = STR$(NUM.%)
6180 IF NUM.% >= 0 THEN NUM.$ = RIGHT$(NUM.$, LEN(NUM.$)-1)
6190 PRINT#2, NUM.$;
6200 IF DO.CHECK.% THEN CHECK.%(CHECK.INDEX.%) = CHECK.%(CHECK.INDEX.%) XOR NUM.%
6210 NUM.DATA.% = NUM.DATA.% + 1
6220 RETURN
```

Figure 3.

```
100 READ LENGTH.%, CHECK.SUM.%, FILE.NAME.$
110 NUM.LINES.% = (LENGTH.% + 7) \ 8
120 DIM CHECK.%(NUM.LINES.%)
130 FOR I.% = 1 TO NUM.LINES.% : CHECK.%(I.%) = 0 : NEXT I.%
140 PRINT "Checking";
150 FOR I.% = 1 TO LENGTH.%
160     READ BYTE.!
170     IF BYTE.! > 255 THEN 210
180         BYTE.% = BYTE.!
190         CHECK.%(1 + (I.%-1) \ 8) = CHECK.%(1 + (I.%-1) \ 8) XOR BYTE.% : GOTO 230
200     '
210         PRINT : PRINT "Line";1010 + 10*((I.%-1) \ 8)0!;"may have a missing comma."
220         PRINT "Writing stopped." : GOTO 480
230     IF (I.% MOD 8 = 1) THEN PRINT ".";
240 NEXT I.%
250 PRINT
260 ERROR.% = 0                         'No error yet
270 FOR I.% = 1 TO NUM.LINES.%
280     READ CHECK.% : LINE.CHECK.% = LINE.CHECK.% XOR CHECK.%
290     IF CHECK.%(I.%) <> CHECK.% THEN PRINT "Line";1000 + 10*I.%;"May be bad":ERROR.% = -1
300 NEXT I.%
310 IF LINE.CHECK.% = CHECK.SUM.% THEN 330
320 PRINT "Data may be bad in data starting at line 10000" : ERROR.% = -1
330 IF ERROR.% THEN 480
340 OPEN FILE.NAME.$ AS #1 LEN=1
350 FIELD #1,1 AS BYTE.$ : PRINT "Writing";
360 RESTORE 1010                        'Restore all except for first line of data
370 FOR I.% = 1 TO LENGTH.%
380     READ BYTE.%
390     IF BYTE.% <> -1 THEN 430
400         READ COUNT.% : LSET BYTE.$ = CHR$(0) : I.% = I.% + 2
410         FOR J.% = 1 TO COUNT.% : PUT #1 : NEXT J.%
420         READ BYTE.%
430     LSET BYTE.$ = CHR$(BYTE.%) : PUT #1
440     IF (I.% MOD 8 = 1) THEN PRINT ".";
450 NEXT I.%
460 CLOSE
470 PRINT : PRINT FILE.NAME.$;" created"
480 END
```

Figure 4.

```
1010 DATA    180,    6,    176,    0,    183,    7,    185,    -1
1020 DATA    2,    182,    24,    178,    79,    205,    51
1030 DATA    210,    50,    255,    180,    2,    205,    16,    205
1040 DATA    32
10000 '
10010 DATA    -12,    191,    185,    32
1000 DATA    25,    -46,    "cls.com"
```

Figure 5.

```
                ASSUME      CS:CODE_SEG
CODE_SEG        SEGMENT
CLS             PROC        NEAR
                MOV         AH,6        ;Call for scroll to clear screen
                MOV         AL,0        ;Clear screen
                MOV         BH,7        ;Normal attribute
                MOV         CX,0
                MOV         DH,24
                MOV         DL,79
                INT         10H
                XOR         DX,DX       ;Move cursor to top of screen
                XOR         BH,BH
                MOV         AH,2
                INT         10H
                INT         20H
CLS             ENDP
CODE_SEG        ENDS

                END         CLS
```

Figure 6. ▲

Is Time one of your Biggest Payroll Problems?

With Payroll Check and your IBM PC you can put an end to hours of pencil pushing and yards of adding machine tape. Payroll Check is the easy-to-use payroll program written especially for small to medium-size businesses.

PAYROLL CHECK ✔

- stores and recalls pay history for up to 500 employees
- prints checks and all other necessary detail reports
- prints W-2's and quarterly reports
- enables you to update federal and state tax tables for all 50 states
- compiles and prints departmental and employee pay summaries for job cost accounting
- comes with a user manual which includes a tutorial section and quick reference section
- has superior menu design
- provides month-to-date, quarter, fiscal and calendar totals
- is IBM XT, Eagle PC, Eagle PC-XL, Compaq, Corona and Hard Disk compatible.

And Best of All — PAYROLL CHECK IS FAST!!

At Key Enterprises we took the time to develop a program that will save you countless hours each pay period. Fully developed and tested, Payroll Check is the next best thing to buying time itself.

So visit your IBM dealer and ask for a demonstration, or order your own Payroll Check demo disk ... before any more of your valuable time slips away. Demo Disk $50. Price applied as credit if you return the disk with your order.

Key Enterprises gives full support to licensed users.

Systems requirements: 128K, two double side disk drives, DOS 2.0, 132 col. printer or 80 col. printers with compressed mode capabilities.



Return coupon to:
Key Enterprises
P.O. Box 5429
Amarillo, Tx. 79117-5429
(806) 372-8962

Name _____ Payroll Check ✔ $495.00

Address _____ Demo Disk ✔ $ 50.00

City _____ State _____ Zip _____

Make check payable to Key Enterprises

marketalk reviews



Unless otherwise indicated, software listed runs in DOS 1.1 or 2.0 with either display adapter and requires 64K and at least one disk drive.

BioRhythm

Why leave romance up to hormones and caprice? Now you can trust this important concern to science and discover you and your partner's compatibility ratio—expressed in unarguable percentages—with the ColorBiz *BioRhythm* package.

For example, you don't want to choose a true love that is too emotionally congenial—that would be stultifying—but you do want to find someone 100 percent congenial physically and intellectually. If you left true love up to chance, who knows what kind of mistake you might make. The ColorBiz *Biorhythm* documentation, which must have been written by the people who write fortune cookie blurbs, stresses that "intellectual congeniality is important for a long collective life."

The program—written in Basic—prints out very handsome biorhythm analyses both on-screen and on the printer; if you have a color monitor, your biorhythm is charted in vivid blues, greens, and reds. Little hearts, heads, and bodies indicate the emotional, intellectual, and physical curves, giving graphic indication of when you are about to plummet or rise. You can display your chart prominently so that "employees and friends can be warned in advance by persons who are aware that, for example, they are about to enter an emotionally critical time, thus preparing these people for the possibility of unpleasant behavior on the part of the person giving the warning."

The documentation may prove confusing for those of you who have not committed Bernard Gittelson's *Biorhythm: A Personal Science* to heart. However, the program itself makes for lively fun at home or at the office, and is certainly something to show those friends of yours who wonder just what it is your computer can do.

Because *BioRhythm* uses text graphics, it works on both monochrome and color displays. You can print the chart out if you have access to a printer. KTJ

ColorBiz *BioRhythm*, ColorCorp (208 North Berkshire, Bloomfield Hills, MI 48013; 313-335-2255). $29.95.

ES Painter

If you're looking for a little sketch program, or you'd like a good beginning graphics tool for the kids in the house, be sure to look at *ES Painter*. This program is simple, straightforward, and very easy to understand.

ES Painter uses a standard joystick with on/off buttons to control a screen cursor and draw lines. You can color-fill the finished line drawing by moving the cursor to the desired location and pressing the F8 key, which displays prompt lines asking for the paint and boundary colors.

Background and line colors are changed with function keys F1 through F4, and ynu can change the current palette by pressing F7. Pressing F6 brings up prompts for drive identifier and picture name, allowing you to save your work. F5 shows similar prompts for displaying a picture, F9 erases the screen to the background color, and F10 lets you erase specific pictures from a designated drive.

ES Painter is reminiscent of an electronic Etch-A-Sketch, and it has some of ths same problems. Since the program requires you to draw freehand, without setting up starting and ending line points, drawing perfectly straight lines is not easy. Smooth curves and perfect circles may not be impossible, but they're damned difficult. Of course, much depends on the quality of the joystick and your ability to handle the on/off control. The program is definitely easier to use with a self-centering stick, since line drawing stops—even if the joystick is on—when the stick is centered. Line drawing is a bit slow, but that may actually be an advantage for novice users because they're not so apt to find the joystick getting away from them.

The package comes with a disk of nine simple drawings for children to color in—including a clown, butterfly, car, and horse. Neither this nor the program disk is copy-protected, and the manual expressly licenses users to make backup copies for one machine. The program disk is sealed into its jacket with a licensing label, a practice that is becoming common with distributors.

TAKE A BREAK!

For IBM-PC and IBM-XT



WITH NIGHT MISSION PINBALL

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling sound effects put Night Mission PINBALL in a class by itself. Game features: multi-ball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

See your dealer . . .

or write or call for more information. For direct orders please add $1.50 for shipping and specify UPS or first class mail delivery. Illinois residents add 5% sales tax. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800/637-4983

subLOGIC Corporation
713 Edgebrook Drive
Champaign IL 61820
(217) 359-8482 Telex: 206995

The twenty-five-page manual is well written and easy to understand; it would probably present no problems for most ten-year-olds, although parents might want to supervise such activities as installing DOS on the program disk and making backup copies.

All in all, *ES Painter* is a good introductory program for the budding graphics enthusiast. Even small children will enjoy moving the joystick around to create lines, and older users will find it a useful sketching tool. DC

ES Painter, E&S Software services (Box 238, Bedford, MA 01730; 617-275-8534). $45.

Graphics Utility

Graphics Utility is one of those packages that fall through the cracks. It's a little simplistic for an experienced programmer and a bit confusing for a novice. The four graphics programs on the disk let the user create small medium-resolution figures, save and combine them, and use them in simple animation. The programs are in interpretive Basic and aren't copy-protected, so users can make backup disks easily and can study the code to see how it operates.

Graphics Utility uses a grid approach for its drawing; users fill in the squares with any of the three available palette colors. The *Graphics Utility* grid can be from 1 by 1 to 39 by 39 medium-resolution pixels, which allows good control in designing characters.

The character-generation program, Chardraw, prompts for the grid size and the name of the file where the figure will be stored. It then assigns a number to the figure, depending on the order of generation. This number is used by the other programs to locate the figure in the file. Figures can be created or edited, but there is no provision for deletion. They also can be copied and stored under new names, which makes creating animated sequences easy.

The cursor can be moved only horizontally and vertically when you are drawing a figure, since the 7, 9, 1, and 3 keys on the ten-key pad are used to move it directly to the four corners of the grid. Each square passed over by the cursor is filled in automatically, and figures can be drawn rapidly. A reverse function swaps the filled-in squares to the background color or back again. You have to be careful with this function when you're working with multiple colors, but it can be useful. An actual-size display of the figure appears at the top right of the screen as the drawing is done on the grid, allowing you to see how the character will look on the color display.

Charanim, the animation program, accepts up to eight figure-numbers, prompts for movement speed, then displays the figures in sequential positions across the screen, left to right, creating animated movement. There is no way to create diagonal movement or change the movement direction, but the speed can be varied, and Charanim also prompts for the palette.

The Chargrup program combines several of the small characters into one large figure. Using it requires a little planning, since you have to enter the horizontal and vertical positions for each character to be used. The combined figure can be stored and later retrieved with the Chardisp program. Chardisp displays only grouped figures. If a single character is to be displayed, it must be grouped singly; there's no other way to show it off the grid.

Four subroutines included in the package can be included in your own programs and provide for storing a character in an array, reading it back out, displaying it on the monitor screen, and displaying characters in sequence as an animated routine. This gives you the flexibility of creating figures with *Graphics Utility* and then reading them into an array for use in games or presentations.

Each subroutine has a comment section that tells you what values to insert in the code. The code itself is not commented, however, and would be hard for a beginner to understand. The longest routine is ten lines of code, the shortest only two. All routines are simple enough that an experienced programmer could write them from scratch in an hour or so, but beginners will find them useful.

The manual is small and obviously intended for users with experience in Basic graphics. The information is straightforward and complete but not sufficient for inexperienced users. A demo file on the disk is referred to as part of a tutorial, but the manual switches back and forth between discussion of the demo files and advice on creating new figures, and this is confusing.

Graphics Utility has limited capabilities, but it does what it does quite well. The program is attractively priced, and it could prove useful for people who have the need or desire to draw many small, medium-resolution characters. DC

Graphics Utility, Savant Software (Box 440278, Houston, TX 77244; 713-556-8363). $85.

Jogger Logger and Running Log

Dedicated runners like to keep track of their progress; the not so dedicated need something to help them stay the course. Two software logs can help both groups keep track of their victories.

Jogger Logger is a no-frills running log; it does little more than keep track of your miles and minutes. It tallies your daily record, along with a twenty-character comment, and generates monthly and yearly tables. The tables display up to fifteen records per month; any more than that and the table scrolls, making the column heads and your previous times invisible. You may find this scrolling a little inconvenient, but it's nothing that control-num-lock won't remedy.

The *Running Log* offers more. Its set-up module allows you to record some or all of nine basic descriptions of your daily run—your morning pulse, the route, the shoes you wore, the distance, the time, your weight, and so on. You can even make your own category and

New!
Three Winchester Internal Hard Disc Drive Systems!



Maynard Electronics introduces three Winchester Hard Disc Drive Systems — the only drive systems to offer you 10 Mega-bytes of formatted capacity with complete internal installation! These systems offer the user countless benefits and features: capability of booting off the hard disc; additional functions while requiring only **one** card slot in your PC; and, use of available power, thereby preventing overheating problems which have affected other drives. Handling heavyweight data was never easier.

All three systems are quality engineered and work with DOS 2.0 without any special software drivers and also run with other operating systems designed to make use of the XT hard drive system. All you need is the IBM* DOS 2.0 Manual and you're ready to run!

Each system is equipped with a low-power hard disc drive, complete software, cable, a SandStar™ Card and Hard Disc Controller Module. SandStar™ is the first family of modular peripherals created for the IBM* PC. Simple instructions for easy installation are included and all components are backed by an Unconditional One Year Parts and Labor Guarantee.

WS 1

This System is equipped with the SandStar™ Multi-function card. In addition to the Hard Disc Controller Module, you can add up to three other SandStar™ Modules while using only **one** card slot. The following modules are available: Serial Port, Parallel Port, Clock Calendar, Game Adaptor, SASI Host Adaptor and Prototyping Module.

WS 2

This System is equipped with the SandStar™ Floppy Drive Controller Card. The Card can control, in addition to the Hard Disc Drive, two floppy drives mounted inside your PC and optionally two additional 5¼" or 8" drives mounted externally. This leaves three system slots for other expansion boards.

WS 3



This System is equipped with the SandStar™ Memory Card. In addition to controlling the Hard Disc Drive, the Memory Card allows you to add 64K bytes to 576K bytes of memory using only one card slot.

NOW! Compatible with COMPAQ!**

To expand your PC to perform like the PC XT, one of our Winchester Hard Disc Drive Systems is right for you. And if you have already made the wise decision to install any of Maynard's SandStar™ Cards, the SandStar™ Hard Disc Controller Module may be purchased separately.

TO ORDER, CONTACT YOUR LOCAL DEALER OR DISTRIBUTOR.

MAYNARD ELECTRONICS
400 East Semoran Blvd. • Suite 207
Casselberry, Florida 32707
305/331-6402

We make modern times better.

*IBM is a trademark of the International Business Machines Corporation.
**COMPAQ is a trademark of the COMPAQ Computer Corporation.

include some additional variable you find important. There is room for a fifty-character comment ("Robins on the field this morning," "Toughs with chains and baseball bats," "Frost on the grass," "Stiff headwind"). These last two features provide room for a little subjectivity and almost make a diary out of *Running Log*.

Once you have input all this information, you can summon it from the log-viewing menu, which keeps a running (so to speak) total of your miles run for the current year. One item not included that you might miss is your rate of speed; there is no place to input how long it took you to run those two miles. Also, the *Running Log* consistently mismatches the day of the week with the calendar date—which could cause some initial confusion.

The menu allows you to generate various kinds of reports from the data you've input: miles per week, miles per year, analysis per period (from two to three hundred sixty-six days), consecutive running rates. You can then print your data for a hard copy of your log.

Jogger Logger and *Running Log* will prove to be of use to both novice and seasoned runner (if a few inconveniences are overlooked). The *Running Log* has the exotic features, but *Jogger Logger* costs less. Both packages come with documentation helpful to the novice. KTJ

Jogger Logger, BBE Company (Box 771448, Houston, TX 77215; 713-270-7485). $19.95
Running Log, Marathon Software (Box 26 Pinecrest, Clancy, MT 59634; 406-933-5783). Requires color/graphics adapter and two disk drives. $39.95.

Pits & Stones

Desert nomads don't go in for elaborate games. Dungeons and Dragons? Too silly. Scrabble? Too many little wooden squares to lose in the shifting sands. Monopoly? Takes too long to play. Croquet? Too little grass in the desert. Bridge? Who wants to haul a card table around on a camel?

No, the tribesmen engage in simple, straightforward pursuits. Games similar to those we know as go, checkers, or even chess. *Pits & Stones* falls into this category except that, instead of some rocks and a desert, you now need a microcomputer with 128K—more memory than some camels have.

In the game's original incarnation, however, no songs tootled as you won or lost, and the stones did not scoot around the playing squares under their own power. And, of course, your opponent was only human. In this PC version you have a choice of playing another human or the computer. Not surprisingly, the computer is an excellent player. *Pits & Stones* is perhaps a little more complicated than checkers and a lot less complicated than chess. This means that the PC can look several moves ahead without the mind-boggling silences that punctuate most chess programs.

The rules are simple, and they are thoroughly explained by the program itself on request. A quick-reference summary is also available. The stones are represented by the happy face from the regular PC character set, and children should enjoy seeing them skitter from square to square. Very young children may find the game a bit abstract, although the company's description refers to a three-year-old who loves to play. The difficulty level increases with the number of stones used for play, and adults should have no trouble finding a challenging level. After losing enough times to the computer, most players will probably want to take it out on an unsuspecting human opponent.

Because the game uses only the standard character set, it runs on both monochrome and color screens. If you tire of hearing the songs, you can turn them off.

The best thing about *Pits & Stones* is that you don't need your computer to play. A handful of pebbles and a markable playing surface work just as well, so if you do find yourself in a desert, at least you'll have a way to pass the time. JB

Pits & Stones, by Russ Blake, Orion Software (Box 2488, Auburn, AL 36831; 800-821-8088). $36.95. ▲





Introducing computer games that make you the C.E.O.

The Chief Executive Series is an exciting new concept in entertainment. Each game in the Series makes you the Chief Executive Officer of a company in a different industry. You make the decisions that are the key to success or failure. The quality of your decisions determines how well your company does.

As you manage your company, you get vital information about the business environment, competitors, and your own performance, displayed in easy-to-understand bar charts, pie charts and graphs. You can play alone, against the computer, or in competition with others.

Chief Executive Series games are as educational as they are entertaining — an ideal way to learn the fundamentals of strategy and decision making in each of the industries represented. Every game gives you an authentic and realistic management challenge.

BANK PRESIDENT You are the president of a large commercial bank. You must plan your strategy and make all the important decisions involved in running your financial empire. Set loan and deposit interest rates, raise or lower employee salaries, issue and redeem stocks and bonds, and manage your investment portfolio. If you do well, your empire can grow to well over a billion dollars. Bank President is available now for the IBM PC and Apple II, IIe.

HIGH-TECH ENTREPRENEUR Start and build a high-tech manufacturing company. You must organize a competent management team, raise venture capital, and successfully develop and market your products. To succeed, you have to develop good general management skills and the ability to properly allocate limited resources. Available in February.

VENTURE CAPITALIST Compete with other venture capitalists for funds and for the best investment opportunities. Evaluate business plans and decide when and on what terms to invest. Provide seed money for start-ups, or finance more established companies. An excellent way to learn more about the exciting venture capital world. Available in March.

Call Lewis Lee for the name of the dealer nearest you. 1-800-842-9900

LewisLee™
CORPORATION

P.O. Box 51831 • Palo Alto, CA 94303 • (415) 853-1220



FROM BEGIN TO END

by Bruce Webster and Deirdre Wendt

UCSD Pascal: An Update

Well over a year ago, we did a comparative review of IBM Pascal and UCSD Pascal, both as published by IBM (see "IBM Pascal vs. the UCSD p-System," July 1982 and September 1982). Since that time, IBM has released an updated version of UCSD Pascal, and Network Consulting, Incorporated, has released its own implementation of the p-System. The changes and additions, especially in the NCI product, warrant a fresh look at UCSD Pascal and its attendant operating system. We'll start with a brief recap of the p-System, follow that with a look at NCI's implementation, and finish up with an update on the IBM version of the p-System.

Recap. UCSD Pascal is so named because it was developed at the University of California at San Diego by a group of students working under the direction of Dr. Kenneth Bowles. The principal goal of the UCSD group was to produce a complete system for developing Pascal programs on a single-user minicomputer or microcomputer. Achieving portability between systems was another major goal. The results were the UCSD Pascal compiler and the p-System, an operating system geared specifically to Pascal program development and execution.

Since its beginnings at UCSD, the p-System has gained a broad, if limited, acceptance. Two firms have been primarily responsible for its promotion: Apple Computer, which has sold more than eighty-thousand copies of Apple Pascal (a version based on version II.0 of the p-System), and SofTech Microsystems, which has developed the p-System to version IV.2 for every major microprocessor on the market. Both the IBM and NCI versions of the p-System were licensed from SofTech. IBM's version is pretty much unchanged; NCI's incorporates some significant revisions, mostly in the direction of speed enhancement.

The unique feature of UCSD Pascal (and the p-System) is that it doesn't compile programs into machine code for the processor on which you're working. Instead, programs are compiled into *pseudo-machine code*, or *p-code*. This p-code is the machine code of an imaginary sixteen-bit, stack-oriented microprocessor. No matter what machine you compile your program on, the p-code it produces will be the same (assuming, of course, that you're using compatible versions of the compiler). Code files compiled on one machine can be run on another without change, regardless of difference between processors.

How is this accomplished? Each processor has its own *p-code interpreter*, a small program written in the processor's machine language. The interpreter executes the p-code, translating p-code instructions into machine-specific actions. Since the entire p-System is written in Pascal (and therefore is all p-code), you need only to write a new interpreter (with I/O routines) to transport the p-System to a new processor.

The p-System is an entire operating system, with utilities for editing, compiling, linking, managing files, assembling, and other activities. Since the system's *raison d'etre* is program development, its various functions work together in a fashion not often found elsewhere. A small example: If the compiler encounters an error during compilation of a program, it stops and gives you the opportunity to use the editor. If you choose to do that, the editor jumps to the spot where the error was found and tells you what type of error it was. You can then make the correction, get out of the editor, and start the compilation over again.

Three major criticisms are commonly leveled at the p-System.

First, since p-code is interpreted, p-System programs run slower than equivalent programs in directly executable machine code.

Second, p-System files are incompatible with CP/M-86 and MS-DOS. Developers of commercial applications must either license (and sell with the program) the p-System or depend on end users who already own the p-System.

Which leads to the third criticism: The p-System costs too much. SofTech has taken steps during the last year to reduce the cost. They've introduced, for example, a $60 runtime version of the p-System (that is, one without compiler or utilities but capable of running p-code files). Nevertheless, licensing fees remain a stumbling block.

If you want to market a program written in UCSD Pascal, you pretty much have to include the runtime p-System with it, since relatively few people own either the full package or the runtime system. This means paying SofTech a per-copy royalty ranging roughly from $1 to $10, depending on estimated sales volume. What's even more painful, though, is the fact that you have to pay a license advance of from $10,000 to $50,000 *up front*! By contrast, you can buy a copy of Pascal/MT+ (from Digital Research) for about $300, develop programs with it, and market them, without ever paying a penny more (though you *do* need to put a notice on disk identifying DRI as copyright holder).

Despite these burdens, the p-System has gained a noticeable following. It's good for developing in-house software, especially if you have a variety of systems using a variety of processors. And because program development is its main purpose (rather than an afterthought), the p-System is also good for novice programmers. Finally, it's reliable and predictable. Since p-code was designed with Pascal in mind, the UCSD compiler has a much easier task than does a compiler that compiles Pascal to 8086 code. There are compiler bugs in both IBM Pascal and Pascal/MT+, but UCSD Pascal is solid as a rock. Also, the p-System (as published by IBM) has far better documentation than any of the other IBM PC operating systems.

The NCI Version. NCI, a firm located in British Columbia, has been running ads for an improved version of the p-System for the IBM PC. The company claims to have rewritten the p-code interpreter to run significantly faster than (up to twice as fast as) the IBM version. Other improvements claimed include support of the 8087 coprocessor and disk emulation. This implementation is based on version IV.1 of the p-System (the IBM implementation is based on IV.0), so many (although

not all) of the enhancements came from SofTech.

The following review of the NCI system is based on use of the system on a Compaq equipped with two 320K drives and 256K of RAM.

The first thing you notice is the increase in speed. Not only is the interpreter faster, but it automatically sets up a RAM disk (258 blocks), copies system files to it, and sets it up as the boot disk. As a result, the entire system runs with a minimum of disk access.

The next impressive feature is the Config program. This handy little item does it all: It formats disks, partitions memory, assigns devices, you name it. What's more, it formats disks to hold either 400K or 320K, as you choose. You can use both formats interchangeably; the system automatically recognizes each one and adjusts accordingly. And, of course, it reads the 160K and 320K disks formatted under the IBM version. It also supports a hard disk, allowing you to divide it into as many as sixteen volumes.

To go along with the increased disk capacity—and hard disk support—the NCI version allows *subsidiary volumes*, or subdirectories. In essence, it takes a chunk of your disk (floppy or hard) and makes it look like a separate disk, directory and all. There's a good reason for doing this: p-System directories can hold only seventy-seven files. That's fine for a 160K floppy but inadequate for a 400K floppy (not to mention a 10M hard disk).

These chunks appear as files with the extension ⟨*name*⟩*.SVOL*. When one is mounted, it becomes the volume ⟨*name*⟩*:* and is treated like any other disk volume. At boot time, all SVOLs on any disks in the machine are automatically mounted.

You can also mount and dismount SVOLs directly using the new O)nline command within the Filer. SVOLs are easy to set up: Just use the Filer's M)ake command to create the file ⟨*name*⟩*.SVOL*. That's it. One word of caution, though: Nesting of SVOLs is not allowed.

Yet another nice feature is support of the 8087 coprocessor. The package includes versions of the interpreter, REALOPS unit, and Turtlegraphics that take advantage of the 8087, supporting both two-word and four-word real numbers. The documentation also mentions an 8087 version of the native code generator, but our review disks had just the 8086-only version. The assembler, of course, also supports the 8087. (Unfortunately, we were unable to test the system with an 8087.)

The increased speed of the NCI version is significant. A heuristic search program, modified so that it would repeat the searching code ten times (for greater timing precision), ran more than 1.5 times faster on the NCI system than on IBM's p-System (see figure 1). For a further test, the program was recompiled with the {$N+} compiler option, and the native code generators (NCG) for both systems were run. The times: 30.9 seconds for IBM, 30.0 seconds for NCI. In other words, the NCI p-code version ran almost as fast as the IBM NCG version.

	IBM VERSION	NCI VERSION
p-code	52.6 seconds	33.9 seconds
native code	30.9 seconds	30.0 seconds

Figure 1.

The NCI version also gives you many utilities and libraries. These include programs and units for file transmission and telecommunications, clock and date handling, sorting, file management, and so on. Some of these have bugs in them (the remote terminal program, for example), but these are for the most part labeled in the documentation. The best part is that in many cases the source code is included! This means that you can modify the programs and/or units to do just what you want them to, or, more important, you can see how certain things are done so that you can do them in your own programs.

Now for the bad news.

First, the NCI version is expensive. The May 1983 price list quotes $845 for the p-System plus Pascal. However, you may feel the extra cost is justified by the savings in development and execution time. (Note: Titan Technologies has introduced an Accelerator card for the IBM PC, which is an alternative way to get increased speed.)

Second, the NCI documentation leaves much to be desired. The package included a binder of NCI documentation (IBM standard size) and reprints of three SofTech documents—User's Guide, User's Guide Supplement (for IV.1), and Internal Architecture Guide. The only index to the NCI document is a key-word-in-context (KWIC) list, which often proves to be inadequate.

The documentation itself is divided into five sections (utility, system, library, information, and operations). The first four sections are organized alphabetically by program or topic name; the fifth section has a table of contents. Each program/topic has its own page numbering (in other words, each section starts with page 1). This numbering method makes it easy for NCI to update the documentation (just pull or add topics as needed, then update the KWIC listing), but has two big drawbacks: If you can't find what you're looking for in the KWIC listing, you're going to have to do a lot of searching; and related topics aren't necessarily near each other, so you may find yourself skipping around a lot and constantly referring to the KWIC. What's worse, once you've found the correct section, it may not tell you much.

Furthermore, the printing is ugly (photoreduced computer printout) and unpleasant to read. Even an experienced p-System user is likely to have trouble getting information out of this manual for the first few weeks (after which he may well choose to leave it alone); p-System novices should steer clear.

Even with all these gripes about the documentation (which, may have been improved by the time you read this), the NCI version of the p-System is the way to go. For current information, you can contact them at: Network Consulting, Inc.
Discovery Park, Suite 110
3700 Gilmore Way, Burnaby
B.C., Canada V5G 4M1.

IBM p-System Update. After receiving the NCI version, we attempted to get the latest IBM-distributed version of the p-System from Softech (they had to request it from IBM). As mentioned earlier, this p-System documentation (five binders) is among the best for any computer product. (It was *not*, incidentally, written at IBM, which is legendary for poor documentation; it was produced by SofTech.) One entire binder (and one of the six disks) is devoted to teaching beginners the use of the p-System, while the other four (User's Guide, Pascal Reference, Assembler Reference, and Internal Architecture) tell you just about everything you need to know in clear, well-written, organized, indexed sections. The arrival of the IBM package made the NCI documentation look all the worse.

However, if the IBM documentation puts NCI to shame, the IBM p-System's performance did much to restore NCI's luster. The system took forever to boot. Once you've used NCI's package for a few weeks, all the IBM system utilities seem slow—especially the Filer (which, under certain conditions, will hang for around ten seconds when you do a V)olume command). The final indignity was that the IBM DISKFORMAT program found errors on all four floppy disks we tried to format; it took NCI's CONFIG program to get the job done.

There are some enhancements to the IBM version (the package included additional pages to insert in the documentation), but not nearly as many as one might have hoped. It will automatically create a RAM disk, but it does not do the automatic file copy and redesignation of boot volume that the NCI version does. Other changes include two new procedures in the unit IBMSPECIAL to allow you to select which printer port you want for the PRINTER: volume (#6:) and which serial port you want for REMIN: (#7:) and REMOUT: (#8:). That's about it.

And it's still based on version IV.0—which means no subsidiary volumes. In fact, the documentation makes no mention of hard disks; can you use it on an XT?

All this has left some folks at SofTech feeling understandably frustrated. You see, they do not currently distribute the p-System directly for the IBM PC. Instead, IBM has licensed it and distributes it. This means that SofTech has little control over what version IBM uses. Word has it, though, that they (SofTech) are getting close to releasing version IV.2 with improved (!) documentation—and that they might then start directly selling an IBM PC version. Stay tuned.

Conclusions. What's the ideal system? If money's no consideration, then get both: Use NCI's software and IBM's documentation. Assuming real-world constraints, though, we recommend the IBM version for beginners and the NCI version for those already familiar with the p-System and interested in performance.

Coming up in this column: reviews of Pascal/MT+ from Digital Research, and Modula-2 from Volition Systems. See you then. ▲

BACK ISSUES

If you've missed any previous installments of "Pascal B to E" or any of Softalk/IBM*'s other monthly columns, all back issues are still available for $3.00, but hurry, supplies are limited. Write:*

Softalk IBM
Back Issues
Box 7040
North Hollywood, CA 91605



- Easy to learn
- Easy to use
- Saves you time
- Saves you money

Enjoy the personal satisfaction of controlling your finances with Sundex Software. Anyone can use it for tax management, stock portfolio management, paying bills, or simply finding out where your money is going.

All Sundex software products have on-screen instructions, on-screen tutorial, a "HELP" key, and a manual written in plain English. And, Sundex software is available for the most popular personal computers.

Choose the programs that best match your needs. They can work alone or together and will give you full control of your personal finances.

CERTIFIED PERSONAL ACCOUNTANT™ – You're in control of your finances with the program that puts your entire financial status at your fingertips. Easily organize, analyze and manage your money effectively. It even pays bills automatically!

CERTIFIED PERSONAL INVESTOR™ – Enjoy the ease, security, and savings of managing your personal portfolio with this program. It's designed for stock portfolio management, analysis, and tax form preparation.

PERSONAL PAYABLES™ – Take the drudgery and time out of bill paying with the Sundex program that automatically pays all your bills from up to 10 different checking accounts and even prints your checks.

Try them at your dealer today and see for yourself.

THERE'S NOTHING EASIER UNDER THE SUN.

Sundex

SUNDEX SOFTWARE CORPORATION
3000 Pearl Street
Boulder, Colorado 80301
(303)440-3600
1-800-835-3243

Apple II • Apple IIe • IBM PC • IBM PCjr • TI Professional

marketalk news

Unless otherwise indicated, software listed runs in DOS on machines with either display adapter and requires 64K and at least one disk drive.

Δ A new version of the *Apple-IBM Connection* program from **Alpha Software** (12 New England Executive Park, Burlington, MA 01803; 617-229-2924) supports the Apple IIe and additional communication cards for the Apple II family—the Apple Super Serial Card and the CCS 7710 card. $250.

Δ A printer control program for the Epson FX-80 and FX-100 has been released by **SoftStyle** (7192 Kalanianaole Highway, Honolulu, HI 96825; 808-396-6368). *Set-FX* takes full advantage of all the features of the Epson FX and can print the full IBM character set, including line graphics, foreign languages, and math and science symbols. $59.95.

Δ Micro/Set '84 is a microcomputer exposition and conference for scientists, engineers, and technicians slated for March 13 through 15 in Detroit, Michigan. Sponsored by the **Engineering Society of Detroit** (100 Farnsworth, Detroit, MI 48202; 313-832-5400), the event will feature exhibits and seminars and will be held at the Society's headquarters in the city's University-Cultural Center.

Δ A purchasing, sales order control, and integrated inventory management system, *Oper8* provides operations management with necessary systems and procedures. From **Selkirk Computing Systems** (17131 Hofer Court, Lake Oswego, OR 97034; 503-241-8448). The system uses *dBase II* as a foundation. Purchasing: $500. Sales order control: $750. Integrated inventory management : $2,250.

Δ **Avant-Garde Creations** (Box 30160, Eugene, OR 97403; 503-345-3043) has introduced *Ultra Plot*, a business-graphics package that converts data into charts and graphs for presentation. Line graphs and bar charts can be analyzed for mean and standard deviation. Scatter charts also provide slope, regression equation, and more. Graphs can be overlaid and lines can be color filled. Supports Epson MX series with Graftrax. $149.95.

Δ An integrated set of fourteen programs called the *Sorting System I* is designed to demonstrate and teach the algorithms commonly used for sorting. From **General Computing** (145 Summit Drive, Cedar Falls, IA 50613; 319-277-7105). The package is geared to schools, from junior high up. Source code included. $45.

Δ *Finger Print* is a plug-in module for Epson and IBM printers that puts numerous print modes at your fingertips. From **Dresselhaus Computer Products** (837 East Alosta Avenue, Glendora, CA 91740; 213-914-5831). The unit offers a selection of printer functions, including compressed type, perforation skipping, fine print, and more. $59.95.

Δ *The Pathfinder* system is a color/graphics computer-aided design system that provides fast solutions to printed-circuit problems, supports schematic creation, nets-list capture, final-form generation, and more. From **Summit CAD** (5222 FM 1960 West, Houston, TX 77069; 713-440-1468). The system can also be used for word processing, communications, and financial planning. Hardware and software: $29,000.

Δ **Data Base Decisions** (14 Bonnie Lane, Atlanta, GA 30328; 404-256-3860) has announced a collection of utilities called *The Inside Track*. Sixty-one programs give the user assembler-assisted speed via subroutines that can be called from Basic or compiled languages. Programs include read/write, display, copy memory, and copy-protect disk routines. Requires 128K with DOS 2.0 and eighty columns. $45.

Δ *Sales Planner* is easy-to-use software for sales professionals from **National Microware** (2102 Business Center, Irvine, CA 92715; 714-752-2344). The program can maintain customer and prospect lists, generate reports, type letters, print labels, maintain appointment schedules, and produce sales forecasts. $295.

Δ Six-and-a-half-inch banner letters in black on white or reverse can be printed with the *PCBanner* program from **Williams Software & Services** (1114 Pusateri Way, San Jose, CA 95121; 408-227-4238). Ideal for small businesses, schools, churches, community clubs, and home use. $30.

Δ The *TK!SolverPack for Introductory Science* is the third in a series of application packages designed for use with the equation-processing program from **Software Arts** (27 Mica Lane, Wellesley, MA 02181; 617-237-4000). The package includes twelve models for solving chemistry, physics, and biology problems. $100.

Δ *MUG* is the MicroPro Users' Group. Membership includes a subscription to *MUM*, the MicroPro Users' Monthly, a newsletter for *WordStar, InfoStar, MailMerge*, and the rest of MicroPro's product line. Each issue is devoted to education, support, and sharing knowledge of the popular software. From **Nexus Associates** (700 Larkspur

Next April 15th, you could be adding up your golf score instead of your taxes.

With your IBM PC and Best Programs' TaxCut™ program, you can use the long days and nights you used to put into preparing your taxes for something more enjoyable.

TaxCut includes two second-generation programs, one for tax preparation and the other for tax planning, pioneered and refined by tax and programming experts—and by PC users like you. With step-by-step, on-screen prompting, the tax-preparation program helps you prepare and print the 1040 long form and more than 30 other commonly used forms and schedules.

You don't have to know all the regulations. You don't have to figure out IRS instructions. If you need help, the on-screen prompter tells you exactly which page in the comprehensive reference manual has the answer. You won't waste time answering questions more than once because the program automatically transfers information from one tax form to another.

TaxCut also includes a tax planner program that allows you to decide for yourself whether or not to set up an IRA, what effect a new mortgage will have on your tax liability, and the tax implications of a wide variety of other financial alternatives.

TaxCut is compatible with the IBM PC, the PC/XT and the COMPAQ computer. The program requires at least 128KB memory and one double-sided diskette drive. Add Best's Professional Finance Program (PC/PFPII), which tracks and computes data for input into TaxCut, and you have a complete financial and tax package.

You can have the whole, proven, second-generation tax-preparation and planning package for $255.00. This price includes extensive customer support and a newsletter to keep you up-to-date. And both the cost of the program and the actual cost of doing your taxes with it are tax-deductible.

The TaxCut program is available for immediate delivery. Call us toll-free at 1-800-368-2405 for more information.

Next April 15th, you'll be very glad you did.

BEST PROGRAMS

"The Quality Software Company"

Instant one-button color printing.

Press here.

It's just that easy! Any time you want to print what's on your Apple's screen just hit the copy button on your Transtar 315 color printer with our PICS card installed, and it's done! No special programming, no lengthy code sequences, no need to exit your program! Just press the button and it prints!

By adding the optional PICS card to your $599 Transtar 315 color printer, you've opened up a whole new world of easy color printing. For the first time ever, our PICS parallel interface card enables you to screendump virtually any program -- graphics, charts, games -- even copy-protected software! Specially designed only for the Apple II, II+, IIe, and Franklin computers, the Transtar 315 PICS card does the work of a parallel card and a lot more and costs only $119.95.

At the push of a button, Transtar's innovative new 4-color diagonal ribbon will print up to 7 colors and more than 30 shades in a single pass.

The 315 is precision-built to exacting standards by Seikosha, the most experienced company of the famous Seiko group--recognized worldwide for quality and dependability. In fact, one of the nicest things about Transtar's 6-month warranty on parts and labor is that you'll probably never use it!

Innovative, inexpensive, dependable, easy: the Transtar 315. Color printing has never looked so good!

Only $599.



*PICS cards are currently available for Apples and Franklins. PICS cards for other computers will be available in the future.

Transtar
A Vivitar Computer Product

P.O. Box C-96975, Bellevue, WA 98009

Landing, Larkspur, CA 94939; 415-461-4203). $36 per year.

Δ **Orchid Technology** (47790 Westinghouse Drive, Fremont, CA 94539; 415-490-8586) has introduced some enhancements to its PCnet Local Area Network: The PCnetPlus multifunction board adds an EPROM socket and room for up to 256K of memory on top of the standard PCnet functions. Optional daughterboard provides room for an additional 128K and more. $795. Memory: $50 per 64K. Daughterboard: $895. The PCnetPlus Diskless board allows users to operate without any floppy disk drives. With EPROM socket. $695. EPROM: $150.

Δ An analytical tool from **Duosoft** (1803 Woodfield Drive, Savoy, IL 61874; 800-221-7638) called *Budget Trac* provides on-screen access and hard copy reports of current expense information that relates to budgeted items. Designed to aid managers and administrators involved in day-to-day budget decisions. $495.

Δ Business software from **Holland Automation** (3400-D West MacArthur Boulevard, Santa Ana, CA 92704): *HAI-Bas* is an advanced Business Basic interpreter and compiler. $295. *Filekeeper* is a flexible data management system used to set up application parameters. $195. *HAI-Line* is a set of integrated modules that include general ledger, accounts receivable and payable, inventory, sales analysis, and more. Also available for the XT. $395 to $495. *HAI-Plus* is a set of HAI system utilities. $50.

Δ *International Mail* is a mailing label software package from **Data Consulting Group** (877 Bounty Drive, Foster City, CA 94404; 415-571-8100). The package includes expanded data fields for province/state, country, and postal code; standard size and oversized label support; search and display on selected records based on up to fifteen attributes; and more. Requires two drives. Hard disk version available on request. $95.

Δ *Books! The Electric Ledger* is bookkeeping and accounting software from **Systems Plus** (1120 San Antonio Road, Palo Alto, CA 94303; 415-969-7047). The software allows you to scan or add to the chart of accounts while in the middle of a journal entry and much more. Comes with computer-aided tutorial and sample charts. Requires eighty columns and 132-column printer. $745.

Δ *FilePlan* is an electronic filing system from **Chang Labs** (5300 Stevens Creek Boulevard, San Jose, CA 95129; 408-246-8020) that allows you to enter information in the familiar spreadsheet format. Rows represent records and columns represent fields. Up to fifteen records can be seen at a time. Requires two drives. $295.

Δ *Tax Relief I* is a tax package for individual use that supports fifteen of the most commonly used schedules and forms. $149. *Tax Relief II* is a professional tax package that supports twenty-five schedules and forms, including 1040, 2106, 2119, 2441, and 3468. Requires two drives, DOS 2.0, and 128K. $299. Both are from **Micro Vision** (145 Wicks Road, Commack, NY 11725; 516-499-4010).

Δ *SofTax*, from **Design Trends** (644 Danbury Road, Wilton, CT 06897; 203-834-1560), is a tax preparation and simulation package that uses *VisiCalc* for data entry and what-if calculations. All forms and schedules are printed for direct submittal to the IRS. Requires *VisiCalc*. Individual version: $199. Preparer's version: $499. Professional version: $850. Demo: $25.

Δ A hardware and software system that supports Morse, Baudot, and ASCII codes, the *RM1000 Radio Modem* is intended for use by amateur radio operators. From **Macrotronics** (1125 North Golden State Boulevard, Turlock, CA 95380; 209-667-2888). The software features multilevel split-screen display of transmitted and received text. $149.

Δ Three software packages have been released by **Innovative Software** (9300 West 110th Street, Overland Park, KS 66210; 913-383-1089): *The Smart Data Manager* can create various filing systems and generate reports, forms, mailing labels, and invoices. $595. *The Smart Spreadsheet with Graphics* can handle large amounts of data in many formats. It uses floating-point arithmetic and allows multiple windows to be opened on the screen. Several kinds of charts, graphs, and histograms

As good as Goldstein

Clearly, Larry Joel Goldstein, the author, has demonstrated his value by teaching both students and businessmen how to make the most of their personal computers. This updated and expanded version of the classic introductory book for the IBM PC is written in an easy-to-read, self-study format. It has become a best seller because it has been worth its weight in Goldstein to over 100,000 readers, time and time again.

The revised edition includes two new chapters on BASIC programming. They stress both the importance of structuring and planning programs and important debugging information. Additions to previous chapters include new information on graphics and games and expanded information on random access files.

The author, Dr. Larry Joel Goldstein, is presently a professor of mathematics at the University of Maryland at College Park. Involved in the design and application of computers since 1958, Goldstein is known for his straightforward writing style which makes learning technical subjects easier for thousands of readers. Co-author Martin Goldstein is currently the president of Goldstein Associates, a consulting firm in West Palm Beach, Florida.

Dr. Goldstein has proven to be a prolific author, having written many books and created specialty software for the computer. And, the professor has won numerous awards for his teaching. That teaching glitters in all of his efforts.

IBM PC: An Introduction to the Operating System, BASIC Programming and Applications, Revised and Enlarged
Larry Joel Goldstein, Martin Goldstein 1984/392pp/ISBN 0-89303-530-0/D 5300-1/$17.95

Among the Goldstein volumes that will gild your library are:

"Advanced BASIC And Beyond for the IBM PC: Programming and Applications" 1983/400pp/paper/ISBN 0-89303-24-3/D3243-5/$19.95

"Compaq Portable Computer: User's Guide" (co-author Joseph K. Rensin) 1983/320pp/paper/0-89303-389-8/D3898-6/$18.95

SOFTWARE
"The Graphics Generator: Business and Technical Applications for the IBM Personal Computer," Version 1.06/1983/2 diskettes with documentation.
ISBN 0-89303-266-2/D2662-7/$95.00

These and other books and software by Dr. Larry Joel Goldstein are published by The Brady Co., a Division of Prentice-Hall. They are available at the finest retail bookstores and computer dealers, nationwide. Or, call toll free 800 638-0220 for information.

BRADY
The PC Specific Library

Brady Co.
A Prentice-Hall Company,
Bowie, Maryland

can be printed or plotted. $595. *The Smart Word Processor* contains features found in dedicated word processors. Multiple documents or parts of documents can be moved between windows on the screen. Graphs and charts generated from *Smart Spreadsheet* can be incorporated into documents. $475.

Δ Panasonic (One Panasonic Way, Secaucus, NJ 07094; agency 212-546-2041) has entered the peripheral market with a line of hardware that includes two printers, two plotters, and five monitors. Products are aimed at the small-business segment of the buying public.

Δ *Bomb Zone* is an arcade game from **Fantasy Research** (2028 Casa Loma Court, Grapevine, TX 76051; 817-488-9313). Object of the game is to overcome all the obstacles and constraints to defeat the menacing killer drones. Requires color/graphics adapter. DOS 2.0 version requires 96K. $24.95.

Δ An arcade-style adventure in the Bermuda Triangle, *Sailing* is a fast-action sailing simulation where you maneuver a small boat through the waters of the Caribbean in a race against time. From **Accupipe** (222 West Lancaster Avenue, Paoli, PA 19301; 215-296-7376). Obstacles include creeping mists, demonic storms, gravitational vortexes, and more. Requires color/graphics adapter. Requires 128K. $34.95.

Δ Specialized multiuser application software from **Bluebird Systems** (6352 Corte Del Abeto, Carlsbad, CA 92008; 619-438-2220): *VanS* is a day-to-day business package for the van and storage industry. Handles driver, line haul, payment reconciliation reports; job costing; and more. Price to be announced. *The CPA Package* is a completely integrated, menu-driven set of five modules that include client write-up, payroll, and accounts. Selected client asset reports can be printed automatically. $5,595. *The StockMate* system consists of integrated accounting modules and a distribution module made up of order entry, invoicing, and inventory control. $795 to $1,295 per module. *The Auto Rental Package* can handle fleet control in any rental car operation, includiug multiple rental offices and fleets, with between 100 and 2,500 vehicles. Handles rental, check-in, car sales, and more. Price to be announced. The multistation word processing package called *The Word Manager* allows a printer to be used at each station. Includes all standard word processing features and can be tailored to specific needs. $695. *The Bluebird Medical Practice Management System* handles patient billing, collection of data, patient scheduling, and more. $5,995. *The Manufacturing Software System* is a set of thirteen integrated modules for handling accounting, production control, order entry, inventory control, and more. Includes planning and tracking of material for shop production. $500 to $4,000 per module. Complete system: $24,000. The Bluebird line runs on the SuperDOS operating system that allows up to ten terminals to be linked to the PC; MS-DOS programs to be run concurrently.

Δ *Coins* is a program for coin collectors from **Compu-Quote** (6914 Berquist Avenue, Canoga Park, CA 91307; 213-348-3662). The software enables the serious numismatist to catalog an entire collection and obtain reports that serve for personal investment information. Contains 1,600 standard coin files, complete with descriptions and values. Generates four kinds of reports. $95. Demo: $10.

Δ A Corvus hard disk version of the *Datafax* file management system is available from **Link Systems** (1640 Nineteenth Street, Santa Monica, CA 90404; 213-453-8921). The software has the ability to cross-reference files one hundred different ways. $999.

Δ A software system for health care professionals, the *Capital Planning Model* from **Ernst & Whinney** (1550 Huntington Building, Cleveland, OH 44114; 216-861-5000) is designed to help executives prepare long-range capital plans. The package projects operating statistics and staffing requirements as well as salary, benefits, professional fees, and more. A project analysis component can address a multiple-phased construction project. Call for price.

Δ A p-System 8087 *Software Upgrade Kit*, which enables existing p-System application programs to take advantage of the floating-point

processor's speed and arithmetic precision, is available from **SofTech Microsystems** (16885 West Bernardo Drive, San Diego, CA 92127; 619-451-1230). No data file conversion or recompilation necessary. $20.

Δ Create and modify library files that are compatible with the IBM PC-DOS linker using the *SR-Lib* utility from **Software Research** (Box 10004, Austin, TX 78766; 512-346-5097). Create your own libraries or add, delete, or replace modules in IBM compiler libraries. $29.95.

Δ **Insurance Technology Consultants** (1437 West Palmyra, Orange, CA 92668; 714-773-1754) announces *I.M.P.A.C.T.*, a calculation aid for reinsurance brokers or lead underwriters charged with the pricing of catastrophe treaties. $495. MS-DOS demo: $25.

Δ A directory of software for the IBM-PC is contained on two disks called *Diskonary* from **Execudisk** (Box 219002, Houston, TX 77218; 713-859-5178). The package features a routine that sorts the software titles by sixteen major and 106 minor categories. System requirements and software descriptions included. $34.95. Quarterly updates: $8.

Δ The **Wayne Green Publications Group** (Box 903, Farmingdale, NY 11637; 603-924-9471) has announced the spring 1984 publication of *jr*, a monthly magazine for PC*jr* users. The premiere issue will contain profiles and analyses of the features and capabilities of both versions of the Junior. Charter subscription, $14.97.

Δ **Microcom** (1400A Providence Highway, Norwood, MA 02602; 617-762-9310) has introduced an in-board communications system for the PC*jr*. Called *Era 2*, the system includes a 1200-baud modem and communications software and is provided with a four-year guarantee. $429.

Δ *Heroism in the Modern Age*, a complete role-playing system from **Pacific Infotech** (10850 Wilshire Boulevard, Los Angeles, CA 90024; 213-470-7590), lets the player live and experience the life of an alter ego in today's world. The game allows the player to create characters and guide them through their lives. $58.95.

Δ The first word processor ever developed for a microcomputer, *Electric Pencil* has been released for the PC by **IJG** (1953 West Eleventh Street, Upland, CA 91768; 714-946-5805). The program has been completely rewritten in 8088 machine language. $499.95.

Δ *Triple Brain Trust*, a question-and-answer game, is available from **Reston Publishing Company** (11480 Sunset Hills Road, Reston, VA 22090; 703-437-8900). Categories include word recognition, basic reading, geography, vocabulary, science, math, famous people and places, movies, football, baseball, and general sports trivia. $39.95.

Δ **Martin Marietta Data Systems** (6303 Ivy Lane, Greenbelt, MD 20770; 301-982-6670) has introduced a series of software packages. *KeepIT*, the central program in the series, is a relational database that allows users to move data or perform calculations based on a data file and use the results in any popular PC spreadsheet, graphic, or statistical analysis program. $450. Δ *CalcIT* is a three-dimensional spreadsheet calculation program with easy transfer of data to and from *KeepIT*. $400. Δ *LinkIT* is a PC-to-mainframe and PC-to-PC asynchronous communications program with full longitudinal error-checking. $150. Δ *PassIT* is a 3270-emulation program that can be used with IRMA and Forte boards for high-speed data transfer to a mainframe. $250. Δ *SortIT* is a sort/merge utility for DOS-based machines. $125. Δ *EditIT* is a full-screen editor with color windows and mouse management. $150.

Δ The *PC Bubble* board has been introduced by **Helix Laboratories** (16776 Bernardo Center Drive, San Diego, CA 92128; 619-451-0270). The half-megabyte board is designed to emulate a "mini-Winchester" and responds to fixed-disk commands under most operating systems. $1,495.

Δ **XQ Software** (4357 Park Drive, Norcross, GA 30093; 404-923-2880) offers tax and investment planning programs. *Tax Strategist* computes the federal income tax liability for up to ten years using tax tables, income averaging, or alternative minimum tax. $395. Δ *Investment Strategist* determines the economic value of tax-sheltered investments. Complicated investment situations can be analyzed to determine if the tax shelter is a good investment. $395.

Δ You can let the appropriate members of the U.S. Congress know what you think about certain issues with *File Clerk * Congress* from **Landrum Software** (Box 842, Palm City, FL 33490; 305-286-1324). Provides access to forty of the most important congressional committees and to each congressman's office address, telephone, home town, party, district, and reelection year. An annual update will be available. $33.95. 160K disk version, $44.95.

Δ A computer version of Chinese checkers is available from **MicroClassics** (315 West Grand Avenue, El Segundo, CA 90245; 213-322-6888). *Tiao Chi* offers problems of strategy for up to six human or computer players. $24.95.

Δ *Right:Justify* from **Engram Systems** (4820 Refugio Avenue, Carlsbad, CA 92008; 619-434-5956) justifies text created by the *PFS:Write* word processor. The program produces documents in *PFS:Write* format. $14.50.

Δ **Roland DG** (7200 Dominion Circle, Los Angeles, CA 90040; 213-685-5141) offers the *MB-122*, a monochrome monitor designed to be compatible with the PC monochrome display board. Features include nonglare screen, 2,000-character display, 720-by-150 resolution, and front panel brightness control. Green, $225. Amber, $240.

Δ A multifunction enhancement module for the PC and XT that facilitates memory expansion up to 640K and offers communications functions in a single chassis slot is the *Time Spectrum SB384* from **Persyst Products** (15801 Rockfield Boulevard, Irvine, CA 92714; 714-859-8871). The board allows PC users to add up to 384K of RAM to a PC already fully configured with 256K of memory. Also offered are socketed RAM, a calendar/clock with rechargeable battery backup, one asynchronous communication port, and a Centronics-or Dataproducts-compatible parallel printer port. From $395.

Δ *Staticide Wipes* from **ACL** (1960 East Devon Avenue, Elk Grove Village, IL 60007; 312-981-9212) are individually packaged towelettes for cleaning and static control. The wipes are saturated with Staticide concentrate, deionized water, and isopropyl alcohol, and can be used on any surface not adversely affected by water or alcohol. $4.98 per box of twenty-four.

Δ **Consumers Software** (Suite 106C-314, East Holly Street, Bellingham, WA 98225; 604-688-4548) announces *The Spreadsheet Auditor*, a program that audits *VisiCalc*, *1-2-3*, and *SuperCalc* spreadsheets. The formulas behind your spreadsheets are displayed in an easy-to-read grid. Requires 128K. $99.

Δ **Vista Computer Company** (1317 East Edinger, Santa Ana, CA 92705; 714-953-0523) offers the *DynaFrame*, an expansion chassis for the PC that contains a Winchester disk drive (from 5 to 140M), eight additional expansion slots, a front touch-panel display that allows monitoring of active banks of RAM, a reset function, and DiscLoc, a proprietary hardware function to write-protect the hard disk. From $2,449 to $9,995.

Δ **Visual Computer Incorporated** (135 Maple Street, Marlboro, MA 01752; 617-480-0000) has unveiled the *Commuter*, a sixteen-pound, sixteen-bit IBM-compatible personal computer. Standard features include 128K system memory resident on a single, multilayer PC board, expandable to 512K; MS-DOS operating system; 83-key keyboard; and double-sided, double-density 360K floppy-disk drive. From $1,995.

Δ **Whitesmiths** (97 Lowell Road, Concord, MA 01742; 617-369-8499) has developed a version of the Idris operating system for the PC that is designed to coexist with PC-DOS. $550.

Δ **Cdex Corporation** (5050 El Camino Real, Los Altos, CA 94022; 415-964-7600) has released two new tutorial programs designed to help a small business convert its manual general ledger to a computerized one. *Computerizing Your General Ledger using the State of the Art General Ledger Program* and *Computerizing Your General Ledger Using the Peachtree General Ledger Program* were developed with the assistance

of Hemming and Morse, a CPA firm specializing in small-business accounting and consulting. $69.95 each.

Δ **Aardvark/McGraw-Hill** (1020 North Broadway Street, Milwaukee, WI 53202; 414-289-9988) announces the release of *Personal Tax Planner*, which is designed for home users who want to calculate and reduce personal federal income tax. The program figures short-term or long-term capital gain/losses, purchase or sale of real estate or other big-ticket items, second jobs, and business expenses. $99.

Δ *Bearings*, available from **Zephyr Services** (306 South Homewood Avenue, Pittsburgh, PA 15208; 412-247-5915), tells you which way to go. You specify your spot on the globe by entering your latitude and longitude. The computer calculates and prints out the distance and direction to more than five hundred other cities. $19.95.

Δ A software development utility for Fortran programmers that scans a single (and potentially large) program source-code file and creates individual source-code files of the main program and each subroutine, function, and block of data is available from **StratCom Systems** (1010 Turquoise Street, San Diego, CA 92109; 619-488-2262). *PC-Xtract* also creates an alphabetized batch file containing the name of each routine that has been extracted. Requires 87K. $49.

Δ **Award Software** (236 North Santa Cruz Avenue, Los Gatos, CA 95030; 408-287-9915) has developed *Crossave*, a solution to the problem of copying large files from a Winchester disk to floppy disks. The program can save and restore a file or selected group of files on the Winchester disk. It is available for both DOS 2.0 and CP/M-86. $99.

Δ *EMU*, a Data General Dasher terminal emulator for the PC and XT, is available from **Rhintek Incorporated** (Box 220, Columbia, MD 21045; 301-730-2575). The package consists of 100 percent assembly-language code that bypasses the DOS and BIOS calls to achieve 9600-baud terminal emulation. $95.

Δ If you are planning to take the Scholastic Aptitude Test, *Computer Preparation for the SAT* from **Harcourt Brace Jovanovich** (1250 Sixth Avenue, San Diego, CA 92101; 619-699-6335) will diagnose strengths and weaknesses in fifteen skill areas and then prioritize drills and review exercises to help you gain study efficiency. The computer scores automatically so students receive immediate feedback. $79.95.

Δ **Stoneware** (50 Belvedere Street, San Rafael, CA 94901; 415-454-6500) introduces *Advanced DB Master*, a business information management system. One file can span up to forty-four disks, with a capacity for sixteen million characters or the equivalent of four thousand pages of unique information storage. $595.

Δ With the *Practical UCSD Pascal Package* from **Network Consulting** (3700 Gilmore Way, Burnaby, British Columbia, Canada, V5G 4M1; 604-430-3466), users can learn to write Pascal programs. The kit combines the p-System and UCSD compiler with an implementation guide describing how to use the software and selected books that explain the p-System and Pascal. $295.

Δ **Edge Press** (119 South First Avenue, Arcadia, CA 91006;818-355-6769) has published *Profit from the IBM PC* by Dan W. Post. The book is designed to help PC enthusiasts recoup their investment by creating and selling free-lance services that meet the needs of special markets. $17.95.

Δ *Micro-DSS/Analysis* is a decision support analysis package from **Addison-Wesley Publishing Company** (Reading, MA 01867; 617-944-3700) that provides statistics, report writing, graphics, a database, and the ability to perform ad hoc analysis. $499.

Δ **Great Plains Software** (Box 9739, Fargo, ND 58109; 701-281-0550) has introduced *Rapid Transfer*, which will enable users of the company's *Harddisk* accounting series to transfer accounting data directly from *VisiCalc*, *1-2-3*, and *Multiplan*. Call for price. ▲

The STB Graphix Plus™: an affordable way to put a whole new complexion on your IBM PC or XT.™

You get color or monochrome graphics plus a parallel printer port, all in one slot.

Our Graphix Plus multi-function video board gives you three of the most in-demand text and graphics capabilities for one very attractive price.

Graphix Plus includes functions for color or monochrome graphics and text displays, and a parallel printer. A clock calendar is available as an option.

This versatile board will drive an RGB color monitor or composite B&W monitor with the identical colors, resolution and modes as IBM's Color/Graphics Monitor Adapter. Graphix Plus improves on IBM's adapter with 50% faster scrolling, which eliminates annoying flashing and flicker.

Graphix Plus also drives the IBM monochrome display, in graphics and high resolution text modes, and is compatible with Lotus 1-2-3™, Microsoft Flight Simulator™ and other popular software. And, Graphix Plus provides for extended text capability.

Graphix Plus also includes a lightpen interface and PC Accelerator™, STB's super RAM disk emulator and print spooler program.

For a graphic demonstration of how Graphix Plus can expand your personal computing capabilities, see your local dealer. For more information on the entire line of quality products, write or call us.

Expanding Microcomputing

STB™

STB Systems, Incorporated

601 N. Glenville Avenue, Suite 125
Richardson, Texas 75081 / (214) 234-8750

IBM PC/XT is a registered trademark of International Business Machines Corporation
Lotus 1-2-3 is a registered trademark of Lotus Development Corporation
Microsoft is a registered trademark of Microsoft Corporation
PC Accelerator is a registered trademark of ResCorp

MICRO FINANCE

by Ken Landis

Tax Preparer, by Howardsoft

Even now, perhaps, you're charging up your calculator, sharpening your pencil, and starting to palpitate. Rejoice, it's tax season, the federal government's Christmas; and the Internal Revenue Service and your local CPA are singing the carols!

Every year, millions of Americans call their friendly CPA, H&R Block, Big Eight accounting firm, or other tax professional to do their taxes. Many who do so have the inclination, but not the time or energy, to tackle their taxes alone. Maybe what keeps them from doing their taxes themselves is that they've let their records get out of control. Or maybe they just can't comprehend what went on in the "mind" of the IRS when it created all those forms, instructions, and regulations.

Tax preparation doesn't have to be overwhelming. And your PC can help you get out from underneath this annual migraine.

There are basically two types of tax software: tax preparation programs and tax-planning programs.

The first kind turns your computer into a powerful combination of filing cabinet, calculator, and accountant. You enter your tax data, and the computer stores it, manipulates it, and finally prints it out in a form suitable for filing with the Federales.

The other kind, tax-planning software, helps you analyze the tax effects of various transactions, such as selling stock, buying property, taking out a loan, and so on. Some prep programs let you do a certain amount of tax planning as well, but the opposite is seldom true.

In this article we'll review an example of the prep genre—HowardSoft's *Tax Preparer*. We'll prepare the tax return for Mr. and Mrs. Jonathan A. Sample, who live at 8822 Imaginary Road, Anytown, CA. This fictional couple comes to us courtesy of the HowardSoft documentation writers.

Federal income taxes and the laws that govern them change yearly. The tax preparation package that you could have used in 1982 to do your taxes can't be used in 1983. For that reason, HowardSoft publishes a yearly update to its program. *Tax Preparer* is designed so you can use the previous year's package to store your data and do preliminary tax planning; but when you're ready to start doing your taxes, you'll need to make sure you have the current version. Otherwise you'll be producing a 1983 return that's based on 1982 laws.

Before reading further, check the following list, which shows the forms and schedules *Tax Preparer* can handle; make sure the forms you need are included.

Form 1040—U.S. individual income tax return
Schedule A—itemized deductions
Schedule B—interest and dividend income
Schedule C—profit or (loss) from business or profession
Schedule D—capital gains or losses
Schedule E—supplemental income schedule
Schedule F—farm income and expenses
Schedule G—income averaging
Schedules R and RP—credit for the elderly



NOW, ALL IT TAKES IS ONE SCREEN TO DO EVERYTHING YOU'VE ALWAYS WANTED TO DO, AT ONE TIME.

Word processing. Spreadsheets. Data base management. Charting. JACK2 is the first integrated software product to do them all, simultaneously, on a single screen. All without ever changing disks or exiting programs.

No need for windows. No need for additional monitors or hardware of any kind. No need to close one file before you open another.

JACK2 is as easy to master as it is powerful to use. Picture a screen that graphically displays your disks and names them. With envelope icons that can be scrolled up or down from 1 to 50 showing you all your files. JACK2 will even show you the forms inside your envelopes. And then let you choose the one you're looking for simply by pointing to it. All commands are in English. All are displayed on a single line and all have the identical function throughout JACK2.

So, if you've been searching for a new breed of integrated software, you've found it. From word processing, to spreadsheets, to data base management and charting only JACK2 will let you do everything you've always wanted to do. On the same screen. At the same time.

JACK2 is available for the IBM-PC with 128K and two double sided disk drives, the IBM-XT with 128K and one double sided disk drive with supplemental JACK2 XT Installation Package, as well as other IBM PC compatible computers.

Business Solutions, Inc.
60 East Main Street, Kings Park, NY 11754 • (516) 269-1120

SEE US AT SOFTCON BOOTH #561.

Schedule SE—Social Security self-employment tax
Schedule W—deduction for married couple when both work
Form 2106—employee business expenses
Form 2119—sale or exchange of principal residence
Form 2210—underpayment of estimated income tax
Form 2441—credit for child and dependent care expenses
Form 3468—computation of investment tax credit
Form 4562—depreciation and amortization
Form 4797—supplemental schedule of gains and losses
Form 5695—residential energy credits
Form 6251—alternative minimum tax computation

Tax Preparer prints schedules and forms in two ways. The IRS requires that any Form 1040 be reproduced on a preprinted form that fits IRS guidelines. This software will print Form 1040 information on one of many standard blank computer-printable 1040s. The names and addresses of blank-form suppliers are included in the documentation, along with one blank form. If necessary, taxpayers can adjust the Form 1040 printout format to fit their own forms, which may differ slightly from the IRS forms.

All other forms and schedules are printed out in a format that strictly follows the IRS guidelines for computer-generated returns. Not only does the IRS specify the format (as you would expect), it also specifies the size and types of paper you can use. The current set of regulations, including paper size and color, are listed in *Tax Preparer*'s documentation.

Before getting started on Mr. and Mrs. Sample's taxes, let's pause to read and ponder some good advice from the program documentation:

"The *Tax Preparer* by HowardSoft is a valuable computational aid but is not a substitute for thinking. It provides mechanical assistance in the mathematics and typing of returns—not legal advice. As a consequence, it provides the flexibility needed by tax professionals and prevents the uncontrolled posting of deductions to specific forms. It does, however, put responsibility on the user for making important decisions concerning tax deductions."

It's important to keep this advice in mind. The computer will do only what you tell it to. And if you tell it something wrong, you'll be the one who pays the price.

Now—on to the Samples' tax return.

Tax Preparer is completely menu-driven. To get to any part of the program, you simply work your way through the menu structure.



Figure 1

You can use *Tax Preparer* in either of two ways. If you're an experienced preparer, you can go directly to a form or schedule by way of the main menu. Less experienced users can use the program's built-in road-map feature. All forms and schedules can be accessed from within the program's Form 1040. This road map guides the novice tax preparer through the preparation process, rather than relying on his or her ability to read instructions and figure out which numbers go where. It's an excellent feature.

Figure 1 shows what the top of *Tax Preparer*'s Form 1040 screen looks like. The form is divided into eleven sections, or pages, of information, which are displayed one at a time

on the PC screen. Just as you would if you were manually preparing your taxes, you begin in *Tax Preparer* by filling in the Form 1040, starting at the top and working your way down. Any form or schedule that can't be completely displayed on the PC's twenty-five-line screen will be divided into pages; the various pages can be accessed from a menu or by means of the page-down and page-up keys. Figure 2 shows the fourth page of *Tax Preparer*'s Form 1040.

After you enter a line item, the program either automatically starts calculating or waits for you to input a second return or a cursor command. The automatic calculation feature can be troublesome. Apparently because *Tax Preparer* is written in uncompiled Basic, it works rather slowly. It's easy to get ahead of the program, and if you're too quick and not sufficiently careful it's easy to get fouled up. The best way to use *Tax Preparer* is with much patience.

```
Form 1040                                                          Page 04 of 11
       Tax Preparer's Currently Active Filename -    Mr. and Mrs. Sample

******************** INCOME
7a.  Wages et al. (except 2106).............................7a.      35,650.00
7b.  Excess pmts from Form 2106.............................7b.           0.00
7.   Wages, salaries, tips, etc.............................7.       35,650.00
8.   Interest income (Sch B/ I).............................8.          256.00
9a.  Dividend income (Sch B/II).............................9a.           0.00
 .   Amount in 9a not qualfying.............................              0.00
9b.  Exclusion..............................................9b.           0.00
9c.  Line 9a minus 9b.......................................9c.           0.00
10.  Refunds of state/local tax.............................10.           0.00
11.  Alimony received.......................................11.           0.00
12.  Business income  (Sched C).............................12.           0.00
13.  Capital gains    (Sched D).............................13.           0.00
14.  40% cap gains  (not on 13).............................14.           0.00
15.  Supplemental gains  (4797).............................15.           0.00
 .   Income Subtotal(7 thru 15).............................         35,906.00


                    Keyboard Controls - <=Prv page..>=Nxt page..^=Up..I=Itemize
TAX PREPARER by HowardSoft          ESC=Escape to prior menu...RTN=Entry Ok
```

Figure 2

If you just enter the right numbers in the right places, *Tax Preparer* will take you straight through Form 1040, line by line, top to bottom. If that's all the program did, though, it wouldn't be worth a plug nickel.

The "grand structure" (the documentation author's phrase) doesn't become apparent until you're ready to enter information at a line item that is either computed on a separate form or is composed of more than one entry.

Let's consider line 7a from the Samples' Form 1040, which is shown in figure 2. The Samples' total wages are composed of Mr. Sample's $19,150 yearly income from his position as an accountant and his wife's annual teaching salary of $16,500. The Samples could store this information in a paper file, pull it out, add it up, and then enter it into *Tax Preparer*, or they could take advantage of the software's general itemizer feature.

If, at line 7a, the Samples input an *I*, rather than a number, the screen shown in figure 3 appears. This is one of *Tax Preparer*'s general itemizers.

Applications Generator for the PC

The Only Programmable, 3-D Spreadsheet

EXEC, Page Dimension, and Ease of Use Make Report Manager the Professional's Choice

DATAMENSION CORPORATION
615 Academy Drive, Northbrook, IL 60062

Report Manager, the 3-D, programmable spreadsheet from DATAMENSION CORPORATION, is now available for the IBM/PC.

This breakthrough program brings the third dimension—pages—to report preparation. Its built-in language, EXEC, lets users generate a wide range of applications.

Report Manager has found wide acceptance among attorneys, engineers, ceo's, accountants, bankers, stock brokers and other professionals who demand the multi-dimensional power of a 3-D spreadsheet to prepare large, complex reports.

Report Manager lets the PC user put distinct spreadsheet pages into memory at one time, as if they were stacked one behind the other. All pages can be saved on diskette in a single file.

The program automatically expands to take advantage of all available RAM. If an application exceeds available memory, files can be linked, that is, the values of cells in separate files can depend on each other.

A single keystroke lets the user move from page to page. The PgDn key brings successive pages to the screen; PgUp brings previous pages into view.

All program commands, functions and formulas are active throughout all pages. Alterations to a cell on any page are reflected on all pages where that cell has been referenced.

Report Manager also lets PC users view their spreadsheet data base two additional ways. The column view brings a specified column from each page to the screen. The row view brings one row from each page to the screen.

Report Manager includes its own built-in programming language, EXEC. Files built under EXEC can load automatically when the PC power is turned on, then prompt naive users for data entry. As Report Manager's application generator, EXEC allows persons with no special training or knowledge to use Report Manager productively. Typical applications include order entry, invoicing and billing.

The charts below show how Report Manager satisfies the professional's demand for multi-dimensional reporting power.

	3-D spreadsheet	Max. no. columns/file	Max. no. rows/file	Max. no. separate pages/file	Max. no. of cells (x10⁶)	View crossection of cols.	View crossection of rows	Use up to 640K RAM	Built-in programming language	No. of program statements	Files request & receive data	Keystroke-playback files	Make your own menus	Chaining of files possible	Self-starting files	Auto. center of vert. headings	Auto. center of horiz. headings	No. graphing characters used	Printer configuration tables	Replicate (copy) option	Replicate in 3 dimensions	Replicate only cell format	Replicate only cell contents
Report Manager™	**Y**	**255**	**255**	**255**	**16.0**	**Y**	**Y**	**Y**	**Y**	**31**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**200+**	**Y**	**Y**	**Y**	**Y**	**Y**
Multiplan™	N	63	255	1	0.02	N	N	N	N	0	N	N	N	N	N	N	N	1	N	Y	N	N	N
1-2-3™	N	256	2048	1	0.50	N	N	N	Y	4	Y	N	Y	N	N	N	N	3	N	Y	N	N	N
VisiCalc™	N	63	254	1	0.02	N	N	N	N	0	N	N	N	N	N	N	N	1	N	Y	N	Y	Y
SuperCalc™	N	63	254	1	0.02	N	N	Y	N	0	N	Y	N	Y	N	N	N	1	Y	Y	N	N	Y

	Report linking (consolidation)	Top-of-column totals	On-line reference guide	Choose on/off coord. grid	Display formulas or their results	Repeat cell contents	Name cells in English	Write formulas in English	Variable, indiv. col. widths	Choose no. of decimal places	Titles available	Windows available	Choose auto. recalculation	Supports color or monochrome	XT compatible	Store reports in ASCII format	Read DIF™ files	Data link with Manager Series™	Copyable program included	Printed program tutorial	Data disk with examples	Usable templates included	Telephone support
Report Manager™	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**
Multiplan™	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	DNA	N	Y	Y	Y	Y
1-2-3™	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	DNA	N	Y	Y	N	Y
VisiCalc™	N	N	N	N	N	Y	N	N	Y	Y	Y	Y	Y	Y	N	Y	Y	DNA	N	Y	N	N	Y
SuperCalc™	Y	Y	Y	Y	Y	Y	N	N	Y	N	Y	Y	Y	Y	Y	Y	Y	DNA	Y	Y	Y	Y	Y

	Preprogrammed functions	No. of arithmetic operators	No. of relational operators	No. of trig. functions	Date + time arithmetic	Date interval in days	Day of week function	Linear regression	Look-up in 3 dimensions	Mode function	Time interval in seconds	Standard deviation	Trend line analysis	Radian/degree conversion	Amortization schedule	Effective interest rate	Future value for annuity due	Loan payment	Number of payments	Payment for annuity due	Present value	Present value for annuity due	Present value for a bond
Report Manager™	**68**	**6**	**6**	**6**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**	**Y**
Multiplan™	41	6	6	4	N	N	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	N
1-2-3™	51	5	6	7	N	N	N	N	N	N	N	Y	N	N	N	N	N	Y	N	N	Y	N	N
VisiCalc™	31	5	6	6	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
SuperCalc™	36	5	6	6	N	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	N	Y	N	N

Program versions compared: Report Manager ver. 01.06A, Multiplan ver. 105, 1-2-3 544K ver., VisiCalc 256K ver., SuperCalc ver. 1.12. Report Manager and The Manager Series are trademarks of DATAMENSION CORPORATION. Multiplan is a trademark of Microsoft Corporation. 1-2-3 is a trademark of Lotus Development Corporation. VisiCalc is a trademark of VisiCorp. SuperCalc is a trademark of Sorcim. DIF is a trademark of Software Arts, Inc.

SEE US AT SOFTCON—BOOTH 3017

A general itemizer stores the details behind a line item, automatically sums the numbers, and then transfers the result into the line item from which it was called. The general itemizer's value is threefold. First, it acts as a filing cabinet, storing the information you need for your tax preparation. Second, the screens it generates can be printed out and used as supplemental schedules for tax filings. Third, the general itemizer automatically posts the results of its calculations to the right form or schedule.

Once the necessary information has been entered into the general itemizer, all the taxpayer has to do is press escape and *Tax Preparer* returns to the line item and posts the numbers from the itemizer.

General itemizers are used for line items that aren't computed on a form or schedule. Take another look at figure 2. Line 8 is interest income, which is computed on Schedule B. If the Samples were to press *I* at that line item, *Tax Preparer* would retrieve the input screen for Schedule B, not a general itemizer.

Figure 3 shows page 1 of the Schedule B screens from *Tax Preparer*. If the Samples wanted to use the general itemizer feature on any of Schedule B's line items, all they'd have to do is press *I* and they'd get a general itemizer.

For line items that involve calculations or for saving information that's more than a general itemizer can handle, *Tax Preparer* uses a special itemized list. A good example is the list used for capital gains (Schedule D lines 1f, 1g, 9f, and 9d), shown in figure 4. As you can see, the format, as well as the information stored and used within the list, is customized to the particular type of transaction. Each transaction takes up the entire display, but any number of transactions can be entered.

If at any point you want to do a calculation but prefer not to use the general-itemizer feature, you can use *Tax Preparer's* built-in calculator instead. This feature is activated any time you press the plus sign, minus sign, division key (slash), or multiplication key (asterisk). For example, if the Samples want to enter their income directly (not using the general itemizer), they can enter *16500+19500* and *Tax Preparer* will add the figures and record the sum. The major difference between the two methods is that the general itemizer stores the detail behind the result, while direct entry does not.

If you choose to go directly to forms and schedules, instead of availing yourself of the program's road-map option, you'll find the general itemizer and calculator features still available, but you won't have to work your way through Form 1040 to get where you're going.

Tax Preparer does not relieve you of the burden of determining which method of tax computation is appropriate for you. You have to make that choice yourself, just as you would if you were computing your return manually. You can choose to have your liability computed by way of the tax tables, tax rate schedules X, Y, Z, or Schedule G.

Once you've worked your way through Form 1040 and chosen which method of tax computation is right for you, you can flip to the last page of Form 1040 and see how much you owe (or how small your refund will be).

After you get up off the floor, you can simply press escape and *Tax Preparer* will send your data to disk under the name you entered at the top of Form 1040.

Tax Preparer can also be of some help with tax planning. To use the program for this purpose, you would create a pro forma tax return, which would represent your best guess at your financial posture; then you'd change the value of a line item you had control over, such as an expense or income item. You would instantly see the bottom-line result in your tax liability. Remember, though, that you have to know whether what you're contemplating is possible and legal. *Tax Preparer* is not a lawyer.

Once you have completed your return, your next step is to print it. Printing with *Tax*

Know why retailers everywhere are getting Knoware™ fast?

Knoware INC
THE KNOWLEDGE COMPANY

Knoware™

• teaches how to use a personal computer – in no time.
• includes software programs that can be used – all the time.
• makes personal computer learning enjoyable.
• makes personal computer learning easy.
• is a tool to be used at work or at home.

Available on Apple® II + and IIe, 64k IBM® PC and XT, DOS 1.1 or 2.0, 128k, color graphics.

Knoware

301 Vassar Street, Cambridge, MA 02139

Knoware is a must for retailers because it

- provides personal computer education PLUS eight usable applications—all for $95 retail.
- helps sell hardware by letting PC buyers prove to themselves the benefits of personal computing and by letting them succeed on the first try.
- helps sell more software by providing a conceptual understanding of the benefits of best-selling applications software.
- means customer satisfaction by eliminating the frustration many new users feel once they get their personal computers home.
- is a terrific tool to train your salespeople. Knoware gets them up-to-speed quickly with personal computers. At the same time, customers can actually get themselves started on a personal computer, freeing up your staff to handle more sales opportunities.

Knoware supports dealers with

- special in-store demo copies of Knoware.
- point of sale materials.
- toll-free dealer phone line to Knoware.

Knoware will continue to capture the public's attention with

- a major advertising and promotion program.
- the introduction of a family of products, including education on programming languages and best-selling applications, such as word processing, electronic spreadsheet and database.

Know who you have to contact to get Knoware fast?

SOFTSEL 1-800-645-7777
KNOWARE, INC. 1-800-843-5669

Your computer's telephone.

Hayes™

What will counteract NDC 74-0054-60?

Gary: The pedigrees for next week's auction are as follows...

Sold 1000 shares at 33 for net profit of 6000. Richard.

Wouldn't it be great if you could use your IBM®PC to tap into vast resource libraries across the country? To transfer files to your partner, upstate? Or from your broker, down the street?

It's possible. All you need is a modem, to connect your computer to others. Down the hall. Or thousands of miles away.

Hayes Smartmodem. Think of it as your computer's telephone. Hayes Smartmodem 300,™ and the faster Smartmodem 1200,™ allow you to communicate over ordinary phone lines.

But any modem will send and receive data. Smartmodems also dial, answer and disconnect calls. Automatically. And without going through the telephone receiver, making them far superior to acoustic coupler modems.

Choose your speed; choose your price. The lower-priced Smartmodem 300 is ideal for local data swaps and communicates at 300 bps. For longer distance and larger volumes, Smartmodem 1200 operates at baud rates of 300 or 1200, with a built-in selector that automatically detects transmission speeds.

Both work with rotary dials, Touch-Tone® and key-set systems; connect to most time-sharing systems; and feature an audio speaker.

Smartmodem 1200B™ is also available as a plug-in board. Developed specifically for the PC, it comes packaged with Hayes' own communications software, Smartcom II.™

Smartcom II. We spent a lot of time developing it, so you can spend less time using it. Smartcom II prompts you in the simple steps required to create, send, receive, display, list, name and re-name files. It even receives data completely unattended—especially helpful when you're sending work from home to the office, or vice versa.

If you need it, there's always "help." This feature explains prompts, messages, etc. to make communicating extra easy.

With Smartcom II, it is. Case in point: Before you communicate with another system, you need to "set up" your computer to match the way the remote system transmits data. With Smartcom II, you do this only once. After that, parameters for 25 different remote systems are stored in a directory on Smartcom II.

Calling or answering a system listed in the directory requires just a few quick keystrokes.

You can store lengthy log-on sequences the same way. Press one key, and Smartcom II automatically connects you to a utility or information service.

Hayes®



```
Schedule B                                                    Page 01 of 03
        Tax Preparer's Currently Active Filename -    Mr. and Mrs. Sample



### PART I-INTEREST INCOME
1.  Incm frm seller-fin. mrtgs.....................1.          0.00
2.  Other interest income..........................2.        256.00
3.  Sum of lines 1 and 2...........................3.        256.00
4.  Interest frm all-svgs crtf.....................4.          0.00
5.  Sum of amounts  on  line 4.....................5.          0.00
6.  Amount of A.S.C. exclusion.....................6.          0.00
7.  Line 5 less line 6.............................7.          0.00
8.  Sum of lines 3 and 7...........................8.        256.00



                    Keyboard Controls - <=Prv page..>=Nxt page..^=Up..I=Itemize
TAX PREPARER by HowardSoft          ESC=Escape to prior menu...RTN=Entry OK
```

Figure 3

```
Schedule D--Line 1.                                           Page  1 of  1
        Tax Preparer's Currently Active Filename -    Gibraltar



###### GAIN/LOSS WORKSHEET
a.  Kind and description.....100 shares Hewlett Packard common
b.  Date acquired  mm/dd/yy.....6/30/82
c.  Date sold      mm/dd/yy.....12/15/82
d.  Gross sales price.....                              7,500.00
e.  Cost or other basis.....                            4,762.50
f.  Loss.....                                               0.00
g.  Gain.....                                           2,737.50



                    Keyboard Controls - <=Prv page..>=Nxt page..^=Up..I=Itemize
TAX PREPARER by HowardSoft          ESC=Escape to prior menu...RTN=Entry OK
```

Figure 4

Preparer is a fairly simple and straightforward matter. Little features such as page stops for single-sheet paper and alignment markings for preprinted forms indicate that the programmer has taken time to make the program as easy to use and functional as possible.

Tax Preparer has been designed to be suitable for individual taxpayers as well as commercial preparation services. The program is slow—perhaps too slow for some—but it has several features that will appeal to commercial tax preparers.

For example, the program can generate a standard summary letter outlining the present year's liability, amounts prepaid, penalties, and the amount owed. The bottom half of the summary letter is a bill for the preparation of the return. *Tax Preparer*'s preprogrammed printing sequence will automatically print the summary letter, Form 1040, facsimile forms and schedules, and supporting statements. All the preparer has to do is turn on the printer, start the sequence, and walk away.

Up to sixteen clients' returns can be stored on a single disk. *Tax Preparer* comes with a complete set of disk management utilities. When a disk's directory is displayed, *Tax Preparer* lists the disk's volume number, the name of each file (client), and the returns and schedules already prepared for each. The only shortcoming is the program's aforementioned lack of speed. But speed is a relative thing. To do what *Tax Preparer* does in five minutes might otherwise take a person an hour or more.

The editing features (insertion, deletion, and so on) work well and are clearly documented. As for *Tax Preparer*'s documentation in general, it's well written, clear, and concise. To supplement the documentation, the program includes a set of on-line help screens that cover program organization, operating tips, disk preparation and data storage. ▲

THE BASIC SOLUTION



by Joe Juhasz

Peek and *poke* are two of the Basic programmer's most valuable tools. These statements allow you to access and modify any location in memory, including those locations that hold such system information as display adapter type, default disk drive, timer information, and so on. Skilled programmers can even use the *poke* statement to place short machine code subroutines in their programs or to store data in a more efficient way.

The next few installments of this column will present some of the many uses of *peek* and *poke*. If you know about worthwhile peeks and pokes that you'd like to share with other readers, please feel free to send them to The Basic Solution, Softalk/IBM, Box 7040, North Hollywood, CA 91605; we'll print some of the more interesting ones in subsequent columns.

Peeking, Poking, and Stalling

Peek is a Basic function that returns the value of a byte in memory. The value is returned in decimal notation, and the location read can be anywhere in memory—including DOS and Basic's system information areas.

The syntax for *peek* is:

```
v = PEEK(n)
```

where *n*, an integer value in the range of 0 to 65535, is the offset from the memory segment defined by your program's most recent *def seg* statement. The retrieved value, an integer in the range of 0 to 255, is stored in the variable *v*.

Some useful settings for *def seg* include:

```
DEF SEG ' Basic's data segment
DEF SEG = 0 ' DOS's segment
DEF SEG = &HB000 ' Monochrome monitor display's
                   memory
DEF SEG = &HB800 ' Color/graphics display's memory
DEF SEG = &HF600 ' ROM Basic
DEF SEG = &HFE00 ' ROM BIOS
```

Poke is the complement to *peek*. It places a specified value into any byte in memory. The syntax is:

```
POKE n,v
```

where *n*, in the range of 0 to 65535, is the offset from the current memory segment and *v* is the data to be placed in the specified location. *V* must be in the range 0 to 255 or you'll get an illegal function call error.

Basic doesn't do any checking on the addresses to which you *poke*, and the IBM Basic manual advises against your changing values held in Basic's stack or variable areas or the area where your Basic program is stored. If you're just learning your way in Basic, it's probably best that you heed this warning. Later on, we'll show some creative and powerful ways to apply the *poke* statement to your program area.

Okay, now let's start putting *peek* and *poke* to use.

The following code is a simple way to determine which screen adapter cards (monochrome, color/graphics, or both) a system contains. The routine tests the assumption that an adapter card exists by placing a byte of information into the adapter's memory area, reading it back, and comparing the value read to the value placed. If the before and after values match, then the adapter card exists.

To test for the monochrome adapter, we set our *def seg* to &HB000, and to test for the color board we set the *def seg* to &HB800. We can *poke* into the same offset for both *def seg* settings.

```
DEF SEG=&HB000 ' Test for monochrome adapter
POKE 1,100 ' Place data
TEMP=PEEK(1) ' Get data
MONO.SW = (TEMP=100) ' If the same, then we have
                     ' monochrome adapter
```

We Blow Bubbles Around Your Floppy Disc.



Charlie would have been blown away.

Bubble memory combines the best features of disk and solid state memory with extreme reliability. Unlike a floppy disk, it's entirely solid state with no moving parts. This makes it impervious to dust, dirt, fumes, and vibration. And, unlike normal memory, it doesn't lose data when the power goes off.

Now you can enjoy all the advantages of bubble memory combined with the famous Pure Data quality and reliability for your IBM PC or XT.

- PDIB-128 provides 128 KBytes in one slot
- PDIB-384 provides 384 KBytes in one slot
- Not affected by power failure
- Faster than a floppy disk
- Extremely reliable
- Standard DOS 2.0 disk-type device
- Compatible with all DOS software
- No patching of any system files
- Password option for computer and/or bubble
- Password cannot be bypassed by software
- Comprehensive diagnostics and other utilities
- Fully illustrated installation and operation manual
- Technical support hot-line
- Guaranteed 48 hour service
- Bubble uses 2 I/O addresses and no memory space
- Interrupts are supported but not required
- DMA is supported but not required
- On-board EPROM socket
- Pure Data quality and reliability
- No moving parts

PDIB-128



PDIB-384



Pure Data Ltd

950 Denison Street, #17,
Markham, Ontario, Canada L3R 3K5
☎ (416) 475-2424 ☎ (416) 498-1616

Pure Data products are available through.

OnTrak DATA SYSTEMS
1335 Valwood Parkway, Suite 108,
Carrollton, Texas 75006
Telephone (214) 620-8000
P.O. Box 815155, Dallas, Texas 75381

Highland Computer Corporation, Keysoft International, Computerland, Computer Innovations, Compugroup, ECOSEA Technologies and others.

d hard way.


. prompt select
***UNKNOWN COMMAND
prompt select
CORRECT AND RETRY (Y/N)?

R way.



Up till now, you just about had to be a programmer to build a relational DBMS for micros.

But now there's R:base,™ from Microrim.

With R:base, the optional prompts make you think you're talking to a colleague, not a computer. SELECT this. PROJECT that. JOIN this. (There are more than thirty other similar commands.)

And, by using this "fill-in-the-blanks" approach, you're actually learning simpler and more productive ways to use R:base as you go along!

Need more help? Just type HELP and R:base gives you an on-line users guide. Which gives you all the information you need.

But you get a lot more with R:base than just simplicity.

See for yourself. For only $9.95 (plus shipping), we'll send you a full demo packet, including a comprehensive tutorial and diskette.

Just call 1-800-547-4000 and ask for dept. 803 (in Oregon and outside the USA, call 503-620-1602, dept. 803). Or ask for it at your nearest software retailer or participating ComputerLand® dealer.

R:base

It's easy when you do it R way.

A product of Microrim, Inc., 1750 112 N.E., Bellevue, WA 98004

```
DEF SEG=&HB800 ' Test for graphics adapter
POKE 1,100 ' Place data
TEMP=PEEK(1) ' Get data
GRAPHICS.SW = (TEMP=100) ' If the same, then we
                         ' have graphics adapter
DEF SEG ' It's best to reset segment to
        ' Basic's default segment
IF NOT MONO.SW THEN PRINT "NO ";
PRINT "Monochrome Adapter"
IF NOT GRAPHICS.SW THEN PRINT "NO ";
PRINT "Graphics Adapter"
```

Delaying Tactics. Occasionally, a program you're writing may need a slight delay or pause. A common technique is to use a small loop such as:

```
FOR PAUSE = 1 to 1000: NEXT
```

The pause loop can be lengthened or shortened to control the duration of the pause.

A major problem with this method is that you never know, without trial and error, how many loop iterations will be needed to effect the desired delay. The size of loop required will depend on such factors as the length of the program, the position of the loop within the program, the presence or absence of event-trapping statements such as *key(xx) on*, and so on. And if you're not certain whether or not your user will be compiling your program, there's no way you can use a simple pause loop to get the right delay; a five-second delay in an interpreted program would be barely noticeable in a compiled program.

A second means of creating pauses in Basic is the *sound* statement, which lets you generate pitches of specified frequency for specified lengths of time.

For example: *sound 200,18* generates a 200 Hz pitch lasting for eighteen machine clock ticks. The PC clock ticks 18.2 times per second (see the discussion of *sound* in the Basic manual), so the tone produced by *sound 200,18* will last just less than a second.

Execution of a program containing a *sound* statement continues while the tone is generated until another *sound* statement appears. At this point, the program stops until the tone created by the prior *sound* statement has achieved its appointed duration. This fact—and the fact that the human ear can hear only a limited range of frequencies—forms the basis for a more exact method of creating delays.

The statements *sound 32767,18.2 *Secs! : sound 32676,1* will cause a delay of Secs! seconds. The delay will be the same in interpretive Basic as in compiled Basic.

You'll notice a clicking sound if you use this technique. The fact that this clicking is distracting motivates us to look for a still better pause-making algorithm.

Basic's system variable Time$ returns the current system time. A small routine can be written to test Time$ repeatedly until the desired delay is achieved. This delay would be silent, and its duration would be the same under any version of Basic, but its accuracy—to plus or minus one second—would be insufficient for most applications.

Since the clock ticks 18.2 times per second, you might assume there's a better way. In fact there is.

DOS keeps track of time by counting clock ticks and recording them at address 0000:046C through 0000:046F. The following code generates a pause by peeking at the tick counter. With a little ingenuity, you can use this technique to accurately determine the execution times for parts of your programs—as well as for controlling delay loops.

```
100 DEFINT A-Z: CLS ' a standard opening statement
110 '
120 '*********************************************
130 '***  DEFINE FUNCTIONS used to determine number of clock ticks ***
140 '***  and seconds currently stored by DOS. The count of clock    ***
150 '***  ticks is stored at addresses 0000:046C thru 0000:046E.     ***
160 '***                                                           ***
170 '***  You must set the segment to point to segment 0 prior to   ***
180 '***  calling either function. It's also a good habit to        ***
190 '***  reset the segment to Basic's default after calling the    ***
200 '***  functions.                                                ***
210 '***       DEF SEG=0 will set the segment to 0                 ***
220 '***       DEF SEG will reset the segment to Basic's default   ***
230 '***                                                           ***
240 '***  FNTICKS! is a function that returns the count of clock    ***
250 '***       ticks stored at 0000:046C thru 0000:046E.           ***
260 '***                                                           ***
270 '***  FNSECONDS! is a function that converts the number of      ***
280 '***       clock ticks stored at 0000:046C thru 0000:046E      ***
290 '***       into a number of seconds.                           ***
300 '*********************************************
310 '
320  DEF FNTICKS! = PEEK(&H46C)+PEEK(&H46D)*256+PEEK(&H46E)*65536!
330  DEF FNSECONDS! = (FNTICKS!/18.2+.5)
340 '
350 '
360 '
370 '***—test pause—***
380       INPUT "Enter number of seconds to pause: "; PAUSE!
390       GOSUB 430 ' go to pause.
400       BEEP
410 GOTO 370
420 '
430 '***—pause for pause! seconds—***
440       DEF SEG=0 ' set segment register to 0.
450       DONE!=FNSECONDS!+PAUSE! ' calculate time when pause should
460                               ' be finished.
470       IF FNSECONDS!<DONE! GOTO 470 ' wait till we are done.
480       DEF SEG ' set segment register to Basic's default.
490 RETURN
```

Next month's "Basic Solution" column will include a list of some useful *poke* and *peek* addresses—and some more program segments to put them to use. ▲



LA AUTHORITIES MOVE TO CURB CRIMINAL COMPUTING

In November of last year, nineteen-year-old UCLA student Ronald Mark Austin attracted considerable media attention when he was arrested and charged with fourteen counts of maliciously accessing a computer system. Working out of his Santa Monica, California, apartment on a personal computer, Austin "broke into" a U.S. Department of Defense communications system and tapped into fourteen research agencies, including the Naval Research Laboratory in Washington, D.C., the Norwegian Telecommunication Administration, the Computer Science Network in Wisconsin, the Mitre Corporation in Massachusetts, and a system at Cornell University.

Austin's modus operandi bore some resemblance to that of the teenage "hackers" who have also been an object of media attention in recent years. But when they arrested Austin at his apartment, officials found evidence indicating he may have been involved in more than just whiz-kid antics.

Whatever the case may have been, Austin's actions have worried local law enforcement agencies. Computer crime is not new, but the rate at which such crime is occurring

GOTO page 163, column 1

Whimsical Art Show Features Playful Robots

Late last year, a bizarre combination of metal sculpture and photographs was displayed at the Chevron Art Gallery in San Francisco. Featuring the talents of sculptor Clayton Bailey and photographer Ken Botto, the show, called Robot Realities, presented a satirical view of mechanical beings. Using various metal objects and rolled aluminum, Bailey constructed whimsical versions of robot companions, servants, secretaries, sentries, and household pets—creatures that seem to have sprung from the golden age of science fiction or from the pages of Isaac Asimov's robot novels.

"There are reincarnations of household appliances," states Bailey. "My robots are personable, not at all like the industrial robots currently used in factories."

Ken Botto's photographs portray fabricated situations. He has placed intricate toy robots in elaborate other-worldly settings or in familiar domestic ones. Author of *Past Joys* (Chronicle Publications), a pictorial essay on old toys, Botto has researched the robot phenomenon, which started in the 1920s.

"The Japanese became robot-conscious right after World War II when they exported a toy robot called Atomic Robot Man to this country. The toy world has accepted the robot concept for quite some time."

Botto's photos present a more threatening picture of robotics, which he attributes to the western world's representation of robots as

GOTO page 164, column 2

Chicago Firm Helps Companies Cash In on Obsolete Computers

As newer, smaller, more powerful computers continue to appear on the scene, many of their larger, less powerful forebears have begun to disappear. The ability of the micros to outcompute the once-mighty mainframe is not the only reason they are vanishing.

There was a time when many mainframe and minicomputers were made with silver, platinum, and copper. Gold, an excellent electrical conductor that once cost a mere $40 an ounce, was also used in large quantities. About ten years ago, when the price of gold was allowed to rise, computer manufacturers started using palladium instead.

The current price of gold is good news to some owners of older mainframes—machines that may have otherwise become negative assets. In the past, old systems with original costs in six figures have gone to new owners for a few thousand—or have gone straight to the dump. Some older computers are moldering in storage, their owners paying in the hundreds of dollars per month for the privilege.

About a year ago, Forsythe Computer Associates, a Chicago-based computer leasing company, began a dismantling service that strips older machines of their precious metals. Now these old computers, destined for extinction, are disappearing even faster. Forsythe's dismantling plant processes about two hundred machines a month.

Plant manager Joe Zabelle draws a comparison: "It's like killing dinosaurs," he says. "When all the dinosaurs are gone, our work will be done." Zabelle reckons that time will be some two to five years from now.

Forsythe charges customers $1.50 per pound to process an old machine, in addition to a 15 percent commission on the value of the metals extracted. Companies such as IBM, Honeywell, and Burroughs have in-house facilities for extracting precious metals from computers, but Forsythe is currently the only company that processes machines for ordinary folk.

Most of the precious metals, found in contact points, chips, and electronic circuits, are extracted from the guts of the computer. The precious metal scrap is first burned to remove impurities and then smelted into a copper-base metal. The result is a bullion bar composed of the precious metals, which are later separated. The whole process takes about sixty days.

When it comes to these old machines, things are not always as they seem, says Zabelle. "There might be two identical models, just one serial number apart, but one may be worth two thousand dollars more than the other. From time to time, we even get some that are worth nothing." Still, a large computer can be worth as much as twenty-two thousand dollars, and, according to Zabelle, looking for the wealth is half the fun.

"We have a great time using saws and sledgehammers. One employee has even kidded about using dynamite," says Zabelle. They haven't gone that far yet.

"The work is a little noisy but very relaxing," boasts Zabelle. "We don't have any frustrated employees."

Most of the plant's employees are "guys who like to see how things work," he adds. There are a few computer programmers, however, hammering away with the rest. Some people never get tired of making systems crash.

MS

$299 212A

1200 Baud, Auto-Dial, Modem for IBM PC

PC 212A/1200:

A GENUINE BREAKTHROUGH

NO CORNERS CUT

We included every feature you would want in a modem card. It's FCC registered for direct connection to your modular phone jack with the cord which is included. There is a separate modular jack for your telephone or you can listen through the onboard speaker. The auto-dialer works on rotary lines, tone lines, or a combination of both, and will pause for use with Sprint or MCI. It will work in originate or auto-answer modes. A separate microprocessor, a Z8, controls all the functions.

ADVANTAGE #2

Optional external serial port connector



AN ASYCHRONOUS ADVANTAGE

The modem board is addressed in the software as COM1 or COM2 and we have a handy little option you ought to consider. If you would like to use the asynchronous communications port when your modem is not in use, we will add a connector and the necessary circuitry for just $20. This saves you the hundred bucks or so you would spend for another async card and saves a valuable slot. It can be configured as COM1 or COM2 and works just like IBM's does.

THIN IS IN

It plugs into your IBM PC or XT and occupies any one slot since it is just 1/2 of an inch thick. This is made possible by using a special speaker which is just 1/8" tall. Competing brands either use a convential cone type speaker, or they just skip the speaker altogether. Some modems also have large transformers which allow rob valuable space.

ADVANTAGE #3

Just one slot in PC or XT

LET'S TALK SOFTWARE

Our modem is 100% compatible with the Hayes software commands so you can use any of the popular communications packages like IBM's Asynchronous Communications Support, CrossTalk, Transend, or PC Modem. We go one better than the competition. We include PC-TALK III. PC WORLD magazine referred to it as "the benchmark that other PC communications packages are measured against." It stores phone numbers, handles setting the modems characteristics, saves to disk files, transmits from disk files, even binary files. You can program up to forty keys to have things like passwords and log-on information be entered when you hit them. And to make sure data is sent and received accurately, the XMODEM protocol detects errors caused by poor line quality and automatically retransmits the data.

WHY BUY FROM US

Because besides having the best product on the market, we stand behind it and you. You get factory direct technical support after the sale. If an any time during the one year warranty period your modem should require service, we will fix or replace it within 48 hours. Notice also there are no hidden charges in our price. Nothing extra for credit cards or COD charges. We even pay UPS shipping. If you still are not convinced, and are ready to buy another brand of modem, ask them if they will take our acid test.

THE ACID TEST

Qubie gives you a 30 day satisfaction guarantee on your modem. If you are not completely satisfied we will refund the entire amount of your purchase including the postage to return it. If you can, get anyone selling one of our competitor's products to give you the same guarantee. Buy any modem you like and return the one you don't like. We know which one you will keep.

ORDER TODAY

It's easy to order by mail or by phone.

VISA master charge

BY PHONE: Call us and one of our sales staff can answer any questions you have and take your order. Have your Visa or Mastercard number handy when you call.

(805) 987-9741

BY MAIL: We need your name and street address, daytime phone number, how many modems you want, and whether your computer has single or double sided drives.

$299 includes: PC 212A/1200 auto-dial modem card, PC-TALK III software, cord to connect to modular phone jack, and manual. 1 year limited warranty.

Optional: Connector and circuitry to use serial port for another serial device $20.

SHIPMENT

We pay UPS surface charges. UPS 2 day air service add $5 extra. Credit card or bank check orders shipped next day. (Personal checks take 18 days to clear)

QUBIE'

4809 Calle Alto, Camarillo, CA 93010

Tempo House, 15 Falcon Road
London SW11, United Kingdom

The arcade classics. Now playing on home computers everywhere.

If you own a Commodore VIC 20 or 64, a Texas Instruments 99/4A, an IBM or Apple II, we've got what you've been waiting for!

The biggest arcade hits ever, the classics. DONKEY KONG by Nintendo, CENTIPEDE,™ PAC-MAN, DEFENDER, ROBOTRON: 2084, STARGATE and DIG DUG. (On the TI 99/4A you can also play Protector II, Shamus, Picnic Paranoia and Super Storm.)

And the hits will keep on coming. Soon you'll be able to play JOUST,™ JUNGLE HUNT,™ MOON PATROL,™ POLE POSITION,™ MS. PAC-MAN™ plus others on your home computer. Some games also available on Colecovision and Intellivision.

The Arcade Classics from ATARISOFT.™ They could be playing where you live. Today.

ATARISOFT™

Now your computer fits the arcade hits.

Criminal Computing

continued from page 159

is rising dramatically. In response to Austin's arrest and in recognition of the problem in general, Los Angeles District Attorney Robert Philibosian instigated the formation of the Electronic Crime Task Force. The task force's mandate is to investigate computer crimes and prosecute computer criminals.

In 1979, Deputy District Attorney Clifton Garrott was the only full-time employee of the electronic crime section of the D.A.'s major fraud division. The new task force includes Garrott, Deputy District Attorney Kim Wildman, Investigator Duane Trump, and twelve part-time investigators (who are undergoing training). According to Philibosian, the task force was formed not only to punish computer criminals but also to augment the public's awareness of computer crime.

"When you have as technical an issue as computer crime, and all the subissues, and you're trying to explain it all to a judge or jury, a certain amount of technical knowledge on the part of the prosecutor and investigator is required," says Philibosian. This knowledge is needed not just to prepare the case for trial but also to explain it adequately to a group of lay people.

"The other reason for the force," says Philibosian, "is to attract attention to this area so that people who are victims will know they have a place to go to make a complaint and won't just throw up their hands. We also want to convey to potential computer criminals that they're going to be detected, arrested, and convicted. They're going to be punished. By conveying that in advance, we hope to deter them."

Philibosian declined to reveal the methods used by the task force in detecting computer crime, saying only that the force "cooperates with agencies that have computers" and works through these agencies' technical people.

According to Philibosian, the Electronic Crime Task Force investigates various categories of computer thieves, ranging from stereotypic adolescent computer geniuses to thrill-seekers to planters of logic bombs.

"A person such as Austin, for example, is referred to as a computer hacker, one who invades computer programs and causes damage by preventing people from getting into the system, destroying programs, or removing information in an unauthorized way. It would be just as if they were to back up a moving van to a computer store and take out $500,000 worth of hardware."

Unlike computer hackers who seek simple thrills, other computer criminals are breaking into computers for financial gain and revenge on their employers.

"Some people commit fraud by computer, transferring money from one account to another," Philibosian explains. "This is the type of person who before we had computers committed fraud by altering accounts. Usually, these are people within financial institutions. Another type of computer criminal is one who is stealing information to use for some kind of fraud."

An example of this last type of computer crime was recently investigated by the task force. The case involved a former deputy sheriff who posed as a member of the police force in order to obtain computer information and sell it to his current employer, a private investigation agency.

"Another person is the destructive type of criminal," Philibosian continues, "who, because he has a grudge against a particular company, wants to destroy the company's computer program. That's done by planting a logic bomb—a collection of destructive commands—that wipes out information. Still other people extort money from a company by threatening to blow up information if they are not paid a certain amount."

An example of the extortion/blowup variety occurred last July when two individuals tried to sabotage the computer system at Collins Food International, the company that provides payroll and inventory services for Kentucky Fried Chicken and Sizzler franchises nationwide. The logic bombs planted by the two employees, both Los Angeles computer programmers, would have deleted inventory and payroll information, shut down the computer system, and then erased the signs of intrusion to protect the pair.

Another computer manipulation technique is known as the "Trojan Horse." The perpetrators of this kind of computer crime arrange matters so that a legitimate user of a system unknowingly sends information to a person who isn't entitled to it.

"Then, of course," says Philibosian, "there's the straight theft of computer time—someone who runs programs for his own purposes on someone else's computer."

The penalties computer criminals face vary from state to state. As of August 1983, twenty states had legislation specifically penalizing computer criminals. California Penal Code Section 502 specifies a penalty of three years in state prison, a year in county jail, or a fine of up to $5,000 for a variety of computer crimes. Hearings held later this year will determine what sort of federal legislation will cover computer crime.

GOTO page 164, column 2

Left, two of Clayton Bailey's creations, Ape Guardian and Smoke Ring Blowing Grandfather Clock; right, Bailey's robots are made of aluminum, household objects, and other fanciful materials.

Robots

continued from page 159

evil. From the publication of *Frankenstein* on, the creation of any living thing, mechanical or not, has been seen by some as an unholy attempt to imitate God. And in science fiction literature and films, robots are often portrayed as inhuman and vicious killers.

Botto's photographs have appeared in galleries at the University of Arizona at Phoenix and at the Trans America Building in Los Angeles. His two-dimensional treatment of robots adds flavor to the three-dimensional aspect of Bailey's life-sized works.

For the last several years, Bailey—formerly a ceramic sculptor—has constructed whimsical robots. He has put together *The Robot Builder's Manual*, a twenty-eight-page booklet that contains complete instructions for building various mechanical beings out of available materials.

According to Linda Evans, president of Art Programs Incorporated (sponsor of Robot Realities), the show is quite appealing to kids. "More than twenty-six hundred students have visited the Chevron Gallery," she says. "Robot Realities has been a tremendous success." HL

Criminal Computing

continued from page 163

Philibosian says that while the laws in California are strong in terms of computer theft (which is covered by normal theft laws and by Section 502), more awareness in the areas of prevention and security is needed to counteract the knowledgeable computer thief.

"Passwords, for example, and access to those passwords, must become more complicated," Philibosian maintains. "The use of more complex passwords with more letters would be one way of preventing entries because it would be difficult for a criminal to come up with a password by random methods."

Even though he has formed this task force and although he stresses the need for enhanced societal awareness of computer crime, Philibosian does not believe that computer crime is becoming more common than other varieties of crime. "We have crime all over," he says. "We still have cattle rustlers, right here in Los Angeles County. Computer crime is just a new way to steal. We have relatively few computer criminals because relatively few people have that kind of capability and knowledge." JG

Δ Silicon Reds. This past November, the State Department placed Silicon Valley, the high-technology industrial area south of San Francisco, officially off limits to Soviet diplomats. Restrictions designating areas of the country as open or closed have been in existence in various forms since 1951; they're imposed solely because the Soviet Union puts similar limits on the freedom of movement of American personnel in the U.S.S.R. Currently, closed areas in the United States include most of the centers of the defense industry, including the Silicon Valley, eastern Long Island, Seattle/Tacoma, and large parts of southern California and Texas. The State Department's action makes it official; but, in practice, Soviet requests to visit Silicon Valley have been denied for several years. The regulations include no specific machinery for enforcement or penalties if they're violated. Any infringements are handled as diplomatic incidents on a case-by-case basis.

Δ Workers Vote Nonunion. In a landslide vote last November, employees of Milpitas, California-based Atari chose not to join the Glaziers, Architectural Metal and Glass Works Union. The outcome of the vote was not a surprise; unions have had a tough time getting even a foothold in Silicon Valley industries. A study conducted by the American Electronics Association found that unions won only seven of thirty-seven bids to represent workers at high-tech firms between 1977 and 1982. Nonetheless, because Atari had laid off seventeen hundred workers last February, labor leaders were hopeful about this vote. The talley—143 votes against unionization and only 29 in favor—is seen as indicating that the unions will never have much impact in the valley. When asked about the vote, several workers expressed the opinion that unions are not much help. Though crushed for the moment, the unions are saying the battle isn't over yet. The union can come back again and probably will—perhaps with a new image designed to be more accessible to young workers who aren't sure about unions.

Δ Tottling Turtle. Harvard Associates (Somerville, MA) has announced a new robot teaching device—the Turtle Tot. Manufactured in Australia by Flexible Systems (Hobart, Tasmania), Turtle Tot is a simpler, smaller version of the Tasman Turtle, which Harvard Associates distributes in the U.S. for Flexible Systems. Priced at around three hundred dollars, Turtle Tot can be programmed by various microcomputers through an RS-232 interface. Turtle Tot can move, draw, turn, blink its "eyes," and feel its surroundings with touch sensors. An optional speech package is available as well. Turtle Tot is intended for use in classrooms, including preschool classrooms.

Δ Black Gold Conference. A new exhibition and conference, Electronics in Oil & Gas/U.S., will take place June 4-7 at the Convention Center in Dallas, Texas. The conference will focus on the key role of electronic equipment and technology as applied to the petroleum and gas industry and will be held in tandem with the World Oil & Gas Show and Conference. Electronics in Oil & Gas/U.S. will concentrate on electronics technology as it applies to processing, production, supervision, data control, communications, navigation, testing, instrumentation, safety, and other operational functions. Information about both shows may be obtained from Martin C. Dwyer International (a Cahners Exposition Group company based in Des Plaines, Illinois).

Δ City of a Thousand Bar Codes. Paris, France, has been selected as the site for the National Retail Merchants Association's World Retailer's Business & Equipment Exposition. Scheduled for April 8-11 at the Palais des Congres, the exposition will feature exhibits ranging from the most sophisticated electronic and telecommunications technologies to the most efficient and creative store planning and sales promotion. For additional information, contact NRMA's office in New York City.

Δ Robot Wares. At first, recession-weary workers in Michigan's auto industry feared and opposed the coming of robots and automation. Their catch phrase was "Robots don't buy cars." Now, however, the attitude is different. Workers and manufacturers are both placing high hopes on the growing robotics industry. There are more than thirty robotics companies in the state of Michigan, with many more on the way. Experts predict that robotics and automation could become a $25 billion business in the United States by the end of the decade. Michigan seems to be in a good position to grab much of this business because it has a strong university system and an industrial structure for a high-tech industry already in place. There is also a new entrepreneurial spirit evident on the state's campuses and in local companies. ▲

Editor **David Hunter**

Contributors **Jane Greenstein, Hartley Lesser, Marsha Stewart**

FEATURING IBM, APPLE & WORK-ALIKE COMPUTERS & COMPATIBLES

FORMERLY APPLEFEST & PC'83

THE PERSONAL COMPUTER USERFEST

Plan now to attend the Personal Computer Userfests, the largest events ever . . . for Apple and IBM PC users.

Userfest brings together two of the largest, most successful shows ever conceived for personal computer users: Applefest and PC'83. Now that Apple and IBM can run each other's software, and with so many products adapted for both systems, the two shows merged beautifully.

At Userfest you'll see—and try out—all of the newest state-of-the-art products for your Apple, IBM PC or work-alike. Each Show has hundreds of displays and exhibits, and thousands and thousands of products including innovative new software, power peripherals, accessories, support services, books and publications. Products to help you explore the full potential of your computer for office, home and school applications.

Userfest features all the major makes of Apple and IBM computer compatibles. In fact, it's the largest display of these products, and biggest gathering of IBM and Apple experts, ever assembled in either city. Hence, you can learn more in two days at Userfest than you could in months of visiting computer stores or reading trade journals.

And best of all, everything on display at Userfest is for sale, usually at special show prices, so you can save hundreds, even thousands of dollars by making your purchases at the Show.

So don't miss the Personal Computer Userfest when it comes to Chicago and New York in 1984. It's a once-only opportunity.

Order your tickets in advance and avoid long lines. Admission is $10.00 for a one-day ticket, or $20.00 for four days. Children's tickets (under 10 years of age) are $4.00 and $8.00. If you need hotel accommodations and/or airline reservations, check the line on the Advance Ticket form.

CHICAGO

USERFEST/CHICAGO
Thursday-Sunday
May 3-6, 1984
10:00AM to 5:00PM daily
O'Hare Exposition Center
9291 West Bryn Mawr Rosemont, Illinois
(next to Chicago's O'Hare Airport)

NEW YORK

USERFEST/NEW YORK
Thursday-Sunday
September 20-23, 1984
Madison Square Garden
10:00AM to 5:00PM daily

For information about exhibiting at the Personal Computer Userfests, call or write Northeast Expositions, 822 Boylston Street, Chestnut Hill, Mass 02167. Tel: 617-739-2000.

For hotel information call or write Trade Show Department, Fox Travel, P.O. Box 498, Waltham, Mass 02254. Tel: 617-890-1770 or 800-225-8410 ext. 314.

Userfest (formerly known as Applefest and PC'83) is produced by Northeast Expositions, 822 Boylston Street, Chestnut Hill, Mass 02167.

ADVANCE TICKET ORDER FORM

Mail this form (or a facsimile) with full payment to Northeast Expositions, 822 Boylston Street, Chestnut Hill, Mass 02167. Tel: 617-739-2000. No ticket orders accepted 14 days or nearer to each Show. Your tickets will be mailed one month prior to the Show. Sorry, no telephone or credit card orders please.

Name: _____

Company (if any): _____

Address: _____

City: _____ State: _____ Zip: _____

Tel. Day (____) _____ Evening (____) _____

Enclosed is full payment for

____ quantity adult one-day tickets @ $10.00 each ____ quantity adult four-day tickets @ $20.00 each

_____

Use this line for children's ticket orders

☐ Check here if you need hotel and/or airline information



THE RIGHT TO ASSEMBLE

by Ray Duncan

Program Control; The MARK Utility

The tutorial section of this month's column focuses on jumps and branches—the tools allowing us to test data and make our programs do varying things under varying circumstances.

The word *branch* originally implied a conditional jump—one that depended on the outcome of a test. The term came into use because it conveyed the image of a fork in the limb of a tree; that is, it suggested that the computer might "decide" to take one branch of a fork or the other. Over time, the term has taken on a more general meaning, implying either a conditional or unconditional program jump; in most current computer literature, this column included, the words *branch* and *jump* are used fairly interchangeably.

To take a conditional action based on some data test performed at runtime, a program written for the 8088 needs to go through a two-step procedure: First it must perform an operation on the data that will cause one of the CPU's status flags to be set; then it must execute a conditional jump based on that flag.

There are five status flags affected by all arithmetic/logical instructions: Zero, Sign, Parity, Overflow, and Carry. Some of these are also set according to the results of other instructions, such as shifts, rotates, increments, and decrements.

The Zero flag is set if the value of a result is zero, or if two numbers compared are equal.

The Sign flag is set if the value of a result is negative, or if the destination operand of a compare operation is less than the source operand.

The condition of the Parity flag depends on the number of 1 bits in the lower eight bits of a result; the flag is set if there's an even number of 1 bits and cleared if there is an odd number.

The Overflow flag is set when the result of a signed arithmetic operation is too large or too small for the destination. For example, if a register contains 7FFFH or 32767 (the largest possible signed sixteen-bit integer) and you add 1 to that register, the result will be 8000H or −32768 (the smallest possible signed integer) and the Overflow flag will be set.

It is easiest to think of the Carry flag as an equivalent of Overflow for unsigned operations. For example, if a register contains 0FFFFH (the largest possible unsigned integer) and you add 1 to that register, the result will be 0 and the Carry flag will be set. In subtraction, the Carry flag is inverted and indicates a borrow. There is also an Auxiliary Carry flag that is employed in BCD arithmetic and is not usually useful in ordinary applications; we'll simply ignore it for now.

The designers of the 8088 included a host of conditional jump instructions, which take into account most of the meaningful settings and combinations of the status flags. Unlike many earlier microprocessors, the 8088 provides jumps based on both signed and unsigned comparisons. Some of the jumps have different names to make them easier to think about but are assembled into the same machine code (see table 1). In practice, the jumps contingent on parity, carry, and overflow are infrequently used; you should probably avoid these until you feel at ease with 8088 assembly language.

To get the flags set, we can take several courses. If we're examining a single value to see if it's positive, negative, or zero, we can simply Inclusive OR it with itself. This leaves the value unchanged but sets the Sign, Zero, and Parity status flags. For example, to check whether the value in register AX is zero, we can code:

```
OR      AX,AX
JZ      IT_IS_ZERO
JMP     IT_ISN'T_ZERO
```

To test whether specific bits of a value are set, we can use the TEST instruction, which essentially applies a mask to the value but leaves it unmodified. For example, to test whether bit 0 of the number in register AX is set, we can write:

```
TEST    AX,1
JZ      BIT_NOT_SET
JMP     BIT_SET
```

In its effect on the status flags, TEST AX,1 is exactly the same as AND AX,1, except that TEST leaves the contents of register AX unchanged. It's worth noting here that although one can TEST any general register against a constant value, a TEST of AX has a special machine instruction that is significantly faster.

You can also set the status flags by comparing one value with another. The two data items to be compared can be both in registers, one can be "immediate data," or one value can be in a register and the other in memory. In its effect on the status flags, the comparison behaves as though the source operand were subtracted from the destination operand; but, of course, the two values compared are left unchanged.

For example, to compare the contents of register AX with the value 5, you can code:

```
CMP     AX,5
JG      GREATER_THAN_FIVE
JMP     NOT_GREATER_THAN_
        FIVE
```

Any arithmetic or logical operation using two values causes the destination operand to be replaced with the result and sets the status flags accordingly. For example, the following code adds BX to AX, leaves the result in AX, and branches according to the outcome:

```
ADD     AX,BX
JZ      RESULT_IS_ZERO
JMP     RESULT_ISN'T_ZERO
```

Finally, there are two instructions that allow direct manipulation of the Carry flag: STC (Set Carry) and CLC (Clear Carry). These are often used by subroutines as a convenient way to pass a success or failure code back to the calling routine. An example is provided by PC-DOS itself, which, if it encounters an error during a function call, sets the carry flag before returning control to an application program.

One little hidden "gotcha" to be aware of when you're coding conditional jumps: They assemble only an eight-bit displacement. In

other words, they can reach only those labels that are within plus 127 or minus 128 bytes of the current program counter location + 2. This limitation sometimes forces you to write a "jump around a jump," which is rather inelegant. For example, the following sequence would be necessary if the label VALUE_IS_ZERO happened to be more than 127 bytes away:

```
        OR    AX,AX
        JNZ   VALUE_NOT_ZERO
        JMP   VALUE_IS_ZERO
VALUE_NOT_ZERO:
```

It is important to notice the distinctions between signed and unsigned jumps. A signed jump acts on the basis of the status flags as though two signed fifteen-bit integers had been compared (each having a value in the range −32768 to 32767). An unsigned jump reacts on the basis of comparing two sixteen-bit positive integers (in other words two values in the range 0 to 65535).

The process of executing a conditional jump does *not* change the contents of the CPU status flags. Their condition remains static until you execute another arithmetic/logical, shift, compare, or test instruction.

Loop Control. It is often necessary to write a program that repeats the same sequence of operations several times; in many cases the number of repetitions needed is not known at assembly time but must be calculated at runtime. In general, you accomplish this by putting the particular sequence of program code inside a construct called a *loop*.

In Basic, loops are provided for explicitly by the *for* and *next* commands. In assembly language programs, loops can be implemented in many ways. Here's one way to fashion a loop:

```
        MOV     register,count
label:  •
        •
        •
        DEC     register
        JNZ     label
```

The code signified by the three dots (ellipses) will be executed *count* times, since the conditional jump will be taken until the register has been decremented to 0. *Count* might be a constant value (that is, determined at assembly or link time) or the contents of a variable (determined at runtime). If the latter is the case, there could be a problem with the code written above: If the beginning count is 0, the loop will be executed 65,536 times! For this loop to be bombproof, it should be written as:

```
        MOV     register,count
        OR      register,register
        JZ      label2
label:  •
        •
        •
        DEC     register
```

```
        JNZ     label
label2:
```

The architects of the 8088 built in two instructions especially designed for the efficient handling of loops. These are JCXZ (jump if register CX is zero) and LOOP (decrement CX register and jump if CX not zero), and they are commonly coded into a loop as follows:

```
        MOV     CX,count
        JCXZ    label2
label:  •
        •
        •
        LOOP    label
label2:
```

Although this code is *almost* equivalent to the previous example, there is at least one important difference. While the *DEC register* instruction sets most of the status flags to reflect the contents of the CX register after the decrement operation, the LOOP instruction does *not* affect the status flags at all.

We are, incidentally, seeing here an example of the much discussed "asymmetry" of the 8088 microprocessor. JCXZ and LOOP carry out their functions assuming that register CX contains the counter; there are no equivalent single instructions to test and branch on the contents of any of the other general registers. This is why the Intel manuals often refer to CX as the "count" register. There are a number of other instructions that also reference CX in a unique way; these include the shift and rotate group and the special string instructions (LODS, STOS, SCAS, CMPS, and MOVS).

Comments on Previous Months' Columns. Steve Harrison of San Diego, California, wrote in about the TALK program (December 1983), asking why we didn't test the status of the COM port to make sure it was ready before outputting a character to it. He wasn't contesting the fact that the program works as advertised; he just wondered why we were taking for granted that the COM port would always be ready to accept data for transmission. A little arithmetic will provide the answer straight-away. Assuming the communications adapter is set for 300 baud, we can expect a maximum data rate of approximately thirty characters per second—or six words per second, as typing teachers are wont to count.

Six words per second is of course the same as 360 words per minute. Since a speed of 60 to 70 words per minute is usually considered to reflect superior typing skill, chances seem minimal that we'll stumble onto a computer operator who might outrun the communications port's ability to cope with the characters as they arrive from the keyboard.

Last month's column, which featured the CLEAN utility, ended with the suggestion that you might, as an exercise, change the PUT_CHAR and GET_CHAR routines to read and write larger records in order to speed up execution of the program. It turns out that if you read and write the files in 1,024-byte blocks, the program will process a file almost exactly ten times as fast as the version printed last month.

Listing 1 contains an excerpt from the enhanced program. In addition to some changes to GET_CHAR and PUT_CHAR, there are four new routines: INIT_BUFFS, READ_BLOCK, WRITE_BLOCK, and FLUSH_BUFFS. A call to INIT_BUFFS must be made after the files are opened but before any other processing is started, and a call to FLUSH_BUFFS must be inserted before the files are closed when processing is completed. *BLKSIZE EQU 1024* must be inserted as an equate at the start of your program, and some changes and additions must be made to the data segment as shown in listing 2.

The MARK Utility

PC-DOS version 1 introduced, and PC-DOS version 2 extended the use of, "attributes" associated with file entries in the disk directory. The attributes are bit flags that specify whether a file is "hidden" or "system" (not to appear on a directory listing), "read-only" (not modifiable or erasable by an application program), or "archived" (backed up since last modified). Attribute flags are also used to identify directory entries that specify volume or subdirectory names.

This month's utility, MARK, demonstrates modification of file attributes and continues our introduction to PC-DOS function calls. This program, requiring DOS 2.0 and written in a form to be assembled and linked into an EXE file, enables you to set a file's status to hidden, read-only, or normal (all special attributes turned off). One obvious use of MARK is to flag all your vital SYS, BAT, COM, and EXE files as read-only, so that you can't trash them by accident with an errant *erase**.*.

How To Use MARK. The command line must contain the name and extension of the desired file, along with a switch that tells the program which action to take. Since you're using DOS 2.0, you can also include a full path specification if you wish. If not supplied in the command line, the path defaults to the current subdirectory, and the disk unit defaults to the current drive.

The MARK utility is invoked in the form:

```
A>MARK filename.ext /x
```

where *x* is a character specifying the desired attribute: H=hidden, N=normal, and R=read-only. To mark the file named XMAS.TXT as read-only, for example, you would enter:

```
A>MARK XMAS.TXT /R
```

If you enter an improper switch or name a nonexistent file, or if you accidentally omit any necessary information, MARK will give you an appropriate error message and provide an example of a proper command line.

Outline of MARK. The general plan of this utility is as follows:

1. Save on the stack the address for the final return to DOS.

2. Copy the filename passed by DOS from the user's command line into a local buffer and terminate it with a zero byte. If the filename is absent or illegal, print an error message and exit.

3. Locate the switch by scanning for a / character, then pick up the following letter and make sure it is either N, R, or H. If the switch is absent or invalid, print an error message and exit.

4. Modify the file's attribute byte in the disk directory by calling DOS function 43H and passing the address of the filename and the desired characteristics.

5. Print a success message including the name of the file and the action taken; then return control to DOS.

A Closer Look. Like the programs printed in the last several columns, MARK is designed to be assembled into an EXE file. It is divided into a code segment named CSEG that contains all the executable machine code, a data segment named DATA that contains the constants and variables, and a stack segment named STACK that is used as a scratch area by PUSH, POP, CALL and RET instructions.

Within the code segment, there is a main procedure, also named MARK, which contains the primary flow of control for the program; it is delimited by the PROC and ENDP statements and may be found in lines 36 through 87. The logic in this procedure is straightforward and follows the outline given almost exactly.

Following the procedure MARK are several smaller procedures that serve as subroutines for the main-line code. The first of these, PASCIIZ, is found in lines 89 through 110; it simply prints out a filename (in the form of an ASCIIZ string) on the console.

The subroutine INFILE in lines 112 through 148 was lifted directly out of last month's CLEAN utility. It transfers a path and file specification from the command tail buffer, where

Instruction	Flags	Condition
JA	(CF or ZF)=0	Jump if compare above (unsigned)
JAE	CF=0	Jump if compare above or equal (unsigned)
JB	CF=1	Jump if compare below (unsigned)
JBE	(CF or ZF)=1	Jump if compare below or equal (unsigned)
JC	CF=1	Jump if carry flag set
JCXZ	irrelevant	Jump if contents of CX=zero
JE	ZF=1	Jump if compare equal
JG	((SF xor OF) or ZF)=0	Jump if compare greater
JGE	(SF xor OF)=0	Jump if compare greater or equal
JL	(SF xor OF)=1	Jump if compare less than
JLE	((SF xor OF) or ZF)=1	Jump if compare less than or equal
JNA	(CF or ZF)=1	Jump if compare not above (unsigned)
JNAE	CF=1	Jump if compare not above or equal (unsigned)
JNB	CF=0	Jump if not below (unsigned)
JNBE	(CF or ZF)=0	Jump if compare not below or equal (unsigned)
JNC	CF=0	Jump if carry flag not set
JNE	ZF=0	Jump if compare not equal
JNG	((SF xor OF) or ZF)=1	Jump if compare not greater
JNGE	(SF xor OF)=1	Jump if compare not greater or equal
JNL	(SF xor OF)=0	Jump if compare not less
JNLE	((SF xor OF) or ZF)=0	Jump if compare not less or equal
JNO	OF=0	Jump if overflow flag not set
JNP	PF=0	Jump if parity flag not set
JNS	SF=0	Jump if value not negative
JNZ	ZF=0	Jump if value not zero
JO	OF=1	Jump if overflow flag set
JP	PF=1	Jump if parity flag set
JPE	PF=1	Jump if parity even
JPO	PF=0	Jump if parity odd
JS	SF=1	Jump if value negative
JZ	ZF=1	Jump if value zero

Table 1. The conditional jump instructions of the 8088 microprocessor. Information adapted from the Intel literature and the IBM *Technical Reference* manual. Jumps described in terms of greater or less are used with signed comparisons; those described as above or below are used with unsigned comparisons. ZF=Zero Flag, SF=Sign Flag, OF=Overflow Flag, PF=Parity Flag, and CF=Carry Flag.

```
get_char    proc    near                ;get one character from input buffer
            mov     bx,input_ptr
            cmp     bx,blksize
            jne     get_char1
            call    read_block
            mov     bx,0
get_char1:
            mov     al,[input_buffer+bx]
            inc     bx
            mov     input_ptr,bx
            ret
get_char    endp

put_char    proc    near                ;put one character into output buffer
            mov     bx,output_ptr
            mov     [output_buffer+bx],al
            inc     bx
            mov     output_ptr,bx
            cmp     bx,blksize          ;buffer full yet?
            jne     put_char1           ;no,jump
            call    write_block         ;yes,write the block
            ret                         ;return CY as status code
put_char1:
            clc                         ;return CY clear for OK status
            ret
put_char    endp

read_block  proc    near
            mov     bx,input_handle     ;read first block of input
            mov     cx,blksize
            mov     dx,offset input_buffer
            mov     ah,3fh
            int     21h
            jnc     read_block1         ;jump if no error status
            mov     ax,0                ;simulate a zero length read if error
read_block1:
            cmp     ax,blksize          ;was full buffer read in?
            je      read_block2         ;yes,jump
            mov     bx,ax               ;no, store End-of-File mark
            mov     byte ptr [input_buffer+bx],eof
read_block2:
            xor     ax,ax               ;initialize input buffer pointer
            mov     input_ptr,ax
            ret
read_block  endp

write_block proc    near                ;write blocked output (blksize bytes)
            mov     dx,offset output_buffer
            mov     cx,blksize
            mov     bx,output_handle
            mov     ah,40h
            int     21h
            xor     bx,bx               ;initialize pointer to blocking buffer
            mov     output_ptr,bx
            cmp     ax,blksize          ;was correct length written?
            jne     write_block1        ;no,disk must be full
            clc                         ;yes,return CY=0 indicating all OK
            ret
write_block1:                           ;disk is full, return CY=1
            stc                         ;as error code
            ret
write_block endp
```

it was left by DOS, into a local buffer in MARK's data segment, terminating the string with a zero byte so that it's acceptable to the DOS 2.0 file functions.

The procedure GET_SWITCH in lines 151 through 186 scans the command line tail for the / character, then picks up the next letter and makes sure it is N, H, or R. If the procedure locates a legal switch, it returns the appropriate attribute bits and the address of a corresponding message to the main routine. If the switch is missing or incorrect, an error status is returned via the Carry flag.

The subroutine ERROR is passed the address of an appropriately descriptive message, which it displays on the screen along with some help information.

Following these auxiliary procedures, we find the DATA segment in lines 207 through 278 and the STACK segment in lines 283 through 288. These don't contain anything unconventional this month. Finally, the whole program is terminated with an END command in line 289, which also designates the label MARK as the entry point from DOS.

An interesting and subtle point in the coding of this program is that at the original entry from DOS, the DS and ES registers are set to the segment of the Program Segment Prefix, which includes the command tail. MARK preserves the original contents of DS long enough to acquire the filename and switch from the command tail, while it uses the ES register to address its own data segment. Eventually, it also sets DS to the segment of its own data area, a necessity before it can ask DOS to change the file attribute or print any messages.

Further reading that you will find helpful: the description of file attributes on page C-4 of the DOS 2.0 manual and the detailed specification for function call 43H, located on D-39 of the same tome.

The MARK utility provides a substrate that you can easily extend with many more useful features. Two obvious extensions are the ability to accept wildcard file specifications and the ability to add or change volume labels after a disk is formatted. Good luck! ▲

```
init_buffs   proc    near
             call    read_block          ;read 1st block of input
             xor     ax,ax               ;initialize pointer to output
             mov     output_ptr,ax       ;output blocking buffer
             ret
init_buffs   endp

flush_buffs  proc    near                ;write any data in output buffer to disk
             mov     cx,output_ptr
             or      cx,cx
             jz      flush_buffs1        ;jump,buffer is empty
             mov     bx,output_handle
             mov     dx,offset output_buffer
             mov     ah,40h
             int     21h
             cmp     ax,output_ptr       ;was write successful?
             jnz     flush_buffs2        ;no,jump
flush_buffs1:
             clc                         ;yes,return CY=0 for
             ret                         ;success flag
flush_buffs2:                            ;disk was full so write failed,
             stc                         ;return CY=1 as error flag
             ret
flush_buffs  endp
```

Listing 1.

```
input_ptr       dw    0                 ;pointer to input blocking buffer
output_ptr      dw    0                 ;pointer to output blocking buffer

input_buffer    db    blksize dup (?)   ;buffer for deblocking of data
                                        ;from input file

output_buffer   db    blksize dup (?)   ;buffer for blocking of data
                                        ;sent to output file
```

Listing 2.

```
                        name    mark
                        page    55,132
                        title   'MARK—set attribute of file'
                ;
                ; MARK—Utility to set attribute of file.
                ; Version 1.0  20 December 1983
                ; Requires PC-DOS 2.0 for execution.
                ;
                ; Program is called by command of the form:
                ;       A)MARK path\file.ext /x
                ; where x=R for read-only, H for hidden,
                ; or N for normal (all attrib bits off).
                ;
                ; Copyright (c) 1983 Ray Duncan
                ; May be freely modified and reproduced
                ; for noncommercial use.

= 000D          cr      equ     0dh     ;ASCII carriage return
= 000A          lf      equ     0ah     ;ASCII line feed
= 0024          eom     equ     '$'     ;end of message flag

= 0080          command equ     80h     ;Command line buffer

= 0001          rd_only equ     01h     ;file attributes
= 0002          hidden  equ     02h
= 0004          system  equ     04h
= 0008          volume  equ     08h
= 0010          subdir  equ     10h
= 0020          archive equ     20h


0000            cseg    segment para public 'CODE'

                        assume  cs:cseg,ds:data,es:data,ss:stack

0000            mark    proc    far     ;entry point from PC-DOS

0000  1E                push    ds      ;save DS:0000 for final
0001  33 C0             xor     ax,ax   ;return to PC-DOS
0003  50                push    ax
0004  B8 ---R           mov     ax,data ;make our data segment addressable
0007  8E C0             mov     es,ax   ;via the ES register
0009  E8 0069 R         call    infile  ;get path and name for
                                        ;file to be modified,
000C  73 07             jnc     mark1   ;jump if filename was ok
000E  BA 0040 R         mov     dx,offset msg1 ;filename absent or illegal,
0011  E8 00C1 R         call    error   ;print error message and exit
0014  CB                ret

0015            mark1:                  ;filename was ok, now try
0015  E8 008F R         call    get_switch ;and find the switch
0018  73 07             jnc     mark2   ;jump if switch was ok
001A  BA 00D0 R         mov     dx,offset msg7 ;missing switch, print error
001D  E8 00C1 R         call    error   ;message and exit
0020  CB                ret

0021            mark2:                  ;found legal switch, now
0021  52                push    dx      ;save addr of success message
0022  8C C0             mov     ax,es   ;make our data segment addressable
0024  8E D8             mov     ds,ax   ;via the DS register
                                        ;CX=attrib bits,
                                        ; already set by "get_switch"
                                        ;DS:DX=addr of filename
0026  BA 0000 R         mov     dx,offset input_name
0029  B4 43             mov     ah,43h  ;function 43h=CHMOD
002B  B0 01             mov     al,01   ;AL=01 for set attrib
002D  CD 21             int     21h     ;make request to PC-DOS
002F  73 08             jnc     mark3   ;if CY=0 jump, successful call
                                        ;if CY=1 call failed,
0031  5A                pop     dx      ;clean up stack, and
0032  BA 0055 R         mov     dx,offset msg2 ;print error message
0035  E8 00C1 R         call    error
0038  CB                ret

0039            mark3:                  ;attribute was modified,
0039  BA 0067 R         mov     dx,offset msg3 ;print 1st part of success message
003C  B4 09             mov     ah,9
003E  CD 21             int     21h
                                        ;print filename
0040  BA 0000 R         mov     dx,offset input_name
0043  E8 004C R         call    pasciiz
0046  5A                pop     dx      ;print last part of success msg.
0047  B4 09             mov     ah,9
0049  CD 21             int     21h

004B  CB                ret             ;final exit to PC-DOS
004C                    mark    endp

004C            pasciiz proc    near    ;print the ASCIIZ string
                                        ;whose offset is in DX on
                                        ; the standard output device.
                                        ;Regs AX, BX also destroyed.
004C  8B DA             mov     bx,dx   ;let BX=offset of string
004E            pasciiz1:
004E  8A 17             mov     dl,[bx] ;get next char from string
0050  0A D2             or      dl,dl   ;if char.=zero, end of string
0052  74 14             jz      pasciiz9 ;jump if end
0054  80 FA 41          cmp     dl,'A'  ;if it is an uppercase alpha
0057  72 08             jb      pasciiz2 ;character, fold to lowercase
0059  80 FA 5A          cmp     dl,'Z'  ;Note: Inclusive Or of an alpha
005C  77 03             ja      pasciiz2 ;ASCII character with 20h has the
005E  80 CA 20          or      dl,20h  ;effect of folding to lowercase.
0061            pasciiz2:
0061  B4 02             mov     ah,2    ;function 2=output char.
0063  CD 21             int     21h     ;request output by DOS
0065  43                inc     bx      ;advance to next string position
0066  EB E6             jmp     short pasciiz1
0068            pasciiz9:               ;done with string output,
0068  C3                ret             ;return to caller
0069            pasciiz endp
```

```
0069                    infile  ;proc   near    ;Capture the name of a file
                                                ;from the command tail buffer
                                                ;where it was left by PC-DOS,
                                                ;transferring it into a local
                                                ;buffer in the form of an
                                                ;ASCIIZ string.

                                                ;DS:SI <-- addr of command tail
0069 BE 0080                    mov     si,offset command
                                                ;ES:DI <-- addr of local buffer
006C BF 0000 R                  mov     di,offset input_name
006F FC                         cld             ;make sure direction flag cleared
0070 AC                         lodsb           ;first check count byte to make
0071 0A C0                      or      al,al   ;sure command tail is present
0073 74 18                      jz      infile4 ;return error status if not.
0075                    infile1:                ;scan over leading blanks to
0075 AC                         lodsb           ;find the path and filename
0076 3C 0D                      cmp     al,cr   ;if we run into carriage return,
0078 74 13                      jz      infile4 ;filename is missing, so exit.
007A 3C 20                      cmp     al,20h  ;if this char is a blank,
007C 74 F7                      jz      infile1 ;keep scanning.
007E                    infile2:                ;found 1st char of name,
007E AA                         stosb           ;transfer the name to local buffer.
007F AC                         lodsb           ;check next character, found
0080 3C 0D                      cmp     al,cr   ;end of string yet?
0082 74 04                      je      infile3 ;yes if either carriage return
0084 3C 20                      cmp     al,20h
0086 75 F6                      jne     infile2
0088                    infile3:                ;path and filename successfully
0088 32 C0                      xor     al,al   ;transferred to local buffer,
008A AA                         stosb           ;store 0 byte at end of string
008B F8                         clc             ;and exit with Carry flag =0
008C C3                         ret
008D                    infile4:                ;some type of error was detected
008D F9                         stc             ;so exit with Carry flag =1
008E C3                         ret
008F                    infile  endp

008F                    get_switch proc near    ;Scan the input line for a "/"
                                                ;delimiting a switch, then make
                                                ;sure it is legal.
                                                ;Return CY=0 if legal switch, and
                                                ;CX=attrib byte, DX=msg addr
                                                ;Return CY=1 if switch no good
008F BE 0081                    mov     si,offset command+1 ; DS:SI = addr of command line
0092                    get_switch1:            ;look for "/" character
0092 AC                         lodsb
0093 3C 0D                      cmp     al,cr   ;if we run into a carriage return,
0095 74 28                      jz      get_switch9 ;switch missing so take error exit.
0097 3C 2F                      cmp     al,'/'
0099 75 F7                      jne     get_switch1 ;not '/' yet, keep looking,
009B AC                         lodsb           ;found '/', pick up next char.
009C 0C 20                      or      al,20h  ;and fold to lowercase.
009E 3C 72                      cmp     al,'r'  ;R = read only
00A0 75 07                      jne     get_switch2 ;not R, jump
00A2 B9 0001                    mov     cx,rd_only  ;R so set read only attrib bit
00A5 BA 0092 R                  mov     dx,offset msg5
00A8 C3                         ret             ;return CY=0 for success
00A9                    get_switch2:            ;check for H=hidden
00A9 3C 68                      cmp     al,'h'
00AB 75 07                      jne     get_switch3 ;not H, jump
00AD B9 0002                    mov     cx,hidden   ;H so set hidden attrib bit
00B0 BA 007C R                  mov     dx,offset msg4
00B3 C3                         ret             ;return CY=0 for success
00B4                    get_switch3:            ;check for N=normal
00B4 3C 6E                      cmp     al,'n'
00B6 75 07                      jne     get_switch9 ;not N,jump to error exit
00B8 B9 0000                    mov     cx,0    ;clear all attrib bits
00BB BA 00B5 R                  mov     dx,offset msg6
00BE C3                         ret             ;return CY=0 for success
00BF                    get_switch9:            ;missing or illegal switch,
00BF F9                         stc             ;return CY flag=1 as alarm
00C0 C3                         ret
00C1                    get_switch endp

00C1                    error   proc    near    ;print error message
00C1 B8 ---- R                  mov     ax,data ;make sure data area addressable
00C4 8E D8                      mov     ds,ax
00C6 B4 09                      mov     ah,9    ;print error type
00C8 CD 21                      int     21h
00CA BA 00ED R                  mov     dx,offset helpmsg
00CD B4 09                      mov     ah,9    ;also print HELP information
00CF CD 21                      int     21h
00D1 C3                         ret             ;back to caller
00D2                    error   endp

00D2                    cseg    ends

                                                ;declare a data segment for
                                                ;storage of miscellaneous
                                                ;constants and variables
0000                    data    segment para public 'DATA'

0000 40 [               input_name db   64 dup (0)  ;buffer for path and filename
         00
       ]

0040 0D 0A              msg1    db      cr,lf
0042 4D 69 73 73 69 6E          db      'Missing filename.',eom
     67 20 66 69 6C 65
     20 6E 61 6D 65 2E
     24

0055 0D 0A              msg2    db      cr,lf
0057 46 69 6C 65 20 6E          db      'File not found.',eom
     6F 74 20 66 6F 75
     6E 64 2E 24

0067 0D 0A              msg3    db      cr,lf
0069 41 74 74 72 69 62          db      'Attribute of file ',eom
     75 74 65 20 6F 66
     20 66 69 6C 65 20
     24

007C 20 68 61 73 20 62  msg4    db      ' has been set to Hidden.'
     65 65 6E 20 73 65
     74 20 74 6F 20 48
     69 64 64 65 6E 2E
0094 0D 0A 24                   db      cr,lf,eom

0097 20 68 61 73 20 62  msg5    db      ' has been set to Read-Only.'
     65 65 6E 20 73 65
     74 20 74 6F 20 52
     65 61 64 2D 4F 6E
     6C 79 2E
00B2 0D 0A 24                   db      cr,lf,eom

00B5 20 68 61 73 20 62  msg6    db      ' has been set to Normal.'
     65 65 6E 20 73 65
     74 20 74 6F 20 4E
     6F 72 6D 61 6C 2E
00CD 0D 0A 24                   db      cr,lf,eom

00D0 0D 0A              msg7    db      cr,lf
00D2 4D 69 73 73 69 6E          db      'Missing or illegal switch.',eom
     67 20 6F 72 20 69
     6C 6C 65 67 61 6C
     20 73 77 69 74 63
     68 2E 24

00ED 20 20 43 6F 6D 6D  helpmsg db      '   Command should be in the form:
     61 6E 64 20 73 68
     6F 75 6C 64 20 62
     65 20 69 6E 20 74
     68 65 20 66 6F 72
     6D 3A 20
010E 0D 0A 0A                   db      cr,lf,lf
0111 20 20 4D 41 52 4B          db      '  MARK filename /x'
     20 66 69 6C 65 6E
     61 6D 65 20 2F 78
0123 0D 0A 0A                   db      cr,lf,lf
0126 78 3D 4E 20 66 6F          db      'x=N for normal, R for read-only, H for hidden.'
     72 20 6E 6F 72 6D
     61 6C 2C 20 52 20
     66 6F 72 20 72 65
     61 64 2D 6F 6E 6C
     79 2C 20 48 20 66
     6F 72 20 68 69 64
     64 65 6E 2E
0154 0D 0A 24                   db      cr,lf,eom

0157                    data    ends

                                                ;declare a stack segment of 64 bytes
                                                ;for use as scratch area by such
                                                ;instructions as PUSH, POP, CALL, RET
0000                    stack   segment para stack 'STACK'
0000 40 [               db      64 dup (?)
         ??
       ]

0040                    stack   ends

                        end     mark
```

Listing 3

```
Segments and groups:
                Name            Size    align   combine class
CSEG ..........                 00D2    PARA    PUBLIC  'CODE'
DATA ..........                 0157    PARA    PUBLIC  'DATA'
STACK .........                 0040    PARA    STACK   'STACK'

Symbols:
                Name            Type    Value   Attr
ARCHIVE .......                 Number  0020
COMMAND .......                 Number  0080
CR ............                 Number  000D
EOM ...........                 Number  0024
ERROR .........                 N PROC  00C1    CSEG    Length =0011
GET_SWITCH ....                 N PROC  008F    CSEG    Length =0032
GET_SWITCH1 ...                 L NEAR  0092    CSEG
GET_SWITCH2 ...                 L NEAR  00A9    CSEG
GET_SWITCH3 ...                 L NEAR  00B4    CSEG
GET_SWITCH9 ...                 L NEAR  00BF    CSEG
HELPMSG .......                 L BYTE  00ED    DATA
HIDDEN ........                 Number  0002
INFILE ........                 N PROC  0069    CSEG    Length =0026
INFILE1 .......                 L NEAR  0075    CSEG
INFILE2 .......                 L NEAR  007E    CSEG
INFILE3 .......                 L NEAR  0088    CSEG
INFILE4 .......                 L NEAR  008D    CSEG
INPUT_NAME ....                 L BYTE  0000    DATA    Length =0040
LF ............                 Number  000A
MARK ..........                 F PROC  0000    CSEG    Length =004C
MARK1 .........                 L NEAR  0015    CSEG
MARK2 .........                 L NEAR  0021    CSEG
MARK3 .........                 L NEAR  0039    CSEG
MSG1 ..........                 L BYTE  0040    DATA
MSG2 ..........                 L BYTE  0055    DATA
MSG3 ..........                 L BYTE  0067    DATA
MSG4 ..........                 L BYTE  007C    DATA
MSG5 ..........                 L BYTE  0097    DATA
MSG6 ..........                 L BYTE  00B5    DATA
MSG7 ..........                 L BYTE  00D0    DATA
PASCIIZ .......                 N PROC  004C    CSEG    Length =001D
PASCIIZ1 ......                 L NEAR  004E    CSEG
PASCIIZ2 ......                 L NEAR  0061    CSEG
PASCIIZ9 ......                 L NEAR  0068    CSEG
RD_ONLY .......                 Number  0001
SUBDIR ........                 Number  0010
SYSTEM ........                 Number  0004
VOLUME ........                 Number  0008

Warning Severe
Errors  Errors
0       0
```

softalk presents the bestsellers

This is the month in which we report Christmas sales. Sales of most packages were up, fueled by the holiday euphoria and the expansion of business budgets before the end of the fiscal year. As you might expect, December was a case of the rich getting richer.

Even astute observers could miss the minute change in the composition of the Top Thirty. Only one program, *General Ledger* from BPI, was new to the list. The dropout was *Volkswriter*. That was not a big falling off; *Volkswriter* actually sold better in December than in November, but it ended up thirty-first.

The static nature of the Top Thirty emphasizes the enigma that is the IBM Personal Computer software market. The advent of the PC brought forth the greatest outpouring of new software in a short time span of any personal computer. Many have called, but very few have been chosen.

The lack of success experienced by many software publishers certainly hasn't been because of shortcomings in their product lines. For the most part, software conceived for the PC is more ambitious and better executed than its counterparts on other microcomputers. If that implies, as it does, a plethora of good software for the PC, then why do a relative handful of programs dominate sales?

One obvious possibility is that there are distinct and recognizable added features in the leaders that are missing in the other packages. That assumption would be challenged by every one of the second-tier companies. SPI and Ovation won't grant *1-2-3* a millimeter of advantage. Symmetric Software, Marc Software, and Ann Arbor Software won't yield an inch to *WordStar*, *MultiMate*, or *PFS:Write*. Decision Support Systems won't give a thing to *Home Accountant*.

Even granting that different software packages have different features, which implies different levels of acceptability, the apparent homogeneity of the IBM market is difficult to accept. Quality of product and intelligent marketing go a long way toward putting distance between competing packages, but it's not clear that the presence of those elements in the leading packages provides complete answers.

One of the anomalies of the PC aftermarket is that most retail outlets carry so few titles. That's a trend not seen in the markets of other microcomputers. And it raises the chicken-and-egg question. Which comes first, retail demand or quality distribution?

Concurrent with the first wave of quality PC software was the retrenchment of the major distributors. Chief among the changes that occurred was that Softsel, the giant in software distribution, put the brakes on its aggressive acquisition of new titles and new publishers.

Softsel had been the driver in the Apple and Atari software markets, actively seeking out quality new product and bringing it to the attention of their retail clients. As their traditional markets softened, Softsel moved to a more conservative approach. Fewer products were added to the catalog, and most that were added had to have proved their attractiveness to the market before Softsel bought in.

The catch, of course, was for a new software publisher to establish a track record for a new product without the aid of the established channels. Recently, only Softword Systems, with *MultiMate*, has been able to find a way around that conundrum. Other new programs that have scored in the PC market have been the product of established publishers with distribution channels already in place.

That's a discouraging aspect of the market for PC owners and new publishers alike. If only the entrenched publishers can get product moved, the market will receive only software very much like the product it already has. Success breeds its own reinforcement. Innovation and applications breakthroughs will be discouraged as needless risks.

What's required is a rethinking by retailers and distributors of their role in the sales chain. Their best interests are not served by limiting access to only a few large and successful publishers. If that trend continues, soon the software publishers will be dictating terms. That's as unhealthy as if the distribution chain dictated the terms.

The best possible alternative is a marketplace where publishers and distributors conduct arm's-length transactions that foster competition while rewarding the best product. When the process approximates that goal, there will be free entrance to new competitors with sound software. That's when the PC owner will benefit the most.

In the meantime, a few publishers will continue to dominate the bestseller lists. Lotus, Microsoft, Software Publishing Corporation, Infocom, Ashton-Tate, and a handful of others will take the lion's share without the pressures of a highly competitive environment.

It's true that there are competitive pressures in other markets that these publishers sell into, and those pressures keep the companies working on better product. But the IBM market is the big one. Competitive pressure there would be the goad that would spur each of these companies to achieve their highest levels of excellence.

IBM Personal Computer owners can only hope that such a time is not far off. ▲

IBM-franchised retail stores representing approximately 4.79 percent of all sales of IBM and IBM-related products volunteered to participate in the poll.

Respondents were contacted early in January to ascertain their sales for the month of December.

The only criterion for inclusion on the list was the number of units sold; such other criteria as quality of product, profitability to the computer store, and personal preference of the individual respondents were not considered.

Respondents in January represented every geographical area of the continental United States.

Results of the responses were tabulated using a formula that resulted in the index number to the left of the program name in the Top Thirty listing. The index number is an arbitrary measure of relative strength of the programs listed. Index numbers are correlative only to the month in which they are printed; readers cannot assume that an index rating of 50 in one month represents equivalent sales to an index number of 50 in another month.

Probability of statistical error is plus or minus 3.83 percent, which translates roughly into the theoretical possibility of a change of 4.01 points, plus or minus, in any index number.

the top thirty

This Month	Last Month	Index	
1	1	189.62	**1-2-3**, Mitch Kapor and Jonathan Sachs; Lotus Development
2	4	96.77	**Microsoft Flight Simulator**, Bruce Artwick; Microsoft
3	7	74.67	**MasterType**, Lightning Software/Bruce Zweig; Scarborough Systems
4	2	72.70	**WordStar**; MicroPro
5	6	70.74	**PFS:File**, John Page and D.D. Roberts; Software Publishing Corporation
6	5	57.96	**dBase II**, Wayne Ratliff; Ashton-Tate
7	17	56.98	**Zork I**; Infocom
8	19	52.56	**Zork III**; Infocom
9	24	52.07	**Zork II**; Infocom
10	15	50.60	**PFS:Write**, Sam Edwards, Brad Crain, and Ed Mitchell; Software Publishing Corporation
11	3	48.14	**MultiMate**; SoftWord Systems
12	10	47.65	**Home Accountant Plus**, Mike Farmer, Bob Schoenburg, Larry Grodin, and Steve Pollack; Continental Software
13	13	44.21	**Multiplan**; Microsoft
14	21	41.75	**WordPerfect**, Alan Ashton and Bruce Bastian; Satellite Software International
15	23	37.82	**Cdex Training for the IBM PC**, Rohit Patel; Cdex Corporation
16	21	36.35	**PFS:Report**, John Page; Software Publishing Corporation
17	18	35.86	**VisiCalc**, Software Arts/Dan Bricklin and Robert Frankston; VisiCorp, IBM
18	14	33.89	**Typing Tutor**, Michael Sierchio (Dick Ainsworth and Al Baker); IBM (Microsoft)
19	11	32.91	**Basic Compiler**, Microsoft; IBM
20	8	28.98	**Macro Assembler**, Microsoft; IBM
21	12	27.01	**Norton Utilities**, Peter Norton; Peter Norton Inc.
22	28	24.56	**PFS:Graph**, Bessie Chin and Stephen Hill; Software Publishing Corporation
23	16	24.07	**The Instructor**, Jo-L Hendrickson; Individual Software
	24	24.07	**EasyWriter II**, Basic Software Group; Information Unlimited Software
25	9	23.08	**Crosstalk**, Microstuf
26	19	21.61	**PC Tutor**, Lora Meise and Rick Lane; Comprehensive Software Support
27	24	17.19	**SuperCalc2**; Sorcim
28	30	13.26	**ProKey**, David Rose; RoseSoft
	—	13.26	**General Ledger**, John Moss and Ken Debower; IBM (BPI)
30	28	12.77	**Word**; Microsoft

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 673 NO. HOLLYWOOD, CA

POSTAGE WILL BE PAID BY ADDRESSEE

softalk

for the IBM Personal Computer

P.O. Box 7040
North Hollywood, California 91605

Textra™ word processing

The shortest distance between your thoughts and the printed word.

Your thoughts come faster than your words. Capturing them smoothly and quickly is the strength of Textra, and the secret behind its success.

Textra blends advanced features with a simplified design that makes it easier to write with your personal computer. And that's what word processing is all about.

Start with the 'on-line' tutorial, which has been called everything from elegant to excellent. It's the finest introduction to a software program ever filmed. You'll be ready to write in record time.

And Textra will be ready for you. Its highly responsive full screen editor helps you put your thoughts on the screen swiftly. Automatic reformatting and on-screen bolding and underlining show you what your printed text will look like at all times. You can even preview your pages *before* they're printed, so you only have to print them once!

Whether you're searching for your first word processor, or feel miserable with the one you have now, take a close look at Textra. Ask your dealer for a demonstration today.

It's guaranteed to open your eye.

Join us at Softcon:

New Orleans
La Superdome
Feb. 21-23, 1984
Arena floor
Booth A1151

A² Software

Textra runs on the IBM PC and compatibles, and requires PCDOS (any version), 128K, and either monitor. Textra Jr. ($39.95) requires 64K.
Call for availability on the PCjr.

Ann Arbor Software

407 N. Main, Ann Arbor, MI 48104 Phone (313) 769-9088

Many happy returns.

If filing a return always leaves you frazzled by forms, rattled by receipts and numbed-out by numbers, HowardSoft can help you lick this taxing situation. With HowardSoft Tax Preparer and your IBM-PC or Apple Computer, you can take the tax break you deserve.

Using HowardSoft, your tax form is right on the screen where you need it. You enter raw information just once as HowardSoft calculates quickly and accurately, makes changes automatically, then delivers error-free print-outs ready to sign and drop in the mail.

Plus, you can keep records and make tax projections year-round. HowardSoft gives you all the features of the high-priced packages at a fraction of the cost. Clear instructions, the most-used forms and schedules, and inexpensive annual updates for easy filing year after year after year.

So, why not give HowardSoft a try? Visit the computer store nearest you for a demonstration of the top-selling tax package in the country. You can count on returning happy.

Tax Preparer by HowardSoft.™

The #1 selling tax software.

8008 Girard Avenue, Suite 310, La Jolla, CA 92037 • (619) 454-0121